

Package ‘GACE’

May 7, 2026

Title Generalized Adaptive Capped Estimator for Time Series
Forecasting

Version 1.0.0

Maintainer Vinodhkumar Gunasekaran <vinoalles@gmail.com>

Description Provides deterministic forecasting for weekly, monthly, quarterly, and yearly time series using the Generalized Adaptive Capped Estimator. The method includes preprocessing for missing and extreme values, extraction of multiple growth components (including long-term, short-term, rolling, and drift-based signals), volatility-aware asymmetric capping, optional seasonal adjustment via damped and normalized seasonal factors, and a recursive forecast formulation with moderated growth. The package includes a user-facing forecasting interface and a plotting helper for visualization. Related forecasting background is discussed in Hyndman and Athanasopoulos (2021) <<https://otexts.com/fpp3/>> and Hyndman and Khandakar (2008) <[doi:10.18637/jss.v027.i03](https://doi.org/10.18637/jss.v027.i03)>. The method extends classical extrapolative forecasting approaches and is suited for operational and business planning contexts where stability and interpretability are important.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.3

Imports ggplot2, stats, utils

Depends R (>= 4.1.0)

Suggests testthat (>= 3.0.0), knitr, rmarkdown, covr, forecast

VignetteBuilder knitr

Config/testthat/edition 3

URL <https://github.com/vinoalles/GACE>

BugReports <https://github.com/vinoalles/GACE/issues>

NeedsCompilation no

Author Vinodhkumar Gunasekaran [aut, cre]

Repository CRAN

Date/Publication 2025-12-11 19:20:18 UTC

Contents

gace_forecast	2
plot_gace	3

Index	4
--------------	----------

gace_forecast	<i>GACE Forecasting Engine (Generalized Adaptive Capped Estimator)</i>
---------------	--

Description

Deterministic forecasting method combining hybrid growth signals, volatility-aware asymmetric caps, and optional seasonal scaling. Supports weekly, monthly, quarterly, and yearly time series.

Usage

```
gace_forecast(
  df,
  periods = 12,
  freq = c("week", "month", "quarter", "year"),
  seasonal = TRUE,
  cap_low = -0.3,
  cap_high = 0.3,
  verbose = FALSE
)
```

Arguments

df	Numeric vector or time series of historical values.
periods	Integer; number of future periods to forecast.
freq	One of "week", "month", "quarter", or "year". Used when df is not a ts object, and also informs the growth/seasonal logic.
seasonal	Logical; whether to apply seasonal scaling.
cap_low	Numeric; baseline lower growth cap.
cap_high	Numeric; baseline upper growth cap.
verbose	Logical; if TRUE, prints diagnostic messages.

Details

This is the main user-facing function. It wraps the internal engine and returns a data frame suitable for plotting and downstream analysis.

Value

A data frame with columns:

- period – integer index of historical and forecast periods,
- value – observed or forecast values,
- type – "historical" or "forecast".

The returned object has S3 class "gace_forecast" and includes engine details in the "gace_details" attribute.

Examples

```
set.seed(1)
y <- ts(rnorm(60, mean = 100, sd = 10), frequency = 12)
fc <- gace_forecast(y, periods = 12, freq = "month")
head(fc)
```

plot_gace

Plot GACE Forecast

Description

Produces a plot of historical and forecast values returned by gace_forecast(). Includes stability handling for missing values, non-numeric periods, and clean ggplot2 output.

Usage

```
plot_gace(fc)
```

Arguments

fc A data frame returned by gace_forecast(), containing:

- period – numeric or convertible index,
- value – observed or forecast values,
- type – "historical" or "forecast".

Value

A ggplot2 object.

Examples

```
set.seed(1)
y <- ts(rnorm(48, mean = 100, sd = 10), frequency = 12)
fc <- gace_forecast(y, periods = 6, freq = "month")
plot_gace(fc)
```

Index

`gace_forecast`, [2](#)

`plot_gace`, [3](#)