

Package ‘GetDFPData’

January 12, 2019

Title Reading Annual Financial Reports from Bovespa's DFP, FRE and FCA System

Version 1.4

Date 2019-01-12

Description Reads annual financial reports including assets, liabilities, dividends history, stockholder composition and much more from Bovespa's DFP, FRE and FCA systems <http://www.bmfbovespa.com.br/en_us/products/listed-equities-and-derivatives/equities/listed-companies.htm>. These are web based interfaces for all financial reports of companies traded at Bovespa. The package is specially designed for large scale data importation, keeping a tabular (long) structure for easier processing.

Depends R (>= 3.3.0)

Imports stringr, XML, dplyr, readr, reshape2, tibble, xlsx, stats, curl, lubridate

ByteCompile true

License GPL-2

BugReports <https://github.com/msperlin/GetDFPData/issues>

URL <https://github.com/msperlin/GetDFPData/>

LazyData true

RoxygenNote 6.1.1

Suggests knitr, rmarkdown, testthat, ggplot2

VignetteBuilder knitr

NeedsCompilation no

Author Marcelo Perlin [aut, cre]

Maintainer Marcelo Perlin <marceloperlin@gmail.com>

Repository CRAN

Date/Publication 2019-01-12 22:32:16 UTC

R topics documented:

fix.fct	3
gdfpd.convert.to.wide	3
gdfpd.download.file	4
gdfpd.export.DFP.data	5
gdfpd.fix.DFP.dataframes	5
gdfpd.get.bovespa.data	6
gdfpd.get.files.from.bovespa	7
gdfpd.get.inflation.data	8
gdfpd.get.info.companies	8
gdfpd.GetDFPData	9
gdfpd.read.dfp.zip.file	11
gdfpd.read.dfp.zip.file.type.1	12
gdfpd.read.dfp.zip.file.type.2	12
gdfpd.read.fca.zip.file	13
gdfpd.read.fre.zip.file	14
gdfpd.read.fwf.file	14
gdfpd.read.zip.file.type.fca	15
gdfpd.read.zip.file.type.fre	16
gdfpd.search.company	16
get_files	17
my.copy.fct	18
my.merge.dfs.lists	18
xml.fct.auditing	19
xml.fct.board.composition	20
xml.fct.capital	20
xml.fct.capital.reduction	21
xml.fct.committee.composition	21
xml.fct.compensation	22
xml.fct.compensation.summary	22
xml.fct.debt	23
xml.fct.div.details	23
xml.fct.family.related.parts	24
xml.fct.family.relations	24
xml.fct.repurchases	25
xml.fct.responsible	25
xml.fct.splits.inplits	26
xml.fct.stock.values	26
xml.fct.stockholder	27
xml.fct.stocks.details	27
xml.fct.transactions.related	28

fix.fct	<i>Fix NULL values in dataframe</i>
---------	-------------------------------------

Description

Fix NULL values in dataframe

Usage

```
fix.fct(x, type.info = "character")
```

Arguments

x	Am object, possibly NULL
type.info	Type of object

Value

A single object

Examples

```
x <- NULL  
x2 <- fix.fct(x)
```

gdfpd.convert.to.wide	<i>Converts a dataframe from gdfpd_GetDFPData to the wide format</i>
-----------------------	--

Description

Converts a dataframe from gdfpd_GetDFPData to the wide format

Usage

```
gdfpd.convert.to.wide(data.in, data.in.cols = "original")
```

Arguments

data.in	Data frame with financial information
data.in.cols	Which data to go in rows values ('original' or 'inflation adjusted')

Value

A dataframe in the wide format

Examples

```
# get example data from RData file
my.f <- system.file('extdata/Example_DFP_Report_Petrobras.RData', package = 'GetDFPData')
load(my.f)

df.assets <- df.reports$fr.assets[[1]]
df.assets.wide <- gdfpd.convert.to.wide(df.assets)
```

gdfpd.download.file *Downloads files from the internet*

Description

Downloads files from the internet

Usage

```
gdfpd.download.file(dl.link, dest.file, max.dl.tries)
```

Arguments

dl.link	Link to file
dest.file	= Destination, as local file
max.dl.tries	Maximum number of attempts for downloading files

Value

Nothing

Examples

```
my.url <- paste0('http://www.rad.cvm.gov.br/enetconsulta/',
                'frmDownloadDocumento.aspx?CodigoInstituicao=2',
                '&NumeroSequencialDocumento=46133')

## Not run: # keep CHECK fast
dl.status <- gdfpd.download.file(my.url, 'tempfile.zip', 10)

## End(Not run)
```

gdfpd.export.DFP.data *Export tibble to an excel or csv (zipped) file*

Description

Export information from `gdfpd_GetDFPData()` to an excel file or csv. In the csv case, all tables are exported as csv files and zipped in a single zip file.

Usage

```
gdfpd.export.DFP.data(df.reports,  
  base.file.name = paste0("GetDFPData_Export_", Sys.Date()),  
  type.export = "xlsx")
```

Arguments

`df.reports` Tibble with financial information (output of `gdfpd.GetDFPData`)
`base.file.name` The basename of excel file (make sure you dont include the file extension)
`type.export` The extension of the desired format: 'xlsx' (default) or 'csv'

Value

TRUE, if successfull (invisible)

Examples

```
# get example data from RData file  
my.f <- system.file('extdata/Example_DFP_Report_Petrobras.RData', package = 'GetDFPData')  
load(my.f)  
  
## Not run: # dontrun: keep cran check time short  
gdfpd.export.DFP.data(df.reports, base.file.name = 'MyExcelFile', format.data = 'wide')  
  
## End(Not run)
```

`gdfpd.fix.DFP.dataframes`

Fix dataframe for version issues and inflation measures (internal)

Description

Fix dataframe for version issues and inflation measures (internal)

Usage

```
gdfpd.fix.DFP.dataframes(df.in, inflation.index, df.inflation,
  max.levels = 3)
```

Arguments

df.in	A dataframe with financial statements
inflation.index	Sets the inflation index to use for finding inflation adjusted values of all reports. Possible values: 'dollar' (default) or 'IPCA', the brazilian main inflation index. When using 'IPCA', the base date is set as the last date found in the DFP dataset.
df.inflation	Dataframe with inflation data
max.levels	Sets the maximum number of levels of accounting items in financial reports (default = 3)

Value

The fixed data.frame

Examples

```
#'
# get example data from RData file
my.f <- system.file('extdata/Example_DFP_Report_Petrobras.RData', package = 'GetDFPData')
load(my.f)

df.assets <- df.reports$fr.assets[[1]]
df.inflation <- gdfpd.get.inflation.data('dollar', do.cache = FALSE)

df.assets.fixed <- gdfpd.fix.DFP.dataframes(df.assets,
  inflation.index = 'dollar',
  df.inflation = df.inflation)
```

```
gdfpd.get.bovespa.data
```

Reads information for a company from B3 site

Description

Given a CVM code, this function scrapes information from the company page.

Usage

```
gdfpd.get.bovespa.data(my.id)
```

Arguments

my.id	A CVM id
-------	----------

Value

A list with several dataframes

Examples

```
## Not run: # keep cran check fast
l.info.PETR <- gdfpd.get.dovespa.data(my.id = 9512)
str(l.info.PETR)

## End(Not run)
```

`gdfpd.get.files.from.bovespa`
Fetches ALL new files from Bovespa

Description

Fetches ALL new files from Bovespa

Usage

```
gdfpd.get.files.from.bovespa(my.id)
```

Arguments

`my.id` Company's ID

Value

A dataframe with several information about files

Examples

```
## Not run:
df.files <- gdfpd.get.files.from.bovespa(9512)

## End(Not run)
```

gdfpd.get.inflation.data

Downloads and read inflation data from github

Description

Inflation data is available at git repo 'msperlin/GetITRData_auxiliary'

Usage

```
gdfpd.get.inflation.data(inflation.index, do.cache)
```

Arguments

inflation.index

Sets the inflation index to use for finding inflation adjusted values of all reports. Possible values: 'dollar' (default) or 'IPCA', the brazilian main inflation index. When using 'IPCA', the base date is set as the last date found in the DFP dataset.

do.cache

Logical for controlling to whether to use a cache system or not. Default = TRUE

Value

A dataframe with inflation data

Examples

```
## Not run: # keep cran check fast
df.inflation <- gdfpd.get.inflation.data('IPCA')
str(df.inflation)

## End(Not run)
```

gdfpd.get.info.companies

Reads up to date information about Bovespa companies from a github file

Description

A csv file with information about available companies, file links and time periods is read from github. This file is manually updated by the author. When run for the first time in a R session, a .RDATA file containing the output of the function is saved for caching.

Usage

```
gdfpd.get.info.companies(type.data = "companies_files",
  cache.folder = "DFP Cache Folder")
```

Arguments

type.data	A string that sets the type of information to be returned ('companies' or 'companies_files'). If 'companies', it will return a dataframe with several information about companies, but without download links.
cache.folder	Folder to cache (save) all processed information. Default = file.path(getwd(), 'DFP Cache Folder')

Value

A dataframe with several information about Bovespa companies

Examples

```
## Not run: # keep cran check fast
df.info <- gdfpd.get.info.companies()
str(df.info)

## End(Not run)
```

gdfpd.GetDFPDData	<i>Downloads and reads financial reports from B3's DFP/FRE/FCA system</i>
-------------------	---

Description

Annual data for financial reports and corporate events are downloaded from B3 for a combination of companies and time period. This function gathers data into a single tibble object and organizes it in a tabular/long format.

Usage

```
gdfpd.GetDFPDData(name.companies, first.date = Sys.Date() - 12 * 30,
  last.date = Sys.Date(), selected.data = "DFP|FRE|FCA",
  inflation.index = "dollar", max.levels = 3, folder.out = tempdir(),
  do.cache = TRUE, cache.folder = "DFP Cache Folder",
  fetch.new.files = FALSE, max.dl.tries = 10)
```



```
last.date = last.date)

## End(Not run)
```

gdfpd.read.dfp.zip.file

Reads a single zip file downloaded from Bovespa

Description

Reads a single zip file downloaded from Bovespa

Usage

```
gdfpd.read.dfp.zip.file(my.zip.file, folder.to.unzip = tempdir(),
  id.type)
```

Arguments

my.zip.file	Full path to zip file
folder.to.unzip	Folder to unzip files (default = tempdir())
id.type	The type of file structure ('after 2011' or 'before 2011')

Value

A list with several dataframes containing financial statements

Examples

```
my.f <- system.file('extdata/9512_PETR_2002-12-31.zip', package = 'GetDFPData')

#my.l <- gdfpd.read.dfp.zip.file(my.f, id.type = 'before 2011')
#print(my.l)
```

```
gdfpd.read.dfp.zip.file.type.1
    Reads folder for zip file post 2011 (internal)
```

Description

Reads folder for zip file post 2011 (internal)

Usage

```
gdfpd.read.dfp.zip.file.type.1(rnd.folder.name,
    folder.to.unzip = tempdir())
```

Arguments

```
rnd.folder.name
    Folder where unzipped files are available
folder.to.unzip
    Folder to unzip files (default = tempdir())
```

Value

A list with financial statements

Examples

```
# no example (this functions not used directly)
```

```
gdfpd.read.dfp.zip.file.type.2
    Reads folder for zip file pre 2011 (internal)
```

Description

Reads folder for zip file pre 2011 (internal)

Usage

```
gdfpd.read.dfp.zip.file.type.2(rnd.folder.name,
    folder.to.unzip = tempdir())
```

Arguments

```
rnd.folder.name
    Folder where unzipped files are available
folder.to.unzip
    Folder to unzip files (default = tempdir())
```

Value

A list with financial statements

Examples

```
# no example (this functions not used directly)
```

```
gdfpd.read.fca.zip.file
```

Reads a single FCA zip file downloaded from Bovespa

Description

Reads a single FCA zip file downloaded from Bovespa

Usage

```
gdfpd.read.fca.zip.file(my.zip.file, folder.to.unzip = tempdir())
```

Arguments

`my.zip.file` Full path to zip file
`folder.to.unzip` Folder to unzip files, default = tempdir()

Value

A list with several dataframes containing financial statements

Examples

```
my.f <- system.file('extdata/FCA_9512_PETR_2015-12-31.zip', package = 'GetDFPData')  
  
my.l <- gdfpd.read.fca.zip.file(my.f)  
print(my.l)
```

gdfpd.read.fre.zip.file

Reads a single FRE zip file downloaded from Bovespa

Description

Reads a single FRE zip file downloaded from Bovespa

Usage

```
gdfpd.read.fre.zip.file(my.zip.file, folder.to.unzip = tempdir())
```

Arguments

my.zip.file Full path to zip file
folder.to.unzip Folder to unzip files (default = tempdir())

Value

A list with several dataframes containing financial statements

Examples

```
my.f <- system.file('extdata/FRE_6629_HERC_2010-12-31.zip', package = 'GetDFPData')  
my.l <- gdfpd.read.fre.zip.file(my.f)  
print(my.l)
```

gdfpd.read.fwf.file *Reads FWF file from bovespa (internal)*

Description

Reads FWF file from bovespa (internal)

Usage

```
gdfpd.read.fwf.file(my.f, flag.thousands)
```

Arguments

my.f File to be read
flag.thousands A flag for thousands values

Value

A dataframe with data

Examples

```
my.f <- system.file('extdata/DFPBPAE.001', package = 'GetDFPData')  
df.assets <- gdfpd.read.fwf.file(my.f, flag.thousands = FALSE)
```

gdfpd.read.zip.file.type.fca
Reads folder for FCA zip file contents (internal)

Description

Reads folder for FCA zip file contents (internal)

Usage

```
gdfpd.read.zip.file.type.fca(rnd.folder.name,  
  folder.to.unzip = tempdir())
```

Arguments

`rnd.folder.name`
Folder where unzipped files are available
`folder.to.unzip`
Folder to unzip files, default = tempdir()

Value

A list with FCA data

Examples

```
# no example (this functions is not used directly)
```

```
gdfpd.read.zip.file.type.fre
```

Reads folder for zip file post 2011 (internal)

Description

Reads folder for zip file post 2011 (internal)

Usage

```
gdfpd.read.zip.file.type.fre(rnd.folder.name,  
    folder.to.unzip = tempdir())
```

Arguments

```
rnd.folder.name      Folder where unzipped files are available  
folder.to.unzip      Folder to unzip files (default = tempdir())
```

Value

A list with financial statements

Examples

```
# no example (this functions not used directly)
```

```
gdfpd.search.company Helps users search for a company name
```

Description

Helps users search for a company name

Usage

```
gdfpd.search.company(char.to.search, cache.folder = "DFP Cache Folder")
```

Arguments

```
char.to.search      Character for partial matching  
cache.folder        Folder to cache (save) all processed information. Default = file.path(getwd(),'DFP  
Cache Folder')
```


Value

Names of found companies

Examples

```
## Not run: # dontrun: keep cran check fast
gdfpd.search.company('GERDAU')

## End(Not run)
```

get_files	<i>Fetches files for different systems (INTERNAL)</i>
-----------	---

Description

Fetches files for different systems (INTERNAL)

Usage

```
get_files(my.id, type.fin.report)
```

Arguments

```
my.id          Company id
type.fin.report type of financial report (dfp/itr/fre/fca)
```

Value

A dataframe

Examples

```
## Not run:
df.fre.files <- get_files(9512, type.fin.report = 'dfp')

## End(Not run)
```

my.copy.fct	<i>Copies data to external file</i>
-------------	-------------------------------------

Description

Copies data to external file

Usage

```
my.copy.fct(df.in, name.df, base.file.name, type.export = "xlsx",
  csv.dir = tempdir())
```

Arguments

df.in	Dataframe to be copied
name.df	Name of dataframe to be copied
base.file.name	The basename of excel file (make sure you dont include the file extension)
type.export	The extension of the desired format: 'xlsx' (default) or 'csv'
csv.dir	Location where to save csv files prior to zipping (default = tempdir())

Value

TRUE (invisible), if successfull

Examples

```
test.data <- data.frame(test.data = runif(100))
name.df <- 'TestData'
base.file.name <- 'TestData'
type.export <- 'csv'

my.copy.fct(df.in = test.data, name.df, base.file.name, type.export)
```

my.merge.dfs.lists	<i>Merges (row wise) dataframes from different list, using names of dataframes as index</i>
--------------------	---

Description

Merges (row wise) dataframes from different list, using names of dataframes as index

Usage

```
my.merge.dfs.lists(l.1, l.2)
```

Arguments

- 1.1 First dataframe
- 1.2 Second dataframe

Value

A list with binded dataframes (same names as l.1)

Examples

```
l.1 <- list(x = data.frame(runif(10)) )  
l.2 <- list(x = data.frame(runif(10)) )  
  
l <- my.merge.dfs.lists(l.1, l.2)
```

xml.fct.auditing *Reads XML data for auditing*

Description

Reads XML data for auditing

Usage

```
xml.fct.auditing(x)
```

Arguments

- x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

xml.fct.board.composition

Reads XML data for board composition

Description

Reads XML data for board composition

Usage

xml.fct.board.composition(x)

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

xml.fct.capital

Reads XML data for capita

Description

Reads XML data for capita

Usage

xml.fct.capital(x)

Arguments

x A list with capital summary data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.capital.reduction
  Reads XML data for capital reduction data
```

Description

Reads XML data for capital reduction data

Usage

```
xml.fct.capital.reduction(x)
```

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.committee.composition
  Reads XML data for commitee composition
```

Description

Reads XML data for commitee composition

Usage

```
xml.fct.committee.composition(x)
```

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.compensation  Reads XML data for compensation
```

Description

Reads XML data for compensation

Usage

```
xml.fct.compensation(x)
```

Arguments

x A list with compensation data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.compensation.summary  
                          Reads XML data for compensation summary data
```

Description

Reads XML data for compensation summary data

Usage

```
xml.fct.compensation.summary(x)
```

Arguments

x A list with compensation summary data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

xml.fct.debt	<i>Reads XML data for debt</i>
--------------	--------------------------------

Description

Reads XML data for debt

Usage

```
xml.fct.debt(x)
```

Arguments

x	A list with data
---	------------------

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

xml.fct.div.details	<i>Reads XML data for div details</i>
---------------------	---------------------------------------

Description

Reads XML data for div details

Usage

```
xml.fct.div.details(x)
```

Arguments

x	A list with data
---	------------------

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.family.related.parts  
Reads XML data for family related parts
```

Description

Reads XML data for family related parts

Usage

```
xml.fct.family.related.parts(x)
```

Arguments

x	A list with data
---	------------------

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.family.relations  
Reads XML data for family relations
```

Description

Reads XML data for family relations

Usage

```
xml.fct.family.relations(x)
```

Arguments

x	A list with data
---	------------------

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.repurchases  Reads XML data for repurchases
```

Description

Reads XML data for repurchases

Usage

```
xml.fct.repurchases(x)
```

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.responsible  Reads XML data for responsables documents
```

Description

Reads XML data for responsables documents

Usage

```
xml.fct.responsible(x)
```

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.splits.inplits
```

Reads XML data for splits/inplits data

Description

Reads XML data for splits/inplits data

Usage

```
xml.fct.splits.inplits(x)
```

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.stock.values
```

Reads XML data for stock value

Description

Reads XML data for stock value

Usage

```
xml.fct.stock.values(x)
```

Arguments

x A list with stock value data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.stockholder    Reads XML data for stockholder data
```

Description

Reads XML data for stockholder data

Usage

```
xml.fct.stockholder(x)
```

Arguments

x A list with stockholder data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.stocks.details    Reads XML data for stock details
```

Description

Reads XML data for stock details

Usage

```
xml.fct.stocks.details(x)
```

Arguments

x A list with data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

```
xml.fct.transactions.related  
  Reads XML data for transaction data
```

Description

Reads XML data for transaction data

Usage

```
xml.fct.transactions.related(x)
```

Arguments

x A list with transaction data

Value

A dataframe

Examples

```
# No example (INTERNAL)
```

Index

[fix.fct](#), 3

[gdfpd.convert.to.wide](#), 3
[gdfpd.download.file](#), 4
[gdfpd.export.DFP.data](#), 5
[gdfpd.fix.DFP.dataframes](#), 5
[gdfpd.get.bovespa.data](#), 6
[gdfpd.get.files.from.bovespa](#), 7
[gdfpd.get.inflation.data](#), 8
[gdfpd.get.info.companies](#), 8
[gdfpd.GetDFPData](#), 9
[gdfpd.read.dfp.zip.file](#), 11
[gdfpd.read.dfp.zip.file.type.1](#), 12
[gdfpd.read.dfp.zip.file.type.2](#), 12
[gdfpd.read.fca.zip.file](#), 13
[gdfpd.read.fre.zip.file](#), 14
[gdfpd.read.fwf.file](#), 14
[gdfpd.read.zip.file.type.fca](#), 15
[gdfpd.read.zip.file.type.fre](#), 16
[gdfpd.search.company](#), 16
[get_files](#), 17

[my.copy.fct](#), 18

[my.merge.dfs.lists](#), 18

[xml.fct.auditing](#), 19
[xml.fct.board.composition](#), 20
[xml.fct.capital](#), 20
[xml.fct.capital.reduction](#), 21
[xml.fct.committee.composition](#), 21
[xml.fct.compensation](#), 22
[xml.fct.compensation.summary](#), 22
[xml.fct.debt](#), 23
[xml.fct.div.details](#), 23
[xml.fct.family.related.parts](#), 24
[xml.fct.family.relations](#), 24
[xml.fct.repurchases](#), 25
[xml.fct.responsible](#), 25
[xml.fct.splits.inplits](#), 26
[xml.fct.stock.values](#), 26

[xml.fct.stockholder](#), 27

[xml.fct.stocks.details](#), 27

[xml.fct.transactions.related](#), 28