

Package ‘SRTtools’

May 7, 2026

Type Package

Title Adjust Srt File to Get Better Experience when Watching Movie

Version 1.2.0

Date 2019-07-02

Description

Srt file is a common subtitle format for videos, it contains subtitle and when the subtitle showed. This package is for align time of srt file, and also change color, style and position of subtitle in videos,
the srt file will be read as a vector into R, and can be write into srt file after modified using this package.

License GPL (>= 2)

Imports magrittr (>= 1.5)

RoxygenNote 6.1.1

Encoding UTF-8

Depends R (>= 2.10)

URL <https://github.com/ChiHangChen/SRTtools>

BugReports <https://github.com/ChiHangChen/SRTtools/issues>

NeedsCompilation no

Author Jim Chen [aut, cre]

Maintainer Jim Chen <jim71183@gmail.com>

Repository CRAN

Date/Publication 2019-07-18 06:38:24 UTC

Contents

srt.content	2
srt.insert	2
srt.read	3
srt.remove	4
srt.search	4

srt.shift	5
srt.style	6
srt.write	6
SRTtools	7

Index	8
--------------	----------

srt.content	<i>Retrieve Subtitle Text</i>
-------------	-------------------------------

Description

Retrieve all the subtitle text content from a srt file

Usage

```
srt.content(srt)
```

Arguments

srt vector. The srt file read by [srt.read](#).

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')

srt.content(srt)
```

srt.insert	<i>Insert new dialog</i>
------------	--------------------------

Description

Insert new dialog to subtitles by specific index

Usage

```
srt.insert(srt, index, time, text)
```

Arguments

srt	vector. The srt file read by srt.read .
index	integer. The index of new dialog.
time	character. The time of new dialog, a proper format is "hr:min:sec,msec -> hr:min:sec,msec"
text	character. The content of new dialog.

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
srt.insert(srt, index = 1, time = "00:00:00,000 --> 00:00:30,000", text = "Added by SRTtools")
```

srt.read

Read srt file

Description

Read a srt file as a vector, if there is any encoding issue, try to save your srt file as ANSI encoding using Windows Notepad.

Usage

```
srt.read(file, encoding = "utf-8")
```

Arguments

file	character. The name of the file which the subtitles are to be read from.
encoding	character. Encoding to be assumed for input strings, default is 'utf-8'.

See Also

[readLines](#)

Examples

```
# read a ANSI srt file
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
```

srt.remove *Remove dialog*

Description

Remove unwanted dialog from subtitles by specific index

Usage

```
srt.remove(srt, index)
```

Arguments

srt vector. The srt file read by [srt.read](#).
index integer. The index of unwanted dialog .

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")  
srt <- srt.read(srt_path, encoding = 'utf-8')  
srt.remove(srt, index = 10)
```

srt.search *Search Index By KeyWord*

Description

Return the subtitle index by specific keyword

Usage

```
srt.search(srt, key_word)
```

Arguments

srt vector. The srt file read by [srt.read](#).
key_word character. The key word want to be searched in subtitles.

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
srt.search(srt, key_word = "captain")
```

srt.shift	<i>Re-synchronize Srt File</i>
-----------	--------------------------------

Description

Shift a srt file with specific time.

Usage

```
srt.shift(srt, time_shifted)
```

Arguments

`srt` vector. The srt file read by [srt.read](#).
`time_shifted` numeric. The time that srt file want to be shifted (in seconds).

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')

# Postpone subtitles 3 seconds later
srt <- srt.shift(srt, time_shifted = 3)

# Expedite subtitles 5 seconds earlier
srt <- srt.shift(srt, time_shifted = -5)
```

srt.style *Change Style of Subtitle*

Description

Change subtitle style or position by specific subtitle index.

Usage

```
srt.style(srt, line = "all", pos = "None", style = "None",
          col = "None")
```

Arguments

srt	vector. The srt file read by srt.read .
line	numerical vector. Style will only change the subtitles of the selected subtitle index, default is 'all', means the whole subtitles will apply the style.
pos	character. The subtitles position, the valid options are 'bottom-left', 'bottom-center', 'bottom-right', 'middle-left', 'middle-center', 'middle-right', 'top-left', 'top-center', 'top-right' and 'center'.
style	character vector. The styles that subtitle applied, 'u' for bottom line, 'i' for italic, 'b' for bold, 's' for strikethrough.
col	character. The color that subtitle applied.

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
srt.style(srt, line = c(1,3,5), pos = 'top-left', style = c('b','i'), col = 'red')
```

srt.write *Srt Output*

Description

Write the srt file to the system.

Usage

```
srt.write(srt, filename)
```

Arguments

`srt` vector. The srt file read by [srt.read](#).
`filename` Either a character string naming a file or a connection open for writing.

See Also

[srt.read](#)

Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')

# Postpone subtitles 3 seconds later
srt <- srt.shift(srt, time_shifted = 3)

# Save and cover original "movie.srt" file
srt.write(srt, filename = file.path(tempdir(), "movie.srt"))
```

SRTtools

Adjust srt file to get better experience in watching movie.

Description

Srt file is a common subtitle format for videos, it contains subtitle and when the subtitle showed. This package is for ealign time of srt file, and also change color, style and position of subtitle in videos, the srt file will be read as a vector into R, and can be write into srt file after modified using this package.

Author(s)

Jim Chen

Index

`readLines`, 3

`srt.content`, 2

`srt.insert`, 2

`srt.read`, 2, 3, 3, 4–7

`srt.remove`, 4

`srt.search`, 4

`srt.shift`, 5

`srt.style`, 6

`srt.write`, 6

`SRTtools`, 7

`SRTtools-package (SRTtools)`, 7