

# Package ‘africamonitor’

March 6, 2023

**Title** Africa Macroeconomic Monitor Database API

**Version** 0.2.3

**Description** An R API providing access to a relational database with macroeconomic data for Africa.

The database contains >700 macroeconomic time series from mostly international sources, grouped into 50 macroeconomic and development-related topics. Series are carefully selected on the basis of data coverage for Africa, frequency, and relevance to the macro-development context.

The project is part of the 'Kiel Institute Africa Initiative'

<[https:](https://www.ifw-kiel.de/institute/initiatives/kielinstituteafricainitiative/)

[//www.ifw-kiel.de/institute/initiatives/kielinstituteafricainitiative/](https://www.ifw-kiel.de/institute/initiatives/kielinstituteafricainitiative/)>,

which, amongst other things, aims to develop a parsimonious database with highly relevant indicators

to monitor macroeconomic developments in Africa, accessible through a fast API and a web-based platform

at <<https://africamonitor.ifw-kiel.de/>>.

The database is maintained at the Kiel Institute for the World Economy <<https://www.ifw-kiel.de/>>.

**URL** <https://africamonitor.ifw-kiel.de/>

**BugReports** <https://github.com/IFW-Macro-Research-Group/africamonitor/issues>

**License** GPL-3

**Encoding** UTF-8

**Imports** DBI, RMySQL, data.table, collapse (>= 1.8.0)

**RoxygenNote** 7.1.2

**Depends** R (>= 3.3.0)

**LazyData** true

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Sebastian Krantz [aut, cre]

**Maintainer** Sebastian Krantz <[sebastian.krantz@graduateinstitute.ch](mailto:sebastian.krantz@graduateinstitute.ch)>

**Repository** CRAN

**Date/Publication** 2023-03-06 08:50:15 UTC

## R topics documented:

africamonitor-package	2
.AMID	3
am_as_date	3
am_countries	4
am_data	5
am_entities	7
am_expand_date	8
am_pivot_longer	9
am_pivot_wider	11
am_series	12
am_sources	13
<b>Index</b>	<b>15</b>

---

africamonitor-package *Africa Macroeconomic Monitor Database API*

---

### Description

An R API providing access to a relational database with macroeconomic data for Africa. The database is maintained at the Kiel Institute for the World Economy.

### Functions

Functions and data providing information about the available data

am\_sources()  
 am\_series()  
 am\_countries  
 am\_countries\_wld  
 am\_entities

Function to retrieve the data from the database

am\_data()

Functions to reshape data and add temporal identifiers

am\_pivot\_wider()  
 am\_pivot\_longer()  
 am\_expand\_date()

Helper functions to convert inputs to R dates

am\_as\_date()

Global Macros with core ID variables in the database

.AMID  
 .AMT

### Description

The macro `.AMID` contains the string `c("ISO3", "Series")` denoting the names of ID variables that identify the cross-sectional dimension in the database.

The macro `.AMT` contains the string `c("Date", "Year", "Quarter", "FY", "QFY", "Month", "Day")` denoting temporal identifiers generated by `am_expand_date`. The "Date" variable is sufficient to uniquely identify a point in time in the database.

Each value in the database is uniquely identified by ISO3, Series and Date.

### Usage

```
.AMID  
.AMT
```

### See Also

[africamonitor](#)

### Examples

```
.AMID  
.AMT
```

### Description

This function coerces date strings i.e. "YYYY-MM-DD" or "YYYY-MM", years e.g. 2015 (numeric or character), year-quarters e.g. "2015Q1" or "2015-Q1", year-months e.g. "2015M01" or "2015-M01", fiscal years e.g. "1997/98" or numeric values representing dates (e.g. previously imported Excel date) to a regular R date.

### Usage

```
am_as_date(x, end = FALSE, origin = "1899-12-30")
```

**Arguments**

x	a character date string "YYYY-MM-DD" or "YYYY-MM", year-quarter "YYYYQN" or "YYYY-QN", year-month "YYYYMNN" or "YYYY-MNN", fiscal year "YYYY/YY" or calendar year YYYY (numeric or character), or a numeric value corresponding to a date that can be passed to <a href="#">as.Date.numeric</a> .
end	logical. TRUE replaces missing time information with a period end-date which is the last day of the period. FALSE replaces missing month and day information with "-01", so the year date is the 1st of January, the fiscal year date the 1st of July, and for months / quarters the 1st day of the month / quarter.
origin	a date or date-string that can be used as reference for converting numeric values to dates. The default corresponds to dates generated in Excel for Windows. See <a href="#">as.Date.numeric</a> .

**Value**

A [Date](#) vector.

**See Also**

[am\\_expand\\_date](#), [africamonitor](#)

**Examples**

```
am_as_date("2011-05")
am_as_date(2011)
am_as_date("2011/12")
am_as_date("2011/12", end = TRUE)
am_as_date("2011Q1")
am_as_date("2011Q1", end = TRUE)
```

---

am\_countries

*Dataset of Countries in the Database*

---

**Description**

am\_countries is a data.frame containing standardized codes of 55 African countries (including Western Sahara) according to various classifications and regional aggregations. am\_countries\_wld provides the same information for 195 countries, which includes the 193 UN Member States, Western Sahara and Taiwan. The API generally provides data for all 195 countries, but by default only requests data for Africa. Note that the API ([am\\_data](#)) only supports "ISO3" character codes.

**Usage**

```
am_countries
```

```
am_countries_wld
```

**Format**

A data frame with 55 (wld = 195) rows and 9 variables (sorted by Country):

**Country** Short Country Name

**Country\_ISO** ISO Standardized Country Name

**ISO2** ISO 2-Character Country Code

**ISO3** ISO 3-Character Country Code

**ISO3N** ISO Numeric Country Code

**IMF** IMF Numeric Country Code

**Region** 2-Region Classification (UN except for Sudan)

**Region\_Detailed** 5-Region Classification (Former World Bank)

**Currency** Main Official Currency

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 195 rows and 9 columns.

**Source**

[countrycode](#) R package (with some modification of regional aggregates).

**See Also**

[am\\_entities](#), [am\\_sources](#), [am\\_series](#), [africamonitor](#)

**Examples**

```
head(am_countries)
```

---

am\_data

*Retrieve Data from the Database*

---

**Description**

This is the main function of the package to retrieve data from the database.

**Usage**

```
am_data(  
  ctry = africamonitor::am_countries$ISO3,  
  series = NULL,  
  from = NULL,  
  to = NULL,  
  labels = TRUE,  
  wide = TRUE,  
  expand.date = FALSE,  
  drop.iso3c = TRUE,  
)
```

```

    ordered = TRUE,
    return.query = FALSE,
    ...
  )

```

## Arguments

ctry	character. (Optional) the ISO3 code of countries (see <a href="#">am_countries</a> ).
series	character. (Optional) codes of series matching the 'Series' column of the series table (retrieved using <a href="#">am_series()</a> ).
from	set the start time of the data retrieved by either supplying a start date, a date-string of the form "YYYY-MM-DD" or "YYYY-MM", year-quarters of the form "YYYYQN" or "YYYY-QN", a numeric year YYYY (numeric or character), or a fiscal year of the form "YYYY/YY". These expressions are converted to a regular date by <a href="#">am_as_date</a> .
to	same as from: to set the time period until which data is retrieved. For expressions that are not full "YYYY-MM-DD" dates, the last day of the period is chosen.
labels	logical. TRUE will also return labels (series descriptions) along with the series codes.
wide	logical. TRUE calls <a href="#">am_pivot_wider</a> on the result. FALSE returns the data in a long format without missing values (suitable for <code>ggplot2</code> ).
expand.date	logical. TRUE will call <a href="#">am_expand_date</a> on the result.
drop.iso3c	logical. If only one country is selected through ctry, TRUE will drop the 'ISO3' column in the output.
ordered	logical. TRUE orders the result by 'Date' and, if labels = TRUE, by series, maintaining a fixed column-order of series. FALSE returns the result in a random order, to the benefit of faster query execution.
return.query	logical. TRUE will not query the database but instead return the constructed SQL query as a character string (for debugging purposes).
...	further arguments passed to <a href="#">am_pivot_wider</a> (if wide = TRUE) or <a href="#">am_expand_date</a> (if expand.date = TRUE), no conflicts between these two.

## Details

If `labels = FALSE`, the series table is not joined to the data table, and `ordered = TRUE` will order series retrieved in alphabetic order. If `labels = TRUE` data is ordered by series and date, preserving the order of columns in the dataset. If multiple countries are received they are ordered alphabetically according to the 'ISO3' column.

Series at different frequencies can be queried, but, if `wide = TRUE`, this will result in missing values for all but the first observations per period in the lower frequency series.

## Value

A [data.table](#) with the result of the query.

**See Also**

[am\\_pivot\\_wider](#), [am\\_expand\\_date](#), [africamonitor](#)

**Examples**

```
# Return all indicators for Kenya from 2000
am_data("KEN", from = 2000)

# Return all indicators for Kenya from 2000 in long format
am_data("KEN", from = 2000, wide = FALSE)

# Return with date expanded
am_data("KEN", from = 2000, expand.date = TRUE)

# Same thing in multiple steps (with additional customization options):
am_data("KEN", from = 2000, wide = FALSE) |> am_pivot_wider() |> am_expand_date()

# Getting only GDP growth
am_data("KEN", "NGDP_RPCH", from = 2000)

# Getting GDP growth for all countries
am_data(series = "NGDP_RPCH", from = 2000)

# Reshaping to wider format
am_data(series = "NGDP_RPCH", from = 2000) |>
  am_pivot_wider(id_cols = "Date",
                names_from = "ISO3",
                values_from = "NGDP_RPCH")

# Getting growth and inflation for the EAC countries (all available years)
am_data(ctry = c("UGA", "KEN", "TZA", "RWA", "BDI", "SSD"),
        series = c("NGDP_RPCH", "PCPIPCH"))
```

---

am\_entities

*Dataset of African Economic and Regional Entities*

---

**Description**

A dataset mapping African countries to various economic and regional entities.

**Usage**

```
am_entities
```

**Format**

A data frame with 54 rows (one for each country, excluding Western Sahara) and 27 variables, of which 6 are country identifiers and the remaining 21 are logical variables indicating country membership to various economic and regional entities.

**Source**

Own compilation.

**See Also**

[am\\_countries](#), [am\\_sources](#), [am\\_series](#), [africamonitor](#)

**Examples**

```
head(am_entities)
```

---

am_expand_date	<i>Generate Temporal Identifiers from a Date Column</i>
----------------	---

---

**Description**

This function expands a date column and generates additional temporal identifiers from it (such as the year, month, quarter, fiscal year etc.).

**Usage**

```
am_expand_date(
  x,
  gen = c("Year", "Quarter", "Month"),
  origin = "1899-12-30",
  keep.date = TRUE,
  remove.missing.date = TRUE,
  sort = TRUE,
  as.factor = TRUE,
  name = "Date",
  ...
)
```

**Arguments**

x	either a vector of class 'Date', or coercible to date using <a href="#">as.Date</a> , or a data frame / list containing with a date-column called name.
gen	character. A vector of identifiers to generate from x. The possible identifiers are found in <a href="#">.AMT</a> .
origin	character / Date. Passed to <a href="#">as.Date</a> : for converting numeric x to date.



keep.date	logical. TRUE will keep the date variable in the resulting dataset, FALSE will remove the date variable in favor of the generated identifiers.
remove.missing.date	logical. TRUE will remove missing values in x. If x is a dataset, rows missing the date variable will be removed.
sort	logical. TRUE will sort the data by the date column.
as.factor	TRUE will generate quarters, fiscal years and months ('Quarter', 'FY', 'QFY', 'Month') as factor variables. It is also possible to use as.factor = "ordered" to generate ordered factors.
name	character. The name of the date variable to expand. FALSE will generate fiscal years as character and quarters and months as integer variables.
...	not used.

**Value**

A [data.table](#) containing the computed identifiers as columns. See Examples.

**See Also**

[am\\_as\\_date](#), [africamonitor](#)

**Examples**

```
# First a basic example
x <- seq.Date(as.Date("1999-01-01"), as.Date("2000-01-01"), by = "month")
am_expand_date(x)
am_expand_date(x, gen = .AMT[-1L], keep.date = FALSE)

# Now using the API
am_expand_date(am_data("KEN"))

# Same thing
am_data("KEN", expand.date = TRUE)
```

---

am\_pivot\_longer

*Reshape Column-Based Data to Long Format*


---

**Description**

This function automatically reshapes wide (column-based) data into a long format akin to the format of the raw data coming from the database ([am\\_data\(..., wide = FALSE\)](#)). It can also be used as a general purpose reshaping command - with an additional capability to handle variable labels.

**Usage**

```
am_pivot_longer(
  data,
  id_cols = intersect(c("ISO3", .AMT), names(data)),
  to_value = setdiff(names(data), id_cols),
  variable_name = "Series",
  value_name = "Value",
  label_name = "Label",
  na.rm = TRUE,
  variable.factor = TRUE,
  label.factor = TRUE,
  ...
)
```

**Arguments**

data	a wide format data frame where all series have their own column.
id_cols	character. Temporal identifiers of the data. By default all variables in <code>.AMT</code> and "ISO3" are selected.
to_value	character. The names of all series to be stacked into the long format data frame.
variable_name	character. The name of the variable to store the names of the series.
value_name	character. The name of the variable to store the data values.
label_name	character. The name of the variable to store the series labels.
na.rm	logical. TRUE will remove all missing values from the long data frame.
variable.factor, label.factor	logical. TRUE will code the "Series" and "Label" columns as factors, which is more memory efficient.
...	further arguments passed to <code>melt</code> .

**Value**

A `data.table` with the reshaped data.

**See Also**

[am\\_pivot\\_wider](#), [africamonitor](#)

**Examples**

```
# Return all indicators for Kenya and Nigeria from the year 2000 onwards
data <- am_data(c("KEN", "NGA"), from = 2000)
am_pivot_longer(data)
```

---

`am_pivot_wider`*Reshape Long API Data to Column-Based Format*

---

## Description

This function automatically reshapes long (stacked) raw data from the API (`am_data(..., wide = FALSE)`) to a wide format where each variable has its own column. It can also be used as a general purpose reshaping command - with an additional capability to handle variable labels.

## Usage

```
am_pivot_wider(  
  data,  
  id_cols = intersect(c("ISO3", .AMT), names(data)),  
  names_from = "Series",  
  values_from = "Value",  
  labels_from = if (any(names(data) == "Label")) "Label" else NULL,  
  expand.date = FALSE,  
  ...  
)
```

## Arguments

<code>data</code>	raw data from the API: A long format data frame where all values are stacked in a value column.
<code>id_cols</code>	character. Temporal identifiers of the data. By default all variables in <code>.AMT</code> and "ISO3" are selected.
<code>names_from</code>	character. The column containing the series codes. These will become the names of the new columns in the wider data format.
<code>values_from</code>	character. The column containing the data values.
<code>labels_from</code>	character. The column containing the labels describing the series.
<code>expand.date</code>	logical. TRUE will call <code>am_expand_date</code> on the data after reshaping.
<code>...</code>	further arguments passed to <code>dcast</code> or <code>am_expand_date</code> , no conflicts between these two.

## Value

A `data.table` with the reshaped data.

## See Also

`am_pivot_longer`, `africamonitor`

## Examples

```
# Return all indicators for Kenya and Nigeria from the year 2000 onwards
am_pivot_wider(am_data(c("KEN", "NGA"), from = 2000, wide = FALSE))
```

---

am\_series

*Retrieve Series Table*

---

## Description

This function pulls information about the data series available in the database.

## Usage

```
am_series(
  dsid = NULL,
  source.info = TRUE,
  ordered = TRUE,
  return.query = FALSE
)
```

## Arguments

dsid	character. (Optional) id's of datasources matching the 'DSID' column of the data sources table (retrieved using <a href="#">am_sources()</a> ) for which series information is to be returned.
source.info	logical. TRUE returns additional information from the data sources table (the source, the frequency of the data and when it was last updated).
ordered	logical. TRUE returns the series in a fixed order, while FALSE returns the result in a random order, to the benefit of faster query execution.
return.query	logical. TRUE will not query the database but instead return the constructed SQL query as a character string (for debugging purposes).

## Details

The series table gives information about all of the time series in the database. Each series is given a unique code, and has a label describing the series. Further information recorded are the minimum and maximum time coverage, and (optionally) a separate series source and url. The default `source.info = TRUE` adds the source, the frequency of the data (homogeneous within source), and the date when the source was last updated.

## Value

A [data.table](#) with information about the available series in the database.

**See Also**

[am\\_countries](#), [am\\_sources](#), [am\\_data](#), [africamonitor](#)

**Examples**

```
# By default returns all series with additional information
am_series()

# Raw series table
am_series(source.info = FALSE)

# Only series in the WEO
am_series("IMF_WEO")
```

---

am_sources	<i>Retrieve Data Sources Table</i>
------------	------------------------------------

---

**Description**

This function retrieves a table with information about the sources of data in the database, and when data from different sources was updated.

**Usage**

```
am_sources(ordered = TRUE)
```

**Arguments**

ordered	logical. TRUE orders the result in the order data was entered into the database, while FALSE returns the result in a random order, to the benefit of faster query execution.
---------	--

**Details**

The data source table gives information about the various sources / providers of data in this database, including the source website, frequency and time coverage of data, a description of the source, when data from the source was updated and the way data is accessed from the source.

**Value**

A [data.table](#) with information about the sources of data in the database.

**See Also**

[am\\_countries](#), [am\\_series](#), [africamonitor](#)

**Examples**

```
am_sources()
```

# Index

## \* datasets

- .AMID, 3
  - am\_countries, 4
  - am\_entities, 7
- .AMID, 2, 3
- .AMT, 2, 8, 10, 11
- .AMT (.AMID), 3
  
- africamonitor, 3–5, 7–11, 13
- africamonitor (africamonitor-package), 2
- africamonitor-package, 2
- am\_as\_date, 3, 6, 9
- am\_as\_date(), 2
- am\_countries, 2, 4, 6, 8, 13
- am\_countries\_wld, 2
- am\_countries\_wld (am\_countries), 4
- am\_data, 4, 5, 13
- am\_data(), 2
- am\_entities, 2, 5, 7
- am\_expand\_date, 3, 4, 6, 7, 8, 11
- am\_expand\_date(), 2
- am\_pivot\_longer, 9, 11
- am\_pivot\_longer(), 2
- am\_pivot\_wider, 6, 7, 10, 11
- am\_pivot\_wider(), 2
- am\_series, 5, 8, 12, 13
- am\_series(), 2, 6
- am\_sources, 5, 8, 13, 13
- am\_sources(), 2, 12
- as.Date, 8
- as.Date.numeric, 4
  
- data.table, 6, 9–13
- Date, 4
- dcast, 11
  
- melt, 10