

Package ‘bigstatsr’

December 1, 2021

Encoding UTF-8

Type Package

Title Statistical Tools for Filebacked Big Matrices

Version 1.5.5

Date 2021-11-29

Description Easy-to-use, efficient, flexible and scalable statistical tools.

Package bigstatsr provides and uses Filebacked Big Matrices via memory-mapping. It provides for instance matrix operations, Principal Component Analysis, sparse linear supervised models, utility functions and more
<[doi:10.1093/bioinformatics/bty185](https://doi.org/10.1093/bioinformatics/bty185)>.

License GPL-3

Language en-US

ByteCompile TRUE

Depends R (>= 3.3)

Imports bigassertr (>= 0.1.1), bigparallelr (>= 0.2.3), cowplot, foreach, ggplot2 (>= 3.0), graphics, methods, ps (>= 1.4), Rcpp, RSpectra, stats, tibble, utils

LinkingTo Rcpp, RcppArmadillo, rmio (>= 0.1.3)

Suggests biglasso, bigmemory (>= 4.5.33), bigreadr (>= 0.2), covr, data.table, dplyr, glmnet, hexbin, memuse, ModelMetrics, ppcor, RhpcBLASctl, spelling (>= 1.2), testthat

RoxygenNote 7.1.1

URL <https://privefl.github.io/bigstatsr/>

BugReports <https://github.com/privefl/bigstatsr/issues>

Collate 'AUC.R' 'FBM-attach.R' 'crochet.R' 'FBM.R' 'FBM-code256.R' 'FBM-copy.R' 'RcppExports.R' 'SVD.R' 'apply-parallelize.R' 'biglasso.R' 'bigstatsr-package.R' 'colstats.R' 'crossprodSelf.R' 'mult-mat.R' 'mult-vec.R' 'pcor.R' 'plot.R' 'predict.R' 'randomSVD.R' 'read-write.R' 'scaling.R' 'summary.R' 'tcrossprodSelf.R' 'transpose.R' 'univLinReg.R' 'univLogReg.R' 'utils-assert.R' 'utils.R' 'zzz.R'

NeedsCompilation yes

Author Florian Privé [aut, cre],

Michael Blum [ths],

Hugues Aschard [ths]

Maintainer Florian Privé <florian.prive.21@gmail.com>

Repository CRAN

Date/Publication 2021-12-01 10:00:10 UTC

R topics documented:

bigstatsr-package	3
asPlotlyText	4
AUC	5
big_apply	6
big_colstats	8
big_copy	9
big_cor	10
big_counts	11
big_cprodMat	13
big_cprodVec	14
big_crossprodSelf	16
big_increment	17
big_parallelize	18
big_prodMat	20
big_prodVec	21
big_randomSVD	23
big_read	25
big_scale	26
big_spLinReg	27
big_spLogReg	31
big_SVD	34
big_tcrossprodSelf	37
big_transpose	38
big_univLinReg	39
big_univLogReg	41
big_write	43
block_size	44
covar_from_df	44
FBM-class	45
FBM-methods	47
FBM.code256-class	48
get_beta	50
pasteLoc	50
pcor	51
plot.big_sp_list	52
plot.big_SVD	52

plot.mhstest	54
predict.big_sp	55
predict.big_sp_list	56
predict.big_SVD	57
predict.mhstest	58
sub_bk	59
summary.big_sp_list	60
theme_bigstatsr	60
without_downcast_warning	61

Index 62

bigstatsr-package *bigstatsr: Statistical Tools for Filebacked Big Matrices*

Description

Easy-to-use, efficient, flexible and scalable statistical tools. Package bigstatsr provides and uses Filebacked Big Matrices via memory-mapping. It provides for instance matrix operations, Principal Component Analysis, sparse linear supervised models, utility functions and more <doi:10.1093/bioinformatics/bty185>.

Arguments

X	An object of class <code>FBM</code> .
X.code	An object of class <code>FBM.code256</code> .
y.train	Vector of responses, corresponding to <code>ind.train</code> .
y01.train	Vector of responses, corresponding to <code>ind.train</code> . Must be only 0s and 1s.
ind.train	An optional vector of the row indices that are used, for the training part. If not specified, all rows are used. Don't use negative indices.
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
block.size	Maximum number of columns read at once. Default uses <code>block_size</code> .
ncores	Number of cores used. Default doesn't use parallelism. You may use <code>nb_cores</code> .
fun.scaling	A function that returns a named list of mean and sd for every column, to scale each of their elements such as followed:

$$\frac{X_{i,j} - mean_j}{sd_j}$$

	Default doesn't use any scaling.
covar.train	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to <code>ind.train</code> . Default is <code>NULL</code> and corresponds to only adding an intercept to each model. You can use <code>covar_from_df()</code> to convert from a data frame.

covar.row	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to ind.row. Default is NULL and corresponds to only adding an intercept to each model. You can use <code>covar_from_df()</code> to convert from a data frame.
center	Vector of same length of ind.col to subtract from columns of X .
scale	Vector of same length of ind.col to divide from columns of X .

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or OpenBLAS in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

Author(s)

Maintainer: Florian Privé <florian.prive.21@gmail.com>

Other contributors:

- Michael Blum <michael.blum@univ-grenoble-alpes.fr> [thesis advisor]
- Hugues Aschard <hugues.aschard@pasteur.fr> [thesis advisor]

See Also

Useful links:

- <https://privefl.github.io/bigstatsr/>
- Report bugs at <https://github.com/privefl/bigstatsr/issues>

asPlotlyText

Plotly text

Description

Convert a data.frame to plotly text

Usage

```
asPlotlyText(df)
```

Arguments

df A data.frame

Value

A character vector of the length of df's number of rows.

Examples

```

set.seed(1)

X <- big_attachExtdata()
svd <- big_SVD(X, big_scale(), k = 10)

p <- plot(svd, type = "scores")

pop <- rep(c("POP1", "POP2", "POP3"), c(143, 167, 207))
df <- data.frame(Population = pop, Index = 1:517)

plot(p2 <- p + ggplot2::aes(text = asPlotlyText(df)))
## Not run: plotly::ggplotly(p2, tooltip = "text")

```

AUC

*AUC***Description**

Compute the Area Under the ROC Curve (AUC) of a predictor and possibly its 95% confidence interval.

Usage

```

AUC(pred, target, digits = NULL)

AUCBoot(pred, target, nboot = 10000, seed = NA, digits = NULL)

```

Arguments

<code>pred</code>	Vector of predictions.
<code>target</code>	Vector of true labels (must have exactly two levels, no missing values).
<code>digits</code>	See round . Default doesn't use rounding.
<code>nboot</code>	Number of bootstrap samples used to evaluate the 95% CI. Default is 1e4.
<code>seed</code>	See set.seed . Use it for reproducibility. Default doesn't set any seed.

Details

Other packages provide ways to compute the AUC (see this [answer](#)). I chose to compute the AUC through its statistical definition as a probability:

$$P(\text{score}(x_{\text{case}}) > \text{score}(x_{\text{control}})).$$

Note that I consider equality between scores as a 50%-probability of one being greater than the other.

Value

The AUC, a probability, and possibly its 2.5% and 97.5% quantiles (95% CI).

See Also

[wilcox.test](#)

Examples

```
set.seed(1)

AUC(c(0, 0), 0:1) # Equality of scores
AUC(c(0.2, 0.1, 1), c(0, 0, 1)) # Perfect AUC
x <- rnorm(100)
z <- rnorm(length(x), x, abs(x))
y <- as.numeric(z > 0)
print(AUC(x, y))
print(AUCBoot(x, y))

# Partial AUC
pAUC <- function(pred, target, p = 0.1) {
  val.min <- min(target)
  q <- quantile(pred[target == val.min], probs = 1 - p)
  ind <- (target != val.min) | (pred > q)
  bigstatsr::AUC(pred[ind], target[ind]) * p
}
pAUC(x, y)
pAUC(x, y, 0.2)
```

big_apply

Split-Apply-Combine

Description

A Split-Apply-Combine strategy to apply common R functions to a Filebacked Big Matrix.

Usage

```
big_apply(
  X,
  a.FUN,
  a.combine = NULL,
  ind = cols_along(X),
  ncores = 1,
  block.size = block_size(nrow(X), ncores),
  ...
)
```

Arguments

X	An object of class FBM .
a.FUN	The function to be applied to each subset matrix. It must take a Filebacked Big Matrix as first argument and ind, a vector of indices, which are used to split the data. For example, if you want to apply a function to X[ind.row, ind.col], you may use X[ind.row, ind.col[ind]] in a.FUN.
a.combine	Function to combine the results with do.call. This function should accept multiple arguments (...). For example, you can use c, cbind, rbind. This package also provides function plus to add multiple arguments together. The default is NULL, in which case the results are not combined and are returned as a list, each element being the result of a block.
ind	Initial vector of subsetting indices. Default is the vector of all column indices.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
block.size	Maximum number of columns (or rows, depending on how you use ind for subsetting) read at once. Default uses block_size .
...	Extra arguments to be passed to a.FUN.

Details

This function splits indices in parts, then apply a given function to each subset matrix and finally combine the results. If parallelization is used, this function splits indices in parts for parallelization, then split again them on each core, apply a given function to each part and finally combine the results (on each cluster and then from each cluster). See also [the corresponding vignette](#).

See Also

[big_parallelize](#) [bigparallelr::split_parapply](#)

Examples

```
X <- big_attachExtdata()

# get the means of each column
colMeans_sub <- function(X, ind) colMeans(X[, ind])
str(colmeans <- big_apply(X, a.FUN = colMeans_sub, a.combine = 'c'))

# get the norms of each column
colNorms_sub <- function(X, ind) sqrt(colSums(X[, ind]^2))
str(colnorms <- big_apply(X, colNorms_sub, a.combine = 'c'))

# get the sums of each row
# split along rows: need to change the "complete" `ind` parameter
str(rowsums <- big_apply(X, a.FUN = function(X, ind) rowSums(X[ind, ]),
  ind = rows_along(X), a.combine = 'c',
  block.size = 100))
# it is usually preferred to split along columns
# because matrices are stored by column.
str(rowsums2 <- big_apply(X, a.FUN = function(X, ind) rowSums(X[, ind]),
  a.combine = 'plus'))
```

big_colstats

*Standard univariate statistics***Description**

Standard **univariate statistics** for columns of a Filebacked Big Matrix. For now, the sum and var are implemented (the mean and sd can easily be deduced, see examples).

Usage

```
big_colstats(X, ind.row = rows_along(X), ind.col = cols_along(X), ncores = 1)
```

Arguments

X	An object of class FBM .
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .

Value

Data.frame of two numeric vectors sum and var with the corresponding column statistics.

See Also

[colSums](#) [apply](#)

Examples

```
set.seed(1)

X <- big_attachExtdata()

# Check the results
str(test <- big_colstats(X))

# Only with the first 100 rows
ind <- 1:100
str(test2 <- big_colstats(X, ind.row = ind))
plot(test$sum, test2$sum)
abline(lm(test2$sum ~ test$sum), col = "red", lwd = 2)

X.ind <- X[ind, ]
all.equal(test2$sum, colSums(X.ind))
all.equal(test2$var, apply(X.ind, 2, var))
```



```

# deduce mean and sd
# note that the are also implemented in big_scale()
means <- test2$sum / length(ind) # if using all rows,
                                # divide by nrow(X) instead
all.equal(means, colMeans(X.ind))
sds <- sqrt(test2$var)
all.equal(sds, apply(X.ind, 2, sd))

```

big_copy

*Copy as a Filebacked Big Matrix***Description**

Deep copy of a Filebacked Big Matrix with possible subsetting. This should also work for any matrix-like object.

Usage

```

big_copy(
  X,
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  type = typeof(X),
  backingfile = tempfile(),
  block.size = block_size(length(ind.row)),
  is_read_only = FALSE
)

```

Arguments

X	Could be any matrix-like object.
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
type	Type of the Filebacked Big Matrix (default is double). Either <ul style="list-style-type: none"> • "double" (double precision – 64 bits) • "float" (single precision – 32 bits) • "integer" • "unsigned short": can store integer values from 0 to 65535. It has vocation to become the basis for a FBM. <code>code65536</code>. • "raw" or "unsigned char": can store integer values from 0 to 255. It is the basis for class FBM.code256 in order to access 256 arbitrary different numeric values. It is used in package bigsnpr.
backingfile	Path to the file storing the Big Matrix on disk. An extension ".bk" will be automatically added. Default stores in the temporary directory.

block.size Maximum number of columns read at once. Default uses [block_size](#).
 is_read_only Whether the FBM is read-only? Default is FALSE.

Value

A copy of X as a new [FBM](#) object.

Examples

```
X <- FBM(10, 10, init = 1:100)
X[]
X2 <- big_copy(X, ind.row = 1:5)
X2[]

mat <- matrix(101:200, 10)
X3 <- big_copy(mat, type = "double") # as_FBM() would be faster here
X3[]

X.code <- big_attachExtdata()
class(X.code)
X2.code <- big_copy(X.code)
class(X2.code)
all.equal(X.code[], X2.code[])
```

big_cor

Correlation

Description

Compute the (Pearson) correlation matrix of a Filebacked Big Matrix.

Usage

```
big_cor(
  X,
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  block.size = block_size(nrow(X))
)
```

Arguments

X An object of class [FBM](#).
 ind.row An optional vector of the row indices that are used. If not specified, all rows are used. **Don't use negative indices.**
 ind.col An optional vector of the column indices that are used. If not specified, all columns are used. **Don't use negative indices.**
 block.size Maximum number of columns read at once. Default uses [block_size](#).

Value

A temporary [FBM](#), with the following two attributes:

- a numeric vector center of column scaling,
- a numeric vector scale of column scaling.

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or [OpenBLAS](#) in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

See Also

[cor](#) [big_crossprodSelf](#)

Examples

```
X <- FBM(13, 17, init = rnorm(221))

# Comparing with cor
K <- big_cor(X)
class(K)
dim(K)
K$backingfile

true <- cor(X[])
all.equal(K[], true)

# Using only half of the data
n <- nrow(X)
ind <- sort(sample(n, n/2))
K2 <- big_cor(X, ind.row = ind)

true2 <- cor(X[ind, ])
all.equal(K2[], true2)
```

big_counts

Counts for class FBM.code256

Description

Counts by columns (or rows) the number of each unique element of a `FBM.code256`.

Usage

```
big_counts(  
  X.code,  
  ind.row = rows_along(X.code),  
  ind.col = cols_along(X.code),  
  byrow = FALSE  
)
```

Arguments

X.code	An object of class <code>FBM.code256</code> .
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
byrow	Count by rows rather than by columns? Default is FALSE (count by columns).

Value

A matrix of counts of $K \times m$ (or n) elements, where

- K is the number of unique elements of the `BM.code`,
- n is its number of rows,
- m is its number of columns.

Beware that K is up to 256. So, if you apply this on a Filebacked Big Matrix of one million columns, you will create a matrix of nearly 1GB!

Examples

```
X <- big_attachExtdata()  
class(X) # big_counts() is available for class FBM.code256 only  
X[1:5, 1:8]  
  
# by columns  
big_counts(X, ind.row = 1:5, ind.col = 1:8)  
  
# by rows  
big_counts(X, ind.row = 1:5, ind.col = 1:8, byrow = TRUE)
```

big_cprodMat	<i>Cross-product with a matrix</i>
--------------	------------------------------------

Description

Cross-product between a Filebacked Big Matrix and a matrix.

Usage

```
big_cprodMat(
  X,
  A.row,
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  ncores = 1,
  block.size = block_size(nrow(X), ncores),
  center = NULL,
  scale = NULL
)

## S4 method for signature 'FBM,matrix'
crossprod(x, y)

## S4 method for signature 'FBM,matrix'
tcrossprod(x, y)

## S4 method for signature 'matrix,FBM'
crossprod(x, y)

## S4 method for signature 'matrix,FBM'
tcrossprod(x, y)
```

Arguments

X	An object of class FBM .
A.row	A matrix with length(ind.row) rows.
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
block.size	Maximum number of columns read at once. Default uses block_size .
center	Vector of same length of ind.col to subtract from columns of X.
scale	Vector of same length of ind.col to divide from columns of X.
x	A 'double' FBM or a matrix.
y	A 'double' FBM or a matrix.

Value

$$X^T \cdot A.$$

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or OpenBLAS in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

Examples

```
X <- big_attachExtdata()
n <- nrow(X)
m <- ncol(X)
A <- matrix(0, n, 10); A[] <- rnorm(length(A))

test <- big_cprodMat(X, A)
true <- crossprod(X[], A)
all.equal(test, true)

X2 <- big_copy(X, type = "double")
all.equal(crossprod(X2, A), true)

# subsetting
ind.row <- sample(n, n/2)
ind.col <- sample(m, m/2)

tryCatch(test2 <- big_cprodMat(X, A, ind.row, ind.col),
  error = function(e) print(e))
# returns an error. You need to use the subset of A:
test2 <- big_cprodMat(X, A[ind.row, ], ind.row, ind.col)
true2 <- crossprod(X[ind.row, ind.col], A[ind.row, ])
all.equal(test2, true2)
```

big_cprodVec

Cross-product with a vector

Description

Cross-product between a Filebacked Big Matrix and a vector.

Usage

```
big_cprodVec(
  X,
  y.row,
  ind.row = rows_along(X),
```

```

    ind.col = cols_along(X),
    center = NULL,
    scale = NULL,
    ncores = 1
  )

```

Arguments

<code>X</code>	An object of class FBM .
<code>y.row</code>	A vector of same size as <code>ind.row</code> .
<code>ind.row</code>	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
<code>ind.col</code>	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
<code>center</code>	Vector of same length of <code>ind.col</code> to subtract from columns of <code>X</code> .
<code>scale</code>	Vector of same length of <code>ind.col</code> to divide from columns of <code>X</code> .
<code>ncores</code>	Number of cores used. Default doesn't use parallelism. You may use nb_cores .

Value

$X^T \cdot y$.

Examples

```

X <- big_attachExtdata()
n <- nrow(X)
m <- ncol(X)
y <- rnorm(n)

test <- big_cprodVec(X, y)          # vector
true <- crossprod(X[, y])         # one-column matrix
all.equal(test, as.numeric(true))

# subsetting
ind.row <- sample(n, n/2)
ind.col <- sample(m, m/2)

tryCatch(test2 <- big_cprodVec(X, y, ind.row, ind.col),
  error = function(e) print(e))
# returns an error. You need to use the subset of y:
test2 <- big_cprodVec(X, y[ind.row], ind.row, ind.col)
true2 <- crossprod(X[ind.row, ind.col], y[ind.row])
all.equal(test2, as.numeric(true2))

```

big_crossprodSelf *Crossprod*

Description

Compute $X.row^T X.row$ for a Filebacked Big Matrix X after applying a particular scaling to it.

Usage

```
big_crossprodSelf(
  X,
  fun.scaling = big_scale(center = FALSE, scale = FALSE),
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  block.size = block_size(nrow(X))
)

## S4 method for signature 'FBM,missing'
crossprod(x, y)
```

Arguments

`X` An object of class [FBM](#).

`fun.scaling` A function that returns a named list of mean and sd for every column, to scale each of their elements such as followed:

$$\frac{X_{i,j} - mean_j}{sd_j}.$$

Default doesn't use any scaling.

`ind.row` An optional vector of the row indices that are used. If not specified, all rows are used. **Don't use negative indices.**

`ind.col` An optional vector of the column indices that are used. If not specified, all columns are used. **Don't use negative indices.**

`block.size` Maximum number of columns read at once. Default uses [block_size](#).

`x` A 'double' FBM.

`y` Missing.

Value

A temporary [FBM](#), with the following two attributes:

- a numeric vector center of column scaling,
- a numeric vector scale of column scaling.

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or OpenBLAS in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

See Also

[crossprod](#)

Examples

```
X <- FBM(13, 17, init = rnorm(221))
true <- crossprod(X[])

# No scaling
K1 <- crossprod(X)
class(K1)
all.equal(K1, true)

K2 <- big_crossprodSelf(X)
class(K2)
K2$backingfile
all.equal(K2[], true)

# big_crossprodSelf() provides some scaling and subsetting
# Example using only half of the data:
n <- nrow(X)
ind <- sort(sample(n, n/2))
K3 <- big_crossprodSelf(X, fun.scaling = big_scale(), ind.row = ind)
true2 <- crossprod(scale(X[ind, ]))
all.equal(K3[], true2)
```

big_increment

Increment an FBM

Description

Increment an FBM

Usage

```
big_increment(X, add, use_lock = FALSE)
```

Arguments

X	An FBM (of type double) to increment.
add	A matrix of same dimensions as X. Or a vector of same size.
use_lock	Whether to use locks when incrementing. Default is FALSE. This is useful when incrementing in parallel.

Value

Returns nothing (NULL, invisibly).

Examples

```
X <- FBM(10, 10, init = 0)
mat <- matrix(rnorm(100), 10, 10)

big_increment(X, mat)
all.equal(X[], mat)

big_increment(X, mat)
all.equal(X[], 2 * mat)
```

big_parallelize *Split-parApply-Combine*

Description

A Split-Apply-Combine strategy to parallelize the evaluation of a function.

Usage

```
big_parallelize(
  X,
  p.FUN,
  p.combine = NULL,
  ind = cols_along(X),
  ncores = nb_cores(),
  ...
)
```

Arguments

X	An object of class FBM .
p.FUN	The function to be applied to each subset matrix. It must take a Filebacked Big Matrix as first argument and ind, a vector of indices, which are used to split the data. For example, if you want to apply a function to X[ind.row, ind.col], you may use X[ind.row, ind.col[ind]] in a.FUN.
p.combine	Function to combine the results with do.call. This function should accept multiple arguments (...). For example, you can use c, cbind, rbind. This package also provides function plus to add multiple arguments together. The default is NULL, in which case the results are not combined and are returned as a list, each element being the result of a block.
ind	Initial vector of subsetting indices. Default is the vector of all column indices.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
...	Extra arguments to be passed to p.FUN.

Details

This function splits indices in parts, then apply a given function to each part and finally combine the results.

Value

Return a list of ncores elements, each element being the result of one of the cores, computed on a block. The elements of this list are then combined with `do.call(p.combine, .)` if `p.combine` is given.

See Also

[big_apply](#) [bigparallelr::split_parapply](#)

Examples

```
## Not run: # CRAN is super slow when parallelism.
X <- big_attachExtdata()

### Computation on all the matrix
true <- big_colstats(X)

big_colstats_sub <- function(X, ind) {
  big_colstats(X, ind.col = ind)
}
# 1. the computation is split along all the columns
# 2. for each part the computation is done, using `big_colstats`
# 3. the results (data.frames) are combined via `rbind`.
test <- big_parallelize(X, p.FUN = big_colstats_sub,
  p.combine = 'rbind', ncores = 2)
all.equal(test, true)

### Computation on a part of the matrix
n <- nrow(X)
m <- ncol(X)
rows <- sort(sample(n, n/2)) # sort to provide some locality in accesses
cols <- sort(sample(m, m/2)) # idem

true2 <- big_colstats(X, ind.row = rows, ind.col = cols)

big_colstats_sub2 <- function(X, ind, rows, cols) {
  big_colstats(X, ind.row = rows, ind.col = cols[ind])
}
# This doesn't work because, by default, the computation is spread
# along all columns. We must explicitly specify the `ind` parameter.
tryCatch(big_parallelize(X, p.FUN = big_colstats_sub2,
  p.combine = 'rbind', ncores = 2,
  rows = rows, cols = cols),
  error = function(e) message(e))

# This now works, using `ind = seq_along(cols)`.
test2 <- big_parallelize(X, p.FUN = big_colstats_sub2,
```

```

        p.combine = 'rbind', ncores = 2,
        ind = seq_along(cols),
        rows = rows, cols = cols)
all.equal(test2, true2)

## End(Not run)

```

big_prodMat

*Product with a matrix***Description**

Product between a Filebacked Big Matrix and a matrix.

Usage

```

big_prodMat(
  X,
  A.col,
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  ncores = 1,
  block.size = block_size(nrow(X), ncores),
  center = NULL,
  scale = NULL
)

## S4 method for signature 'FBM,matrix'
x %**% y

## S4 method for signature 'matrix,FBM'
x %**% y

```

Arguments

X	An object of class FBM .
A.col	A matrix with length(ind.col) rows.
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
block.size	Maximum number of columns read at once. Default uses block_size .
center	Vector of same length of ind.col to subtract from columns of X.
scale	Vector of same length of ind.col to divide from columns of X.
x	A 'double' FBM or a matrix.
y	A 'double' FBM or a matrix.

Value

$X \cdot A$.

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or OpenBLAS in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

Examples

```
X <- big_attachExtdata()
n <- nrow(X)
m <- ncol(X)
A <- matrix(0, m, 10); A[] <- rnorm(length(A))

test <- big_prodMat(X, A)
true <- X[] %*% A
all.equal(test, true)

X2 <- big_copy(X, type = "double")
all.equal(X2 %*% A, true)

# subsetting
ind.row <- sample(n, n/2)
ind.col <- sample(m, m/2)

tryCatch(test2 <- big_prodMat(X, A, ind.row, ind.col),
  error = function(e) print(e))
# returns an error. You need to use the subset of A:
test2 <- big_prodMat(X, A[ind.col, ], ind.row, ind.col)
true2 <- X[ind.row, ind.col] %*% A[ind.col, ]
all.equal(test2, true2)
```

big_prodVec

Product with a vector

Description

Product between a Filebacked Big Matrix and a vector.

Usage

```
big_prodVec(
  X,
  y.col,
  ind.row = rows_along(X),
```

```

    ind.col = cols_along(X),
    center = NULL,
    scale = NULL,
    ncores = 1
  )

```

Arguments

<code>X</code>	An object of class FBM .
<code>y.col</code>	A vector of same size as <code>ind.col</code> .
<code>ind.row</code>	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
<code>ind.col</code>	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
<code>center</code>	Vector of same length of <code>ind.col</code> to subtract from columns of <code>X</code> .
<code>scale</code>	Vector of same length of <code>ind.col</code> to divide from columns of <code>X</code> .
<code>ncores</code>	Number of cores used. Default doesn't use parallelism. You may use nb_cores .

Value

$X \cdot y$.

Examples

```

X <- big_attachExtdata()
n <- nrow(X)
m <- ncol(X)
y <- rnorm(m)

test <- big_prodVec(X, y)      # vector
true <- X[] %*% y # one-column matrix
all.equal(test, as.numeric(true))

# subsetting
ind.row <- sample(n, n/2)
ind.col <- sample(m, m/2)

tryCatch(test2 <- big_prodVec(X, y, ind.row, ind.col),
          error = function(e) print(e))
# returns an error. You need to use the subset of y:
test2 <- big_prodVec(X, y[ind.col], ind.row, ind.col)
true2 <- X[ind.row, ind.col] %*% y[ind.col]
all.equal(test2, as.numeric(true2))

```

big_randomSVD	<i>Randomized partial SVD</i>
---------------	-------------------------------

Description

An algorithm for partial SVD (or PCA) of a Filebacked Big Matrix based on the algorithm in RSpetra (by Yixuan Qiu and Jiali Mei).

This algorithm is linear in time in all dimensions and is very memory-efficient. Thus, it can be used on very large big.matrices.

Usage

```
big_randomSVD(
  X,
  fun.scaling = big_scale(center = FALSE, scale = FALSE),
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  k = 10,
  tol = 1e-04,
  verbose = FALSE,
  ncores = 1,
  fun.prod = big_prodVec,
  fun.cprod = big_cprodVec
)
```

Arguments

X	An object of class FBM .
fun.scaling	A function that returns a named list of mean and sd for every column, to scale each of their elements such as followed:

$$\frac{X_{i,j} - mean_j}{sd_j}.$$

	Default doesn't use any scaling.
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
k	Number of singular vectors/values to compute. Default is 10. This algorithm should be used to compute only a few singular vectors/values.
tol	Precision parameter of svds . Default is 1e-4.
verbose	Should some progress be printed? Default is FALSE.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
fun.prod	Function that takes 6 arguments (in this order):

- a matrix-like object X ,
- a vector x ,
- a vector of row indices `ind.row` of X ,
- a vector of column indices `ind.col` of X ,
- a vector of column centers (corresponding to `ind.col`),
- a vector of column scales (corresponding to `ind.col`), and compute the product of X (subsetted and scaled) with x .

`fun.cprod` Same as `fun.prod`, but for the *transpose* of X .

Value

A named list (an S3 class "big_SVD") of

- `d`, the singular values,
- `u`, the left singular vectors,
- `v`, the right singular vectors,
- `niter`, the number of the iteration of the algorithm,
- `nops`, number of Matrix-Vector multiplications used,
- `center`, the centering vector,
- `scale`, the scaling vector.

Note that to obtain the Principal Components, you must use [predict](#) on the result. See examples.

Note

The idea of using this Implicitly Restarted Arnoldi Method algorithm comes from G. Abraham, Y. Qiu, and M. Inouye, FlashPCA2: principal component analysis of biobank-scale genotype datasets, bioRxiv: doi: [10.1101/094714](https://doi.org/10.1101/094714).

It proved to be faster than our implementation of the "blanczos" algorithm in Rokhlin, V., Szlam, A., & Tygert, M. (2010). A Randomized Algorithm for Principal Component Analysis. SIAM Journal on Matrix Analysis and Applications, 31(3), 1100-1124. doi: [10.1137/080736417](https://doi.org/10.1137/080736417).

See Also

[svds](#)

Examples

```
set.seed(1)

X <- big_attachExtdata()
K <- 10

# Using only half of the data for "training"
n <- nrow(X)
ind <- sort(sample(n, n/2))
test <- big_randomSVD(X, fun.scaling = big_scale(), ind.row = ind, k = K)
str(test)
```



```

pca <- prcomp(X[ind, ], center = TRUE, scale. = TRUE)

# same scaling
all.equal(test$center, pca$center)
all.equal(test$scale, pca$scale)

# use this function to predict scores
class(test)
scores <- predict(test)
# scores and loadings are the same or opposite
plot(scores, pca$x[, 1:K])
plot(test$v, pca$rotation[, 1:K])
plot(test$u)
plot(test, type = "scores")

# projecting on new data
ind2 <- setdiff(rows_along(X), ind)
scores.test2 <- predict(test, X, ind.row = ind2)
scores.test3 <- predict(pca, X[-ind, ])
plot(scores.test2, scores.test3[, 1:K])

```

big_read

Read a file as FBM

Description

Read a file as a Filebacked Big Matrix by using package bigreadr. For a mini-tutorial, please see [this vignette](#).

Usage

```

big_read(
  file,
  select,
  filter = NULL,
  type = c("double", "float", "integer", "unsigned short", "unsigned char", "raw"),
  backingfile = drop_ext(file),
  ...
)

```

Arguments

file	File to read.
select	Indices of columns to read (sorted). The length of select will be the number of columns of the resulting FBM.
filter	Vector used to subset the rows of each data frame.

type	Type of the Filebacked Big Matrix (default is double). Either <ul style="list-style-type: none"> • "double" (double precision – 64 bits) • "float" (single precision – 32 bits) • "integer" • "unsigned short": can store integer values from 0 to 65535. It has vocation to become the basis for a FBM. <code>code65536</code>. • "raw" or "unsigned char": can store integer values from 0 to 255. It is the basis for class <code>FBM.code256</code> in order to access 256 arbitrary different numeric values. It is used in package bigsnpr.
backingfile	Path to the file storing the FBM data on disk. An extension ".bk" will be automatically added. Default uses file without its extension.
...	Arguments passed on to <code>bigreadr::big_fread2</code> <p>nb_parts Number of parts in which to split reading (and transforming). Parts are referring to blocks of selected columns. Default uses part_size to set a good value.</p> <p>skip Number of lines to skip at the beginning of file.</p> <p>progress Show progress? Default is FALSE.</p> <p>part_size Size of the parts if nb_parts is not supplied. Default is $500 * 1024^2$ (500 MB).</p>

Value

A Filebacked Big Matrix of type type with length(select) columns.

big_scale	<i>Some scaling functions</i>
-----------	-------------------------------

Description

Some scaling functions for a Filebacked Big Matrix to be used as the fun.scaling parameter of some functions of this package.

Usage

```
big_scale(center = TRUE, scale = TRUE)
```

Arguments

center	A logical value: whether to return means or 0s.
scale	A logical value: whether to return standard deviations or 1s. You can't use scale without using center.

Details

One could think about less common scalings, such as for example the "y-aware" scaling which uses the inverse of betas of column-wise linear regression as scaling. See [this post](#) for details. It would be easy to implement it using `big_colstats` to get column means and `big_univLinReg` to get betas (and then inverse them).

Value

A new **function** that returns a data.frame of two vectors "center" and "scale" which are of the length of `ind.col`.

See Also

[scale](#)

Examples

```
X <- big_attachExtdata()

# No scaling
big_noscale <- big_scale(center = FALSE, scale = FALSE)
class(big_noscale) # big_scale returns a new function
str(big_noscale(X))
big_noscale2 <- big_scale(center = FALSE)
str(big_noscale2(X)) # you can't scale without centering

# Centering
big_center <- big_scale(scale = FALSE)
str(big_center(X))
# + scaling
str(big_scale()(X))
```

big_splnReg

Sparse linear regression

Description

Fit lasso penalized linear regression path for a Filebacked Big Matrix. Covariates can be added to correct for confounders.

Usage

```
big_splnReg(
  X,
  y.train,
  ind.train = rows_along(X),
  ind.col = cols_along(X),
  covar.train = NULL,
```

```

base.train = NULL,
pf.X = NULL,
pf.covar = NULL,
alphas = 1,
power_scale = 1,
power_adaptive = 0,
K = 10,
ind.sets = NULL,
nlambda = 200,
nlam.min = 50,
n.abort = 10,
dfmax = 50000,
warn = TRUE,
ncores = 1,
...
)

```

Arguments

<code>X</code>	An object of class FBM .
<code>y.train</code>	Vector of responses, corresponding to <code>ind.train</code> .
<code>ind.train</code>	An optional vector of the row indices that are used, for the training part. If not specified, all rows are used. Don't use negative indices.
<code>ind.col</code>	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
<code>covar.train</code>	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to <code>ind.train</code> . Default is <code>NULL</code> and corresponds to only adding an intercept to each model. You can use covar_from_df() to convert from a data frame.
<code>base.train</code>	Vector of base predictions. Model will be learned starting from these predictions. This can be useful if you want to previously fit a model with large-effect variables that you don't want to penalize.
<code>pf.X</code>	A multiplicative factor for the penalty applied to each coefficient. If supplied, <code>pf.X</code> must be a numeric vector of the same length as <code>ind.col</code> . Default is all 1. The purpose of <code>pf.X</code> is to apply differential penalization if some coefficients are thought to be more likely than others to be in the model. Setting <code>SOME</code> to 0 allows to have unpenalized coefficients.
<code>pf.covar</code>	Same as <code>pf.X</code> , but for <code>covar.train</code> . You might want to set some to 0 as variables with large effects can mask small effects in penalized regression.
<code>alphas</code>	The elastic-net mixing parameter that controls the relative contribution from the lasso (l1) and the ridge (l2) penalty. The penalty is defined as

$$\alpha\|\beta\|_1 + (1 - \alpha)/2\|\beta\|_2^2.$$

`alpha = 1` is the lasso penalty and `alpha` in between 0 ($1e-4$) and 1 is the elastic-net penalty. Default is `1`. **You can pass multiple values, and only one will be used (optimized by grid-search).**

power_scale	When using lasso (alpha = 1), penalization to apply that is equivalent to scaling genotypes dividing by (standard deviation) ^{power_scale} . Default is 1 and corresponding to standard scaling. Using 0 would correspond to using unscaled variables and using 0.5 is Pareto scaling. If you e.g. use power_scale = c(0, 0.5, 1), the best value in CMSA will be used (just like with alphas).
power_adaptive	Multiplicative penalty factor to apply to variables in the form of 1 / m_j ^{power_adaptive} , where m_j is the marginal statistic for variable j. Default is 0, which effectively disables this option. If you e.g. use power_adaptive = c(0, 0.5, 1.5), the best value in CMSA will be used (just like with alphas).
K	Number of sets used in the Cross-Model Selection and Averaging (CMSA) procedure. Default is 10.
ind.sets	Integer vectors of values between 1 and K specifying which set each index of the training set is in. Default randomly assigns these values but it can be useful to set this vector for reproducibility, or if you want to refine the grid-search over alphas using the same sets.
nlambda	The number of lambda values. Default is 200.
nlam.min	Minimum number of lambda values to investigate. Default is 50.
n.abort	Number of lambda values for which prediction on the validation set must decrease before stopping. Default is 10.
dfmax	Upper bound for the number of nonzero coefficients. Default is 50e3 because, for large data sets, computational burden may be heavy for models with a large number of nonzero coefficients.
warn	Whether to warn if some models may not have reached a minimum. Default is TRUE.
ncores	Number of cores used. Default doesn't use parallelism. You may use <code>nb_cores</code> .
...	Arguments passed on to <code>COPY_biglasso_main</code>
lambda.min.ratio	The smallest value for lambda, as a fraction of lambda.max . Default is .0001 if the number of observations is larger than the number of variables and .001 otherwise.
eps	Convergence threshold for inner coordinate descent. The algorithm iterates until the maximum change in the objective after any coefficient update is less than eps times the null deviance. Default value is 1e-5.
max.iter	Maximum number of iterations. Default is 1000.
return.all	Deprecated. Now always return all models.

Details

This is a modified version of one function of **package biglasso**. It adds the possibility to train models with covariables and use many types of FBM (not only double ones). Yet, it only corresponds to screen = "SSR" (Sequential Strong Rules).

Also, to remove the choice of the lambda parameter, we introduce the Cross-Model Selection and Averaging (CMSA) procedure:

1. This function separates the training set in K folds (e.g. 10).
2. **In turn,**

- each fold is considered as an inner validation set and the others (K - 1) folds form an inner training set,
 - the model is trained on the inner training set and the corresponding predictions (scores) for the inner validation set are computed,
 - the vector of scores which maximizes log-likelihood is determined,
 - the vector of coefficients corresponding to the previous vector of scores is chosen.
3. The K resulting vectors of coefficients are then averaged into one final vector of coefficients.

Value

Return an object of class `big_sp_list` (a list of `length(alphas) x K`) that has 3 methods `predict`, `summary` and `plot`.

References

Tibshirani, R., Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J. and Tibshirani, R. J. (2012), Strong rules for discarding predictors in lasso-type problems. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 74: 245-266. doi: [10.1111/j.14679868.2011.01004.x](https://doi.org/10.1111/j.14679868.2011.01004.x).

Zeng, Y., and Breheny, P. (2017). The biglasso Package: A Memory- and Computation-Efficient Solver for Lasso Model Fitting with Big Data in R. doi: [10.32614/RJ2021001](https://doi.org/10.32614/RJ2021001).

Privé, F., Aschard, H., and Blum, M. G.B. (2019). Efficient implementation of penalized regression for genetic risk prediction. *Genetics*, 212: 65-74. doi: [10.1534/genetics.119.302019](https://doi.org/10.1534/genetics.119.302019).

See Also

[glmnet biglasso](#)

Examples

```
set.seed(1)

# simulating some data
N <- 230
M <- 730
X <- FBM(N, M, init = rnorm(N * M, sd = 5))
y <- rowSums(X[, 1:10]) + rnorm(N)
covar <- matrix(rnorm(N * 3), N)

ind.train <- sort(sample(nrow(X), 150))
ind.test <- setdiff(rows_along(X), ind.train)

# fitting model for multiple lambdas and alphas
test <- big_spLinReg(X, y[ind.train], ind.train = ind.train,
                    covar.train = covar[ind.train, ],
                    alphas = c(1, 0.1), K = 3, warn = FALSE)

# peek at the models
plot(test)
summary(test, sort = TRUE)
summary(test, sort = TRUE)$message
```

```
# prediction for other data -> only the best alpha is used
summary(test, best.only = TRUE)
pred <- predict(test, X, ind.row = ind.test, covar.row = covar[ind.test, ])
plot(pred, y[ind.test], pch = 20); abline(0, 1, col = "red")
```

big_spLogReg

Sparse logistic regression

Description

Fit lasso penalized linear regression path for a Filebacked Big Matrix. Covariates can be added to correct for confounders.

Usage

```
big_spLogReg(
  X,
  y01.train,
  ind.train = rows_along(X),
  ind.col = cols_along(X),
  covar.train = NULL,
  base.train = NULL,
  pf.X = NULL,
  pf.covar = NULL,
  alphas = 1,
  power_scale = 1,
  power_adaptive = 0,
  K = 10,
  ind.sets = NULL,
  nlambda = 200,
  nlam.min = 50,
  n.abort = 10,
  dfmax = 50000,
  warn = TRUE,
  ncores = 1,
  ...
)
```

Arguments

X	An object of class FBM .
y01.train	Vector of responses, corresponding to ind.train. Must be only 0s and 1s.
ind.train	An optional vector of the row indices that are used, for the training part. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.

covar.train	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to ind.train. Default is NULL and corresponds to only adding an intercept to each model. You can use <code>covar_from_df()</code> to convert from a data frame.
base.train	Vector of base predictions. Model will be learned starting from these predictions. This can be useful if you want to previously fit a model with large-effect variables that you don't want to penalize.
pf.X	A multiplicative factor for the penalty applied to each coefficient. If supplied, pf.X must be a numeric vector of the same length as ind.col. Default is all 1. The purpose of pf.X is to apply differential penalization if some coefficients are thought to be more likely than others to be in the model. Setting SOME to 0 allows to have unpenalized coefficients.
pf.covar	Same as pf.X, but for covar.train. You might want to set some to 0 as variables with large effects can mask small effects in penalized regression.
alphas	The elastic-net mixing parameter that controls the relative contribution from the lasso (l1) and the ridge (l2) penalty. The penalty is defined as $\alpha \ \beta\ _1 + (1 - \alpha)/2 \ \beta\ _2^2.$ <p>alpha = 1 is the lasso penalty and alpha in between 0 (1e-4) and 1 is the elastic-net penalty. Default is 1. You can pass multiple values, and only one will be used (optimized by grid-search).</p>
power_scale	When using lasso (alpha = 1), penalization to apply that is equivalent to scaling genotypes dividing by (standard deviation)^power_scale. Default is 1 and corresponding to standard scaling. Using 0 would correspond to using unscaled variables and using 0.5 is Pareto scaling. If you e.g. use power_scale = c(0, 0.5, 1), the best value in CMSA will be used (just like with alphas).
power_adaptive	Multiplicative penalty factor to apply to variables in the form of 1 / m_j^power_adaptive, where m_j is the marginal statistic for variable j. Default is 0, which effectively disables this option. If you e.g. use power_adaptive = c(0, 0.5, 1.5), the best value in CMSA will be used (just like with alphas).
K	Number of sets used in the Cross-Model Selection and Averaging (CMSA) procedure. Default is 10.
ind.sets	Integer vectors of values between 1 and K specifying which set each index of the training set is in. Default randomly assigns these values but it can be useful to set this vector for reproducibility, or if you want to refine the grid-search over alphas using the same sets.
nlambda	The number of lambda values. Default is 200.
nlam.min	Minimum number of lambda values to investigate. Default is 50.
n.abort	Number of lambda values for which prediction on the validation set must decrease before stopping. Default is 10.
dfmax	Upper bound for the number of nonzero coefficients. Default is 50e3 because, for large data sets, computational burden may be heavy for models with a large number of nonzero coefficients.
warn	Whether to warn if some models may not have reached a minimum. Default is TRUE.

ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
...	Arguments passed on to COPY_biglasso_main
lambda.min.ratio	The smallest value for lambda, as a fraction of lambda.max . Default is .0001 if the number of observations is larger than the number of variables and .001 otherwise.
eps	Convergence threshold for inner coordinate descent. The algorithm iterates until the maximum change in the objective after any coefficient update is less than eps times the null deviance. Default value is 1e-5.
max.iter	Maximum number of iterations. Default is 1000.
return.all	Deprecated. Now always return all models.

Details

This is a modified version of one function of package biglasso. It adds the possibility to train models with covariables and use many types of FBM (not only double ones). Yet, it only corresponds to screen = "SSR" (Sequential Strong Rules).

Also, to remove the choice of the lambda parameter, we introduce the Cross-Model Selection and Averaging (CMSA) procedure:

1. This function separates the training set in K folds (e.g. 10).
2. **In turn,**
 - each fold is considered as an inner validation set and the others (K - 1) folds form an inner training set,
 - the model is trained on the inner training set and the corresponding predictions (scores) for the inner validation set are computed,
 - the vector of scores which maximizes log-likelihood is determined,
 - the vector of coefficients corresponding to the previous vector of scores is chosen.
3. The K resulting vectors of coefficients are then averaged into one final vector of coefficients.

Value

Return an object of class `big_sp_list` (a list of `length(alphas) x K`) that has 3 methods `predict`, `summary` and `plot`.

References

- Tibshirani, R., Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J. and Tibshirani, R. J. (2012), Strong rules for discarding predictors in lasso-type problems. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 74: 245-266. doi: [10.1111/j.14679868.2011.01004.x](https://doi.org/10.1111/j.14679868.2011.01004.x).
- Zeng, Y., and Breheny, P. (2017). The biglasso Package: A Memory- and Computation-Efficient Solver for Lasso Model Fitting with Big Data in R. doi: [10.32614/RJ2021001](https://doi.org/10.32614/RJ2021001).
- Privé, F., Aschard, H., and Blum, M. G.B. (2019). Efficient implementation of penalized regression for genetic risk prediction. *Genetics*, 212: 65-74. doi: [10.1534/genetics.119.302019](https://doi.org/10.1534/genetics.119.302019).

See Also

[glmnet biglasso](#)

Examples

```

set.seed(2)

# simulating some data
N <- 230
M <- 730
X <- FBM(N, M, init = rnorm(N * M, sd = 5))
y01 <- as.numeric((rowSums(X[, 1:10]) + 2 * rnorm(N)) > 0)
covar <- matrix(rnorm(N * 3), N)

ind.train <- sort(sample(nrow(X), 150))
ind.test <- setdiff(rows_along(X), ind.train)

# fitting model for multiple lambdas and alphas
test <- big_spLogReg(X, y01[ind.train], ind.train = ind.train,
                    covar.train = covar[ind.train, ],
                    alphas = c(1, 0.1), K = 3, warn = FALSE)

# peek at the models
plot(test)
summary(test, sort = TRUE)
summary(test, sort = TRUE)$message

# prediction for other data -> only the best alpha is used
summary(test, best.only = TRUE)
pred <- predict(test, X, ind.row = ind.test, covar.row = covar[ind.test, ])
AUC(pred, y01[ind.test])
library(ggplot2)
qplot(pred, fill = as.logical(y01[ind.test]),
       geom = "density", alpha = I(0.4)) +
  labs(fill = "Case?") +
  theme_bigstatsr() +
  theme(legend.position = c(0.52, 0.8))

```

big_SVD

*Partial SVD***Description**

An algorithm for partial SVD (or PCA) of a Filebacked Big Matrix through the eigen decomposition of the covariance between variables (primal) or observations (dual). **Use this algorithm only if there is one dimension that is much smaller than the other. Otherwise use [big_randomSVD](#).**

Usage

```

big_SVD(
  X,
  fun.scaling = big_scale(center = FALSE, scale = FALSE),
  ind.row = rows_along(X),

```

```

ind.col = cols_along(X),
k = 10,
block.size = block_size(nrow(X))
)

```

Arguments

`X` An object of class `FBM`.

`fun.scaling` A function that returns a named list of mean and sd for every column, to scale each of their elements such as followed:

$$\frac{X_{i,j} - \text{mean}_j}{sd_j}.$$

Default doesn't use any scaling.

`ind.row` An optional vector of the row indices that are used. If not specified, all rows are used. **Don't use negative indices.**

`ind.col` An optional vector of the column indices that are used. If not specified, all columns are used. **Don't use negative indices.**

`k` Number of singular vectors/values to compute. Default is 10. **This algorithm should be used to compute only a few singular vectors/values.** If more is needed, have a look at <https://stackoverflow.com/a/46380540/6103040>.

`block.size` Maximum number of columns read at once. Default uses `block_size`.

Details

To get $X = U \cdot D \cdot V^T$,

- if the number of observations is small, this function computes $K(2) = X \cdot X^T \approx U \cdot D^2 \cdot U^T$ and then $V = X^T \cdot U \cdot D^{-1}$,
- if the number of variable is small, this function computes $K(1) = X^T \cdot X \approx V \cdot D^2 \cdot V^T$ and then $U = X \cdot V \cdot D^{-1}$,
- if both dimensions are large, use `big_randomSVD` instead.

Value

A named list (an S3 class "big_SVD") of

- `d`, the singular values,
- `u`, the left singular vectors,
- `v`, the right singular vectors,
- `center`, the centering vector,
- `scale`, the scaling vector.

Note that to obtain the Principal Components, you must use `predict` on the result. See examples.

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or OpenBLAS in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

See Also

[prcomp](#)

Examples

```
set.seed(1)

X <- big_attachExtdata()
n <- nrow(X)

# Using only half of the data
ind <- sort(sample(n, n/2))

test <- big_SVD(X, fun.scaling = big_scale(), ind.row = ind)
str(test)
plot(test$u)

pca <- prcomp(X[ind, ], center = TRUE, scale. = TRUE)

# same scaling
all.equal(test$center, pca$center)
all.equal(test$scale, pca$scale)

# scores and loadings are the same or opposite
# except for last eigenvalue which is equal to 0
# due to centering of columns
scores <- test$u %*% diag(test$d)
class(test)
scores2 <- predict(test) # use this function to predict scores
all.equal(scores, scores2)
dim(scores)
dim(pca$x)
tail(pca$sdev)
plot(scores2, pca$x[, 1:ncol(scores2)])
plot(test$v[1:100, ], pca$rotation[1:100, 1:ncol(scores2)])

# projecting on new data
X2 <- sweep(sweep(X[-ind, ], 2, test$center, '-'), 2, test$scale, '/')
scores.test <- X2 %*% test$v
ind2 <- setdiff(rows_along(X), ind)
scores.test2 <- predict(test, X, ind.row = ind2) # use this
all.equal(scores.test, scores.test2)
scores.test3 <- predict(pca, X[-ind, ])
plot(scores.test2, scores.test3[, 1:ncol(scores.test2)])
```

big_tcrossprodSelf *Tcrossprod*

Description

Compute $X.rowX.row^T$ for a Filebacked Big Matrix X after applying a particular scaling to it.

Usage

```
big_tcrossprodSelf(
  X,
  fun.scaling = big_scale(center = FALSE, scale = FALSE),
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  block.size = block_size(nrow(X))
)

## S4 method for signature 'FBM,missing'
tcrossprod(x, y)
```

Arguments

<code>X</code>	An object of class FBM .
<code>fun.scaling</code>	A function that returns a named list of mean and sd for every column, to scale each of their elements such as followed: $\frac{X_{i,j} - mean_j}{sd_j}.$
	Default doesn't use any scaling.
<code>ind.row</code>	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
<code>ind.col</code>	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
<code>block.size</code>	Maximum number of columns read at once. Default uses block_size .
<code>x</code>	A 'double' FBM.
<code>y</code>	Missing.

Value

A temporary [FBM](#), with the following two attributes:

- a numeric vector center of column scaling,
- a numeric vector scale of column scaling.

Matrix parallelization

Large matrix computations are made block-wise and won't be parallelized in order to not have to reduce the size of these blocks. Instead, you may use [Microsoft R Open](#) or OpenBLAS in order to accelerate these block matrix computations. You can also control the number of cores used with `bigparallelr::set_blas_ncores()`.

See Also

[tcrossprod](#)

Examples

```
X <- FBM(13, 17, init = rnorm(221))
true <- tcrossprod(X[])

# No scaling
K1 <- tcrossprod(X)
class(K1)
all.equal(K1, true)

K2 <- big_tcrossprodSelf(X)
class(K2)
K2$backingfile
all.equal(K2[], true)

# big_tcrossprodSelf() provides some scaling and subsetting
# Example using only half of the data:
n <- nrow(X)
ind <- sort(sample(n, n/2))
K3 <- big_tcrossprodSelf(X, fun.scaling = big_scale(), ind.row = ind)
true2 <- tcrossprod(scale(X[ind, ]))
all.equal(K3[], true2)
```

big_transpose

Transpose an FBM

Description

This function implements a simple cache-oblivious algorithm for the transposition of a Filebacked Big Matrix.

Usage

```
big_transpose(X, backingfile = tempfile())
```

Arguments

X	An object of class FBM .
backingfile	Path to the file storing the Big Matrix on disk. An extension ".bk" will be automatically added. Default stores in the temporary directory.

Value

The new transposed FBM. Dimensions and type are automatically determined from the input FBM.

Examples

```
X <- FBM(6, 5, init = rnorm(30))
X[]
Xt <- big_transpose(X)
identical(t(X[]), Xt[])
```

big_univLinReg	<i>Column-wise linear regression</i>
----------------	--------------------------------------

Description

Slopes of column-wise linear regressions of each column of a Filebacked Big Matrix, with some other associated statistics. Covariates can be added to correct for confounders.

Usage

```
big_univLinReg(
  X,
  y.train,
  ind.train = rows_along(X),
  ind.col = cols_along(X),
  covar.train = NULL,
  thr.eigval = 1e-04,
  ncores = 1
)
```

Arguments

X	An object of class FBM .
y.train	Vector of responses, corresponding to ind.train.
ind.train	An optional vector of the row indices that are used, for the training part. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
covar.train	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to ind.train. Default is NULL and corresponds to only adding an intercept to each model. You can use covar_from_df() to convert from a data frame.
thr.eigval	Threshold to remove "insignificant" singular vectors. Default is 1e-4.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .

Value

A data.frame with 3 elements:

1. the slopes of each regression,
2. the standard errors of each slope,
3. the t-scores associated with each slope. This is also an object of class mhtest. See methods(class = "mhtest").

See Also

[lm](#)

Examples

```
set.seed(1)

X <- big_attachExtdata()
n <- nrow(X)
y <- rnorm(n)
covar <- matrix(rnorm(n * 3), n)

X1 <- X[, 1] # only first column of the Filebacked Big Matrix

# Without covar
test <- big_univLinReg(X, y)
## New class `mhtest`
class(test)
attr(test, "transfo")
attr(test, "predict")
## plot results
plot(test)
plot(test, type = "Volcano")
## To get p-values associated with the test
test$p.value <- predict(test, log10 = FALSE)
str(test)
summary(lm(y ~ X1))$coefficients[2, ]

# With all data
str(big_univLinReg(X, y, covar = covar))
summary(lm(y ~ X1 + covar))$coefficients[2, ]

# With only half of the data
ind.train <- sort(sample(n, n/2))
str(big_univLinReg(X, y[ind.train],
                   covar.train = covar[ind.train, ],
                   ind.train = ind.train))
summary(lm(y ~ X1 + covar, subset = ind.train))$coefficients[2, ]
```

big_univLogReg	<i>Column-wise logistic regression</i>
----------------	--

Description

Slopes of column-wise logistic regressions of each column of a Filebacked Big Matrix, with some other associated statistics. Covariates can be added to correct for confounders.

Usage

```
big_univLogReg(
  X,
  y01.train,
  ind.train = rows_along(X),
  ind.col = cols_along(X),
  covar.train = NULL,
  tol = 1e-08,
  maxiter = 20,
  ncores = 1
)
```

Arguments

X	An object of class FBM .
y01.train	Vector of responses, corresponding to ind.train. Must be only 0s and 1s.
ind.train	An optional vector of the row indices that are used, for the training part. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
covar.train	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to ind.train. Default is NULL and corresponds to only adding an intercept to each model. You can use covar_from_df() to convert from a data frame.
tol	Relative tolerance to assess convergence of the coefficient. Default is 1e-8.
maxiter	Maximum number of iterations before giving up. Default is 20. Usually, convergence is reached within 3 or 4 iterations. If there is not convergence, glm is used instead for the corresponding column.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .

Details

If convergence is not reached by the main algorithm for some columns, the corresponding niter element is set to NA and a message is given. Then, [glm](#) is used instead for the corresponding column. If it can't converge either, all corresponding estimations are set to NA.

Value

A data.frame with 4 elements:

1. the slopes of each regression,
2. the standard errors of each slope,
3. the number of iteration for each slope. If is NA, this means that the algorithm didn't converge, and `glm` was used instead.
4. the z-scores associated with each slope. This is also an object of class `mhtest`. See `methods(class = "mhtest")`.

See Also

[glm](#)

Examples

```
set.seed(1)

X <- big_attachExtdata()
n <- nrow(X)
y01 <- sample(0:1, size = n, replace = TRUE)
covar <- matrix(rnorm(n * 3), n)

X1 <- X[, 1] # only first column of the Filebacked Big Matrix

# Without covar
test <- big_univLogReg(X, y01)
## new class `mhtest`
class(test)
attr(test, "transfo")
attr(test, "predict")
## plot results
plot(test)
plot(test, type = "Volcano")
## To get p-values associated with the test
test$p.value <- predict(test, log10 = FALSE)
str(test)
summary(glm(y01 ~ X1, family = "binomial"))$coefficients[2, ]

# With all data
str(big_univLogReg(X, y01, covar.train = covar))
summary(glm(y01 ~ X1 + covar, family = "binomial"))$coefficients[2, ]

# With only half of the data
ind.train <- sort(sample(n, n/2))
str(big_univLogReg(X, y01[ind.train],
                   covar.train = covar[ind.train, ],
                   ind.train = ind.train))
summary(glm(y01 ~ X1 + covar, family = "binomial",
           subset = ind.train))$coefficients[2, ]
```

big_write	Write an FBM to a file
-----------	------------------------

Description

Write a file from a Filebacked Big Matrix (by parts).

Usage

```
big_write(  
  X,  
  file,  
  every_nrow,  
  ...,  
  ind.row = rows_along(X),  
  ind.col = cols_along(X),  
  progress = FALSE  
)
```

Arguments

X	An object of class FBM .
file	File to write to.
every_nrow	Number of rows to write at once.
...	Other arguments to be passed to data.table::fwrite , except x, file, append, row.names, col.names and showProgress.
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
progress	Show progress? Default is FALSE.

Value

Input parameter file, invisibly.

Examples

```
X <- big_attachExtdata()  
csv <- big_write(X, tempfile(), every_nrow = 100, progress = interactive())
```

block_size	<i>Determine a correct value for the block.size parameter</i>
------------	---

Description

It determines the value of `block.size` such that a matrix of doubles of size `n x block.size` takes less memory than `getOption("bigstatsr.block.sizeGB")` GigaBytes (default is 1GB).

Usage

```
block_size(n, ncores = 1)
```

Arguments

<code>n</code>	The number of rows.
<code>ncores</code>	The number of cores.

Value

An integer ≥ 1 .

Examples

```
block_size(1e3)
block_size(1e6)
block_size(1e6, 6)
```

covar_from_df	<i>Numeric matrix from data frame</i>
---------------	---------------------------------------

Description

Transform a data frame to a numeric matrix by one-hot encoding factors. The last factor value is always omitted to prevent having a singular matrix when adding a column of 1s (intercept) in models.

Usage

```
covar_from_df(df)
```

Arguments

<code>df</code>	A data frame.
-----------------	---------------

Value

A numeric matrix.

Examples

```
mat <- covar_from_df(iris)
head(mat)
```

 FBM-class

 Class *FBM*

Description

A reference class for storing and accessing matrix-like data stored in files on disk. This is very similar to Filebacked Big Matrices provided by the **bigmemory** package (see [the corresponding vignette](#)).

Convert a matrix (or a data frame) to an FBM.

Usage

```
FBM(
  nrow,
  ncol,
  type = c("double", "float", "integer", "unsigned short", "unsigned char", "raw"),
  init = NULL,
  backingfile = tempfile(),
  create_bk = TRUE,
  is_read_only = FALSE
)

as_FBM(
  x,
  type = c("double", "float", "integer", "unsigned short", "unsigned char", "raw"),
  backingfile = tempfile(),
  is_read_only = FALSE
)
```

Arguments

nrow	Number of rows.
ncol	Number of columns.
type	Type of the Filebacked Big Matrix (default is double). Either <ul style="list-style-type: none"> • "double" (double precision – 64 bits) • "float" (single precision – 32 bits) • "integer" • "unsigned short": can store integer values from 0 to 65535. It has vocation to become the basis for a FBM. <code>code65536</code>. • "raw" or "unsigned char": can store integer values from 0 to 255. It is the basis for class <code>FBM.code256</code> in order to access 256 arbitrary different numeric values. It is used in package bigsnpr.

<code>init</code>	Either a single value (e.g. <code>0</code>) or as many value as the number of elements of the FBM. Default doesn't initialize the matrix.
<code>backingfile</code>	Path to the file storing the Big Matrix on disk. An extension ".bk" will be automatically added. Default stores in the temporary directory.
<code>create_bk</code>	Whether to create a backingfile (the default) or use an existing one (which should be named by the <code>backingfile</code> parameter and have an extension ".bk"). For example, this could be used to convert a <code>filebacked.big.matrix</code> from package bigmemory to a FBM (see the corresponding vignette).
<code>is_read_only</code>	Whether the FBM is read-only? Default is FALSE.
<code>x</code>	A matrix or an data frame (2-dimensional data).

Details

An object of class FBM has many fields:

- `$address`: address of the external pointer containing the underlying C++ object for read-only mapping, to be used as a `XPtr<FBM>` in C++ code
- `$extptr`: (internal) use `$address` instead
- `$address_rw`: address of the external pointer containing the underlying C++ object for read/write mapping, to be used as a `XPtr<FBM_RW>` in C++ code
- `$extptr_rw`: (internal) use `$address_rw` instead
- `$nrow`: number of rows
- `$ncol`: number of columns
- `$type`: (internal) use `type_size` or `type_chr` instead
- `$type_chr`: FBM type as character, e.g. "double"
- `$type_size`: size of FBM type in bytes (e.g. "double" is 8 and "float" is 4)
- `$backingfile` or `$bk`: File with extension 'bk' that stores the numeric data of the FBM
- `$rds`: 'rds' file (that may not exist) corresponding to the 'bk' file
- `$is_saved`: whether this object is stored in `$rds`?
- `$is_read_only`: whether it is (not) allowed to modify data?

And some methods:

- `$save()`: Save the FBM object in `$rds`. Returns the FBM.
- `add_columns(<ncol_add>)`: Add some columns to the FBM by appending the backingfile with some data. Returns the FBM invisibly.
- `$bm()`: Get this object as a `filebacked.big.matrix` to be used by package `bigmemory`.
- `$bm.desc()`: Get this object as a `filebacked.big.matrix` descriptor to be used by package `bigmemory`.
- `$check_write_permissions()`: Error if the FBM is read-only.

See Also

[big_attach](#) [big_copy](#)

Examples

```

mat <- matrix(1:4, 2)
X_from_mat <- as_FBM(mat)

## You can save this object in an .rds file to use it in another session
X_from_mat$save()
X_from_mat$save()
X_from_mat$save()
(rds <- X_from_mat$rds)
## Use big_attach() to load the FBM object in another session
X_from_mat <- big_attach(rds)

## Standard accessors
X <- FBM(10, 10)
typeof(X)
X[] <- rnorm(length(X))
X[, 1:6]
X[] <- 1:100
X[, 1]
X[1, ] # not recommended for large matrices
X[, -1]
X[, c(TRUE, FALSE)]
X[cbind(1:10, 1:10)] <- NA_real_

X[] # access as standard R matrix

X <- FBM(150, 5)
X[] <- iris ## you can replace with a df (but factors -> integers)
X2 <- as_FBM(iris)
identical(X[], X2[])

```

 FBM-methods

Methods for the FBM class

Description

Methods for the FBM class

Accessor methods for class FBM. You can use positive and negative indices, logical indices (that are recycled) and also a matrix of indices (but only positive ones).

Dimension and type methods for class FBM.

Usage

```
## S4 method for signature 'FBM,ANY,ANY,ANY'
x[i, j, ..., drop = TRUE]
```

```
## S4 replacement method for signature 'FBM,ANY,ANY,ANY'
```

```

x[i, j, ...] <- value

## S4 method for signature 'FBM'
dim(x)

## S4 method for signature 'FBM'
length(x)

## S4 method for signature 'FBM'
typeof(x)

## S4 method for signature 'FBM'
diag(x)

```

Arguments

x	A FBM object.
i	A vector of indices (or nothing). You can use positive and negative indices, logical indices (that are recycled) and also a matrix of indices (but only positive ones).
j	A vector of indices (or nothing). You can use positive and negative indices, logical indices (that are recycled).
...	Not used. Just to make nargs works.
drop	Whether to delete the dimensions of a matrix which have one dimension equals to 1.
value	The values to replace. Should be of length 1 or of the same length of the subset to replace.

FBM.code256-class	<i>Class FBM.code256</i>
-------------------	--------------------------

Description

A reference class for storing and accessing up to 256 arbitrary different values using a Filebacked Big Matrix of type unsigned char. Compared to a [Filebacked Big Matrix](#), it adds a slot code which is used as a lookup table of size 256.

Usage

```

FBM.code256(
  nrow,
  ncol,
  code = rep(NA_real_, 256),
  init = NULL,
  backingfile = tempfile(),
  create_bk = TRUE,

```



```

    is_read_only = FALSE
  )

  add_code256(x, code)

```

Arguments

nrow	Number of rows.
ncol	Number of columns.
code	A numeric vector (of length 256). You should construct it with <code>rep(NA_real_, 256)</code> and then replace the values which are of interest to you.
init	Either a single value (e.g. 0) or as many value as the number of elements of the FBM. Default doesn't initialize the matrix.
backingfile	Path to the file storing the Big Matrix on disk. An extension ".bk" will be automatically added. Default stores in the temporary directory.
create_bk	Whether to create a backingfile (the default) or use an existing one (which should be named by the <code>backingfile</code> parameter and have an extension ".bk"). For example, this could be used to convert a filebacked <code>big.matrix</code> from package bigmemory to a FBM (see the corresponding vignette).
is_read_only	Whether the FBM is read-only? Default is FALSE.
x	A FBM .

Examples

```

X <- FBM(10, 10, type = "raw")
X[] <- sample(as.raw(0:3), size = length(X), replace = TRUE)
X[]

# From an FBM of type 'raw' ('unsigned char')
code <- rep(NA_real_, 256)
code[1:3] <- c(1, 3, 5)

X.code <- add_code256(X, code)
X.code[]

# Or directly
X.code2 <- FBM.code256(10, 10, code, init = sample(as.raw(0:3), 100, TRUE))
X.code2[]

# Get a new FBM.code256 object with another code (but same underlying data)
X.code3 <- X.code$copy(code = rnorm(256))
all.equal(X.code$code256, code)

```

get_beta *Combine sets of coefficients*

Description

Combine sets of coefficients

Usage

```
get_beta(betas, method = c("geometric-median", "mean-wise", "median-wise"))
```

Arguments

betas Matrix of coefficient vectors to be combined.
method Method for combining vectors of coefficients. The default uses the **geometric median**.

Value

A vector of resulting coefficients.

pasteLoc *Get coordinates on plot*

Description

Get coordinates on a plot by mouse-clicking.

Usage

```
pasteLoc(nb, digits = c(3, 3))
```

Arguments

nb Number of positions.
digits 2 integer indicating the number of decimal places (respectively for x and y coordinates).

Value

A list of coordinates. Note that if you don't put the result in a variable, it returns as the command text for generating the list. This can be useful to get coordinates by mouse-clicking once, but then using the code for convenience and reproducibility.

Examples

```
## Not run:
plot(runif(20, max = 5000))
# note the negative number for the rounding of $y
coord <- pasteLoc(3, digits = c(2, -1))
text(coord, c("a", "b", "c"))

## End(Not run)
```

pcor

Partial correlation

Description

Partial correlation between x and y, after having adjusted both for z.

Usage

```
pcor(x, y, z, alpha = 0.05)
```

Arguments

x	A numeric vector.
y	A numeric vector.
z	A data frame, which can contain characters or factors.
alpha	Type-I error for the confidence interval (CI). Default is 0.05, corresponding to a 95% CI.

Value

The partial correlation, and the lower and upper bounds of its CI.

Examples

```
pcor(iris[[1]], iris[[2]], iris[-(1:2)])
```

plot.big_sp_list *Plot method*

Description

Plot method for class big_sp_list.

Usage

```
## S3 method for class 'big_sp_list'
plot(x, coeff = 1, ...)
```

Arguments

x	An object of class big_sp_list.
coeff	Relative size of text. Default is 1.
...	Not used.

Value

A ggplot2 object. You can plot it using the print method. You can modify it as you wish by adding layers. You might want to read [this chapter](#) to get more familiar with the package **ggplot2**.

plot.big_SVD *Plot method*

Description

Plot method for class big_SVD.

Usage

```
## S3 method for class 'big_SVD'
plot(
  x,
  type = c("screeplot", "scores", "loadings"),
  nval = length(x$d),
  scores = c(1, 2),
  loadings = 1,
  ncol = NULL,
  coeff = 1,
  viridis = TRUE,
  cols = 2,
  ...
)
```

Arguments

x	An object of class big_SVD.
type	Either <ul style="list-style-type: none"> • "screepplot": plot of decreasing singular values (the default). • "scores": plot of the scores associated with 2 Principal Components. • "loadings": plot of loadings associated with 1 Principal Component.
nval	Number of singular values to plot. Default plots all computed.
scores	Vector of indices of the two PCs to plot. Default plots the first two PCs. If providing more than two, it produces many plots.
loadings	Indices of PC loadings to plot. Default plots the first vector of loadings.
ncol	If multiple vector of loadings are to be plotted, this defines the number of columns of the resulting multiplot.
coeff	Relative size of text. Default is 1.
viridis	Deprecated argument.
cols	Deprecated. Use ncol instead.
...	Not used.

Value

A ggplot2 object. You can plot it using the print method. You can modify it as you wish by adding layers. You might want to read [this chapter](#) to get more familiar with the package **ggplot2**.

See Also

[big_SVD](#), [big_randomSVD](#) and [asPlotlyText](#).

Examples

```
set.seed(1)

X <- big_attachExtdata()
svd <- big_SVD(X, big_scale(), k = 10)

# screepplots
plot(svd) # 3 PCs seems "significant"
plot(svd, coeff = 1.5) # larger font for papers

# scores plot
plot(svd, type = "scores") # first 2 PCs
plot(svd, type = "scores", scores = c(1, 3))
plot(svd, type = "scores", scores = 1:4, ncol = 2, coeff = 0.7)
## add color (recall that this return a `ggplot2` object)
class(obj <- plot(svd, type = "scores"))
pop <- rep(c("POP1", "POP2", "POP3"), c(143, 167, 207))
library(ggplot2)
print(obj2 <- obj + aes(color = pop) + labs(color = "Population"))
## change the place of the legend
```

```

print(obj3 <- obj2 + theme(legend.position = c(0.82, 0.17)))
## change the title and the labels of the axes
obj3 + ggtitle("Yet another title") + xlab("with an other 'x' label")

# loadings
plot(svd, type = "loadings", loadings = 2)
## all loadings
plot(svd, type = "loadings", loadings = 1:2, coeff = 0.7, ncol = 1)

# Percentage of variance explained by the PCs
# See https://github.com/privefl/bigstatsr/issues/83

# dynamic plots, require the package plotly
## Not run: plotly::ggplotly(obj3)

```

plot.mhctest

Plot method

Description

Plot method for class mhctest.

Usage

```

## S3 method for class 'mhctest'
plot(x, type = c("hist", "Manhattan", "Q-Q", "Volcano"), coeff = 1, ...)

```

Arguments

x	An object of class mhctest.
type	Either. <ul style="list-style-type: none"> "hist": histogram of p-values (the default). "Manhattan": plot of the negative logarithm (in base 10) of p-values. "Q-Q": Q-Q plot. "Volcaco": plot of the negative logarithm of p-values against the estimation of coefficients (e.g. betas in linear regression)
coeff	Relative size of text. Default is 1.
...	Not used.

Value

A ggplot2 object. You can plot it using the print method. You can modify it as you wish by adding layers. You might want to read [this chapter](#) to get more familiar with the package **ggplot2**.

See Also

[big_univLinReg](#), [big_univLogReg](#), [plot.big_SVD](#) and [asPlotlyText](#).

Examples

```

set.seed(1)

X <- big_attachExtdata()
y <- rnorm(nrow(X))
test <- big_univLinReg(X, y)

plot(test)
plot(test, type = "Volcano")
plot(test, type = "Q-Q")
plot(test, type = "Manhattan")
plot(test, type = "Manhattan") + ggplot2::ggtitle(NULL)

```

predict.big_sp	<i>Predict method</i>
----------------	-----------------------

Description

Predict method for class big_sp.

Usage

```

## S3 method for class 'big_sp'
predict(object, X, ind.row, ind.col, covar.row = NULL, ncores = 1, ...)

```

Arguments

object	Object of class big_sp.
X	An object of class FBM .
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
covar.row	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to ind.row. Default is NULL and corresponds to only adding an intercept to each model. You can use covar_from_df() to convert from a data frame.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
...	Not used.

Value

A vector of scores, corresponding to ind.row.

See Also

[big_spLinReg](#) and [big_spLogReg](#).

predict.big_sp_list *Predict method*

Description

Predict method for class big_sp_list.

Usage

```
## S3 method for class 'big_sp_list'
predict(
  object,
  X,
  ind.row = rows_along(X),
  ind.col = attr(object, "ind.col"),
  covar.row = NULL,
  proba = (attr(object, "family") == "binomial"),
  base.row = NULL,
  ncores = 1,
  ...
)
```

Arguments

object	Object of class big_sp_list.
X	An object of class FBM .
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
covar.row	Matrix of covariables to be added in each model to correct for confounders (e.g. the scores of PCA), corresponding to ind.row. Default is NULL and corresponds to only adding an intercept to each model. You can use covar_from_df() to convert from a data frame.
proba	Whether to return probabilities?
base.row	Vector of base predictions, corresponding to ind.row.
ncores	Number of cores used. Default doesn't use parallelism. You may use nb_cores .
...	Not used.

Value

A vector of scores, corresponding to ind.row.

See Also

[big_spLinReg](#) and [big_spLogReg](#).

predict.big_SVD	<i>Scores of PCA</i>
-----------------	----------------------

Description

Get the scores of PCA associated with an svd decomposition (class big_SVD).

Usage

```
## S3 method for class 'big_SVD'
predict(
  object,
  X = NULL,
  ind.row = rows_along(X),
  ind.col = cols_along(X),
  block.size = block_size(nrow(X)),
  ...
)
```

Arguments

object	A list returned by big_SVD or big_randomSVD.
X	An object of class FBM .
ind.row	An optional vector of the row indices that are used. If not specified, all rows are used. Don't use negative indices.
ind.col	An optional vector of the column indices that are used. If not specified, all columns are used. Don't use negative indices.
block.size	Maximum number of columns read at once. Default uses block_size .
...	Not used.

Value

A matrix of size $n \times K$ where n is the number of samples corresponding to indices in `ind.row` and K the number of PCs computed in `object`. If `X` is not specified, this just returns the scores of the training set of `object`.

See Also

[predict big_SVD big_randomSVD](#)

Examples

```
set.seed(1)

X <- big_attachExtdata()
n <- nrow(X)
```

```

# Using only half of the data
ind <- sort(sample(n, n/2))

test <- big_SVD(X, fun.scaling = big_scale(), ind.row = ind)
str(test)
plot(test$u)

pca <- prcomp(X[ind, ], center = TRUE, scale. = TRUE)

# same scaling
all.equal(test$center, pca$center)
all.equal(test$scale, pca$scale)

# scores and loadings are the same or opposite
# except for last eigenvalue which is equal to 0
# due to centering of columns
scores <- test$u %*% diag(test$d)
class(test)
scores2 <- predict(test) # use this function to predict scores
all.equal(scores, scores2)
dim(scores)
dim(pca$x)
tail(pca$sdev)
plot(scores2, pca$x[, 1:ncol(scores2)])
plot(test$u[1:100, ], pca$rotation[1:100, 1:ncol(scores2)])

# projecting on new data
X2 <- sweep(sweep(X[-ind, ], 2, test$center, '-'), 2, test$scale, '/')
scores.test <- X2 %*% test$v
ind2 <- setdiff(rows_along(X), ind)
scores.test2 <- predict(test, X, ind.row = ind2) # use this
all.equal(scores.test, scores.test2)
scores.test3 <- predict(pca, X[-ind, ])
plot(scores.test2, scores.test3[, 1:ncol(scores.test2)])

```

predict.mhctest

Predict method

Description

Predict method for class mhctest.

Usage

```

## S3 method for class 'mhctest'
predict(object, scores = object$score, log10 = TRUE, ...)

```

Arguments

object	An object of class <code>mhtest</code> from you get the probability function with possibly pre-transformation of scores.
scores	Raw scores (before transformation) that you want to transform to p-values.
log10	Are p-values returned on the \log_{10} scale? Default is TRUE.
...	Not used.

Value

Vector of \log_{10} (p-values) associated with scores and object.

See Also

[big_univLinReg](#) and [big_univLogReg](#).

sub_bk	<i>Replace extension '.bk'</i>
--------	--------------------------------

Description

Replace extension `' .bk'`

Usage

```
sub_bk(path, replacement = "", stop_if_not_ext = TRUE)
```

Arguments

path	String with extension <code>' .bk'</code> .
replacement	Replacement of <code>' .bk'</code> . Default replaces by nothing.
stop_if_not_ext	If replacement <code>!= ""</code> , whether to error if replacement is not an extension (i.e. starting with a dot).

Value

String with extension `' .bk'` replaced by replacement.

Examples

```
path <- "toto.bk"
sub_bk(path)
sub_bk(path, ".rds")
```

summary.big_sp_list *Summary method*

Description

Summary method for class big_sp_list.

Usage

```
## S3 method for class 'big_sp_list'
summary(object, best.only = FALSE, sort = FALSE, ...)
```

Arguments

object	An object of class big_sp_list.
best.only	Whether to return only one row corresponding to the best model? The best model is the one smallest \$validation_loss.
sort	Whether to sort by \$validation_loss. Default is FALSE.
...	Not used.

Value

A tibble with, for each \$alpha, a mean \$validation_loss, a mean vector of coefficients \$beta, the corresponding number of non-zero coefficients \$nb_var, and the reasons of method completion \$message.

theme_bigstatsr *Theme ggplot2*

Description

Theme ggplot2 used by this package.

Usage

```
theme_bigstatsr(size.rel = 1)
```

Arguments

size.rel	Relative size. Default is 1.
----------	------------------------------

Examples

```
library(ggplot2)
qplot(y = 1:10)
qplot(y = 1:10) + theme_bw()
qplot(y = 1:10) + theme_bigstatsr()
```

`without_downcast_warning`

Temporarily disable downcast warning

Description

Temporarily disable downcast warning

Usage

`without_downcast_warning(expr)`

Arguments

`expr` The expression to evaluate without downcast warning.

Value

The result of the evaluated expression.

Examples

`without_downcast_warning(FBM(10, 10, type = "integer", init = 1.5))`

Index

- [,FBM,ANY,ANY,ANY-method (FBM-methods), 47
- [<- ,FBM,ANY,ANY,ANY-method (FBM-methods), 47
- %%,FBM,matrix-method (big_prodMat), 20
- %%,matrix,FBM-method (big_prodMat), 20

- add_code256 (FBM.code256-class), 48
- apply, 8
- as_FBM (FBM-class), 45
- asPlotlyText, 4, 53, 54
- AUC, 5
- AUCBoot (AUC), 5

- big_apply, 6, 19
- big_attach, 46
- big_colstats, 8
- big_copy, 9, 46
- big_cor, 10
- big_counts, 11
- big_cprodMat, 13
- big_cprodVec, 14
- big_crossprodSelf, 11, 16
- big_increment, 17
- big_parallelize, 7, 18
- big_prodMat, 20
- big_prodVec, 21
- big_randomSVD, 23, 34, 35, 53, 57
- big_read, 25
- big_scale, 26
- big_splLinReg, 27, 55, 56
- big_spLogReg, 31, 55, 56
- big_SVD, 34, 53, 57
- big_tcrossprodSelf, 37
- big_transpose, 38
- big_univLinReg, 39, 54, 59
- big_univLogReg, 41, 54, 59
- big_write, 43
- biglasso, 30, 33
- bigparallelr::split_parapply, 7, 19

- bigreadr::big_fread2, 26
- bigstatsr (bigstatsr-package), 3
- bigstatsr-package, 3
- block_size, 3, 7, 10, 13, 16, 20, 35, 37, 44, 57

- colSums, 8
- COPY_biglasso_main, 29, 33
- cor, 11
- covar_from_df, 44
- covar_from_df(), 3, 4, 28, 32, 39, 41, 55, 56
- crossprod, 17
- crossprod,FBM,matrix-method (big_cprodMat), 13
- crossprod,FBM,missing-method (big_crossprodSelf), 16
- crossprod,matrix,FBM-method (big_cprodMat), 13

- data.table::fwrite, 43
- diag,FBM-method (FBM-methods), 47
- dim,FBM-method (FBM-methods), 47

- FBM, 3, 7, 8, 10, 11, 13, 15, 16, 18, 20, 22, 23, 28, 31, 35, 37–39, 41, 43, 46, 48, 49, 55–57
- FBM (FBM-class), 45
- FBM-class, 45
- FBM-methods, 47
- FBM.code256, 3, 9, 12, 26, 45
- FBM.code256 (FBM.code256-class), 48
- FBM.code256-class, 48
- FBM.code256_RC (FBM.code256-class), 48
- FBM_RC (FBM-class), 45
- Filebacked Big Matrix, 7, 18, 48

- get_beta, 50
- glm, 41, 42
- glmnet, 30, 33

- length,FBM-method (FBM-methods), 47
- lm, 40

nargs, 48
nb_cores, 3, 7, 8, 13, 15, 18, 20, 22, 23, 29,
33, 39, 41, 55, 56

pasteLoc, 50
pcor, 51
plot.big_sp_list, 52
plot.big_SVD, 52, 54
plot.mhctest, 54
prcomp, 36
predict, 24, 35, 57
predict.big_sp, 55
predict.big_sp_list, 56
predict.big_SVD, 57
predict.mhctest, 58

round, 5

scale, 27
set.seed, 5
sub_bk, 59
summary.big_sp_list, 60
svds, 23, 24

tcrossprod, 38
tcrossprod,FBM,matrix-method
(big_cprodMat), 13
tcrossprod,FBM,missing-method
(big_tcrossprodSelf), 37
tcrossprod,matrix,FBM-method
(big_cprodMat), 13
theme_bigstatsr, 60
typeof,FBM-method (FBM-methods), 47

wilcox.test, 6
without_downcast_warning, 61