

# Package ‘btergm’

February 16, 2018

**Version** 1.9.1

**Date** 2018-02-14

**Title** Temporal Exponential Random Graph Models by Bootstrapped Pseudolikelihood

**Description** Temporal Exponential Random Graph Models (TERGM) estimated by maximum pseudolikelihood with bootstrapped confidence intervals or Markov Chain Monte Carlo maximum likelihood. Goodness of fit assessment for ERGMs, TERGMs, and SAOMs. Micro-level interpretation of ERGMs and TERGMs.

**URL** <http://github.com/leifeld/btergm>

**Imports** stats4, utils, methods, graphics, statnet (>= 2015.11.0), statnet.common (>= 3.3.0), network (>= 1.13.0), sna (>= 2.3.2), ergm (>= 3.5.1), texreg (>= 1.34.4), parallel, Matrix (>= 1.2.2), boot (>= 1.3.17), coda (>= 0.18.1), stats, ROCR (>= 1.0.7), speedglm (>= 0.3.1), igraph (>= 0.7.1), RSiena (>= 1.0.12.232)

**Depends** R (>= 2.14.0), xergm.common (>= 1.7.7), ggplot2 (>= 2.0.0)

**License** GPL (>= 2)

**NeedsCompilation** no

**Author** Philip Leifeld [aut, cre],  
Skyler J. Cranmer [ctb],  
Bruce A. Desmarais [ctb]

**Maintainer** Philip Leifeld <philip.leifeld@glasgow.ac.uk>

**Repository** CRAN

**Date/Publication** 2018-02-15 23:15:16 UTC

## R topics documented:

btergm-package . . . . .	2
btergm . . . . .	3
btergm-class . . . . .	7
checkdegeneracy . . . . .	10

edgeprob . . . . .	12
getformula . . . . .	13
gof-methods . . . . .	14
gof-plot . . . . .	20
gofstatistics . . . . .	24
interpret . . . . .	30
marginalplot . . . . .	36
simulate.btergm . . . . .	37
tergm-terms . . . . .	39

<b>Index</b>	<b>41</b>
--------------	-----------

---

btergm-package	<i>Temporal Exponential Random Graph Models by Bootstrapped Pseudolikelihood</i>
----------------	--

---

## Description

Temporal Exponential Random Graph Models (TERGM) estimated by maximum pseudolikelihood with bootstrapped confidence intervals or Markov Chain Monte Carlo maximum likelihood. Goodness of fit assessment for ERGMs, TERGMs, and SAOMs. Micro-level interpretation of ERGMs and TERGMs.

## Details

The **btergm** package implements TERGMs with MPLE and bootstrapped confidence intervals (**btergm** function) or MCMC MLE (**mttergm** function). Goodness of fit assessment for ERGMs, TERGMs, SAOMs, and dyadic independence models is possible with the generic **gof** function and its various methods. New networks can be simulated from TERGMs using the **simulate.btergm** function. The package also implements micro-level interpretation for ERGMs and TERGMs using the **interpret** function. Furthermore, the package contains the **chemnet** and **knecht** datasets for estimating (T)ERGMs. To display citation information, type `citation("btergm")`.

## Author(s)

Philip Leifeld (<http://www.philipleifeld.de>)  
 Skyler J. Cranmer (<http://www.skylercranmer.net>)  
 Bruce A. Desmarais (<http://brucedesmarais.com/>)

## References

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with btergm: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

## See Also

[btergm](#) [mttergm](#) [simulate.btergm](#) [gof](#) [interpret](#) [btergm-class](#) [checkdegeneracy](#)

---

btergm

*TERGM by bootstrapped pseudolikelihood or MCMC MLE*


---

### Description

TERGM by bootstrapped pseudolikelihood or MCMC MLE.

### Usage

```
btergm(formula, R = 500, offset = FALSE, returndata = FALSE,
        parallel = c("no", "multicore", "snow"), ncpus = 1,
        cl = NULL, verbose = TRUE, ...)
```

```
mtergm(formula, constraints = ~ ., returndata = FALSE,
        verbose = TRUE, ...)
```

### Arguments

formula	Formula for the TERGM. Model construction works like in the <b>ergm</b> package with the same model terms etc. (for a list of terms, see <code>help("ergm-terms")</code> ). The networks to be modeled on the left-hand side of the equation must be given either as a list of network objects with more recent networks last (i.e., chronological order) or as a list of matrices with more recent matrices at the end. dyadcov and edgescov terms accept time-independent covariates (as network or matrix objects) or time-varying covariates (as a list of networks or matrices with the same length as the list of networks to be modeled).
R	Number of bootstrap replications. The higher the number of replications, the more accurate but also the slower is the estimation.
offset	If <code>offset = TRUE</code> is set, a list of offset matrices (one for each time step) with structural zeros is handed over to the pseudolikelihood routine. The offset matrices contain structural zeros where either the dependent networks or any of the covariates have missing nodes (if <code>auto.adjust = TRUE</code> is used). All matrices and network objects are inflated to the dimensions of the largest object, and the offset matrices inform the estimation routine which dyads are constrained to be absent (that is, fixed at $-\infty$ ). If <code>offset = FALSE</code> is set (the default behavior) and <code>auto.adjust</code> is switched on, all nodes that are not present across all covariates and networks within a time step are removed completely from the respective object(s) before estimation begins. This is computationally more efficient than using an offset matrix.
returndata	Return the processed input data instead of estimating and returning the model? In the <code>btergm</code> case, this will return a data frame with the dyads of the dependent variable/network and the change statistics for all covariates. In the <code>mtergm</code> case, this will return a list object with the blockdiagonal network object for the dependent variable and blockdiagonal matrices for all dyadic covariates and the offset matrix for the structural zeroes.

parallel	Use multiple cores in a computer or nodes in a cluster to speed up bootstrapping computations. The default value "no" means parallel computing is switched off. If "multicore" is used, the <code>mclapply</code> function from the <b>parallel</b> package (formerly in the <b>multicore</b> package) is used for parallelization. This should run on any kind of system except MS Windows because it is based on forking. It is usually the fastest type of parallelization. If "snow" is used, the <code>parLapply</code> function from the <b>parallel</b> package (formerly in the <b>snow</b> package) is used for parallelization. This should run on any kind of system including cluster systems and including MS Windows. It is slightly slower than the former alternative if the same number of cores is used. However, "snow" provides support for MPI clusters with a large amount of cores, which <b>multicore</b> does not offer (see also the <code>cl</code> argument). The backend for the bootstrapping procedure is the <b>boot</b> package.
ncpus	The number of CPU cores used for parallel computing (only if <code>parallel</code> is activated). If the number of cores should be detected automatically on the machine where the code is executed, one can set <code>ncpus = detectCores()</code> after loading the <b>parallel</b> package. On some HPC clusters, the number of available cores is saved as an environment variable; for example, if MOAB is used, the number of available cores can sometimes be accessed using <code>Sys.getenv("MOAB_PROCCOUNT")</code> , depending on the implementation.
cl	An optional <b>parallel</b> or <b>snow</b> cluster for use if <code>parallel = "snow"</code> . If not supplied, a PSOCK cluster is created temporarily on the local machine.
constraints	Constraints of the ERGM. See <a href="#">ergm</a> for details.
verbose	Print details about data preprocessing and estimation settings.
...	Further arguments to be handed over to subroutines. For example, one can specify arguments for the <code>ergm</code> function (in the case of an <code>mtergm</code> call) or the <code>boot</code> function (in the case of a <code>btergm</code> call).

### Details

The `btergm` function computes temporal exponential random graph models (TERGM) by bootstrapped pseudolikelihood, as described in Desmarais and Cranmer (2012).

The `mtergm` function computes TERGMs by MCMC MLE (or MPLE with uncorrected standard errors) via blockdiagonal matrices and structural zeros. The `btergm` function is faster than the `mtergm` function.

### References

Cranmer, Skyler J., Tobias Heinrich and Bruce A. Desmarais (2014): Reciprocity and the Structural Determinants of the International Sanctions Network. *Social Networks* 36(1): 5–22. <http://dx.doi.org/10.1016/j.socnet.2013.01.001>.

Desmarais, Bruce A. and Skyler J. Cranmer (2012): Statistical Mechanics of Networks: Estimation and Uncertainty. *Physica A* 391: 1865–1876. <http://dx.doi.org/10.1016/j.physa.2011.10.018>.

Desmarais, Bruce A. and Skyler J. Cranmer (2010): Consistent Confidence Intervals for Maximum Pseudolikelihood Estimators. *Neural Information Processing Systems 2010 Workshop on Computational Social Science and the Wisdom of Crowds*.

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with btergm: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

## See Also

[btergm-package](#) [simulate.btergm](#) [gof](#) [knecht](#) [btergm-class](#) [checkdegeneracy](#)

## Examples

```
# A simple toy example:

library("statnet")
set.seed(5)

networks <- list()
for(i in 1:10){          # create 10 random networks with 10 actors
  mat <- matrix(rbinom(100, 1, .25), nrow = 10, ncol = 10)
  diag(mat) <- 0        # loops are excluded
  nw <- network(mat)    # create network object
  networks[[i]] <- nw   # add network to the list
}

covariates <- list()
for (i in 1:10) {       # create 10 matrices as covariate
  mat <- matrix(rnorm(100), nrow = 10, ncol = 10)
  covariates[[i]] <- mat # add matrix to the list
}

fit <- btergm(networks ~ edges + istar(2) +
  edgescov(covariates), R = 100)

summary(fit)           # show estimation results

## Not run:
# The same example using MCMC MLE:

fit2 <- mtergm(networks ~ edges + istar(2) +
  edgescov(covariates))

summary(fit2)

## End(Not run)

# For examples with real data, see help("knecht") or help("alliances").

# Examples for parallel processing:

# Some preliminaries:
# - "Forking" means running the code on multiple cores in the same
#   computer. It's fast but consumes a lot of memory because all
```

```

# objects are copied for each node. It's also restricted to
# cores within a physical computer, i.e. no distribution over a
# network or cluster. Forking does not work on Windows systems.
# - "MPI" is a protocol for distributing computations over many
# cores, often across multiple physical computers/nodes. MPI
# is fast and can distribute the work across hundreds of nodes
# (but remember that R can handle a maximum of 128 connections,
# which includes file access and parallel connections). However,
# it requires that the Rmpi package is installed and that an MPI
# server is running (e.g., OpenMPI).
# - "PSOCK" is a TCP-based protocol. It can also distribute the
# work to many cores across nodes (like MPI). The advantage of
# PSOCK is that it can as well make use of multiple nodes within
# the same node or desktop computer (as with forking) but without
# consuming too much additional memory. However, the drawback is
# that it is not as fast as MPI or forking.
# The following code provides examples for these three scenarios.

# btergm works with clusters via the parallel package. That is, the
# user can create a cluster object (of type "PSOCK", "MPI", or
# "FORK") and supply it to the 'cl' argument of the 'btergm'
# function. If no cluster object is provided, btergm will try to
# create a temporary PSOCK cluster (if parallel = "snow") or it
# will use forking (if parallel = "multicore").

## Not run:

# To use a PSOCK cluster without providing an explicit cluster
# object:
require("parallel")
fit <- btergm(networks ~ edges + istar(2) + edgescov(covariates),
  R = 100, parallel = "snow", ncpus = 25)

# Equivalently, a PSOCK cluster can be provided as follows:
require("parallel")
cores <- 25
cl <- makeCluster(cores, type = "PSOCK")
fit <- btergm(networks ~ edges + istar(2) + edgescov(covariates),
  R = 100, parallel = "snow", ncpus = cores, cl = cl)
stopCluster(cl)

# Forking (without supplying a cluster object) can be used as
# follows.
require("parallel")
cores <- 25
fit <- btergm(networks ~ edges + istar(2) + edgescov(covariates),
  R = 100, parallel = "multicore", ncpus = cores)
stopCluster(cl)

# Forking (by providing a cluster object) works as follows:
require("parallel")
cores <- 25
cl <- makeCluster(cores, type = "FORK")

```

```

fit <- btergm(networks ~ edges + istar(2) + edgecov(covariates),
  R = 100, parallel = "snow", ncpus = cores, cl = cl)
stopCluster(cl)

# To use MPI, a cluster object MUST be created beforehand. In
# this example, a MOAB HPC server is used. It stores the number of
# available cores as a system option:
require("parallel")
cores <- as.numeric(Sys.getenv("MOAB_PROCCOUNT"))
cl <- makeCluster(cores, type = "MPI")
fit <- btergm(networks ~ edges + istar(2) + edgecov(covariates),
  R = 100, parallel = "snow", ncpus = cores, cl = cl)
stopCluster(cl)

# In the following example, the Rmpi package is used to create a
# cluster. This may not work on all systems; consult your local
# support staff or the help files on your HPC server to find out how
# to create a cluster object on your system.

# snow/Rmpi start-up
if (!is.loaded("mpi_initialize")) {
  library("Rmpi")
}
library(snow);

mpirank <- mpi.comm.rank (0)
if (mpirank == 0) {
  invisible(makeMPIcluster())
} else {
  sink (file="/dev/null")
  invisible(slaveLoop (makeMPImaster()))
  mpi.finalize()
  q()
}
# End snow/Rmpi start-up

cl <- getMPIcluster()

fit <- btergm(networks ~ edges + istar(2) + edgecov(covariates),
  R = 100, parallel = "snow", ncpus = 25, cl = cl)

## End(Not run)

```

---

btergm-class

*Classes "btergm" and "mtergm"*


---

### Description

btergm objects result from the estimation of a bootstrapped TERGM via the btergm function in the **xergm** package. btergm objects contain the coefficients, the bootstrapping samples of the co-

efficients, the number of replications, the number of observations, the number of time steps, the original formula, and the response, effects and weights objects that were fed into the `glm` call for estimating the model. `mtergm` objects result from MCMC-MLE-based estimation of a TERGM via the `mtergm` function. They contain the coefficients, standard errors, and p-values, among other details.

### Usage

```
## S4 method for signature 'btergm'
summary(object, level = 0.95, type = "perc",
        invlogit = FALSE, ...)

## S4 method for signature 'mtergm'
summary(object, ...)

## S4 method for signature 'btergm'
show(object)

## S4 method for signature 'mtergm'
show(object)

## S4 method for signature 'btergm'
nobs(object)

## S4 method for signature 'mtergm'
nobs(object)

## S4 method for signature 'btergm'
coef(object, invlogit = FALSE, ...)

## S4 method for signature 'mtergm'
coef(object, invlogit = FALSE, ...)

## S4 method for signature 'btergm'
confint(object, parm, level = 0.95, type = "perc",
        invlogit = FALSE, ...)

btergm.se(object, print = FALSE)

timesteps.btergm(object)

timesteps.mtergm(object)
```

### Arguments

<code>object</code>	A <code>btergm</code> object.
<code>level</code>	The significance level for computation of the confidence intervals. The default is 0.95 (that is, an alpha value of 0.05). Other common values include 0.999, 0.99, 0.9, and 0.5.



parm	Parameters (specified by integer position or character string).
type	Type of confidence interval, e.g., basic bootstrap interval ( <code>type = "basic"</code> ), percentile-based interval ( <code>type = "perc"</code> , which is the default option), or bias-adjusted and accelerated confidence interval ( <code>type = "bca"</code> ). All options from the <code>type</code> argument of the <code>boot.ci</code> function in the <code>boot</code> package can be used to generate confidence intervals.
invlogit	Apply inverse logit transformation to the estimates and/or confidence intervals? That is, $1 / (1 + \exp(-x))$ , where $x$ is the respective value.
print	Should the formatted coefficient table be printed to the R console along with significance stars ( <code>print = TRUE</code> ), or should the plain coefficient matrix be returned ( <code>print = FALSE</code> )?
...	Further arguments to be handed over to subroutines.

## Details

Various generic methods are available for `btergm` objects: The `coef` and `show` methods return the coefficients; the `summary` method gives a model summary. The `nobs` method returns the number of observations. The `confint` method returns confidence intervals from the bootstrap replications of `btergm` objects, and the user can specify the confidence level. The method returns a matrix with three columns: the estimate, the lower bound, and the upper bound of the confidence interval for each model term.

The `btergm.se` function computes standard errors and p values for `btergm` objects. It returns a matrix with four columns: the estimate, the standard error, the z value, and the p value for each model term. If the argument `print = TRUE` is used, the matrix is printed to the R console as a formatted coefficient matrix with significance stars instead. Note that confidence intervals are the preferred way of interpretation for bootstrapped TERGMs; standard errors are only accurate if the bootstrapped data are normally distributed, which is not always the case. Various methods for checking for normality for each model term are available, for example quantile-quantile plots (e.g., `qqnorm(x@boot$t[, 1])` for the first model term in the `btergm` object called `x`).

The `timesteps.btergm` function extracts the number of time steps from a `btergm` object. The number of time steps is the number of networks being modeled on the left-hand side of the model formula.

Some of these functions or methods are also available for `mtergm` objects.

## Slots

`coef`: Object of class "numeric". The coefficients.

`bootsamp`: Object of class "matrix". The bootstrapping sample.

`R`: Object of class "numeric". Number of replications.

`nobs`: Object of class "numeric". Number of observations.

`time.steps`: Object of class "numeric". Number of time steps.

`formula`: Object of class "formula". The original model formula (without indices for the time steps).

`response`: Object of class "integer". The response variable.

`effects`: Object of class "data.frame". The effects that went into the `glm` call.

**weights:** Object of class "integer". The weights of the observations.

**auto.adjust:** Object of class "logical". Indicates whether automatic adjustment of dimensions was done before estimation.

**offset:** Object of class "logical". Indicates whether an offset matrix with structural zeros was used.

**directed:** Object of class "logical". Are the dependent networks directed?

**bipartite:** Object of class "logical". Are the dependent networks bipartite?

**se** Standard errors.

**pval** p-values.

**estimate** Estimate: either MCMC MLE or MPLE.

**loglik** The log likelihood.

**aic** Akaike's Information Criterion (AIC).

**bic** The Bayesian Information Criterion (BIC).

## References

Cranmer, Skyler J., Tobias Heinrich and Bruce A. Desmarais (2014): Reciprocity and the Structural Determinants of the International Sanctions Network. *Social Networks* 36(1): 5–22. <http://dx.doi.org/10.1016/j.socnet.2013.01.001>.

Desmarais, Bruce A. and Skyler J. Cranmer (2012): Statistical Mechanics of Networks: Estimation and Uncertainty. *Physica A* 391: 1865–1876. <http://dx.doi.org/10.1016/j.physa.2011.10.018>.

Desmarais, Bruce A. and Skyler J. Cranmer (2010): Consistent Confidence Intervals for Maximum Pseudolikelihood Estimators. *Neural Information Processing Systems 2010 Workshop on Computational Social Science and the Wisdom of Crowds*.

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with btergm: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

## See Also

[btergm-package](#) [btergm](#) [simulate.btergm](#) [gof](#) [knecht](#) [getformula](#) [interpret](#) [mtergm](#)

---

checkdegeneracy

*Degeneracy check for btergm and mtergm objects*

---

## Description

Assess degeneracy of btergm and mtergm models.

**Usage**

```
## S4 method for signature 'mtergm'
checkdegeneracy(object, ...)

## S4 method for signature 'btergm'
checkdegeneracy(object, nsim = 1000,
  MCMC.interval = 1000, MCMC.burnin = 10000, verbose = FALSE)

## S3 method for class 'degeneracy'
print(x, center = FALSE, t = 1:length(x$sim),
  terms = 1:length(x$target.stats[[1]]), ...)

## S3 method for class 'degeneracy'
plot(x, center = TRUE, t = 1:length(x$sim),
  terms = 1:length(x$target.stats[[1]]), vbar = TRUE,
  main = NULL, xlab = NULL, target.col = "red",
  target.lwd = 3, ...)
```

**Arguments**

object	A btergm or mtergm object, as estimated using the btergm or mtergm function.
nsim	The number of networks to be simulated at each time step. This number should be sufficiently large for a meaningful comparison. If possible, much more than 1,000 simulations.
MCMC.burnin	Internally, this package uses the simulation facilities of the <b>ergm</b> package to create new networks against which to compare the original network(s) for goodness-of-fit assessment. This argument sets the MCMC burnin to be passed over to the simulation command. The default value is 10000. There is no general rule of thumb on the selection of this parameter, but if the results look suspicious (e.g., when the model fit is perfect), increasing this value may be helpful.
MCMC.interval	Internally, this package uses the simulation facilities of the <b>ergm</b> package to create new networks against which to compare the original network(s) for goodness-of-fit assessment. This argument sets the MCMC interval to be passed over to the simulation command. The default value is 1000, which means that every 1000th simulation outcome from the MCMC sequence is used. There is no general rule of thumb on the selection of this parameter, but if the results look suspicious (e.g., when the model fit is perfect), increasing this value may be helpful.
verbose	Print details?
x	A degeneracy object created by the checkdegeneracy function.
center	If TRUE, print/plot the simulated minus the target statistics, with an expected value of 0 in a non-degenerate model. If FALSE, print/plot the distribution of simulated statistics and show the target statistic separately.
t	Time indices to include, e.g., t = 2:4 for time steps 2 to 4.
terms	Indices of the model terms to include, e.g., terms = 1:3 includes the first three statistics.

vbar	Show vertical bar for target statistic in histogram.
main	Main title of the plot.
xlab	Label on the x-axis. Defaults to the name of the statistic.
target.col	Color of the vertical bar for the target statistic. Defaults to red.
target.lwd	Line width of the vertical bar for the target statistic. Defaults to 3.
...	Arbitrary further arguments.

### Details

The methods for the generic degeneracy function implement a degeneracy check for `btergm` and `mtergm` objects. For `btergm`, this works by comparing the global statistics of simulated networks to those of the observed networks at each observed time step. If the global statistics differ significantly, this is indicated by small p-values. If there are many significant results, this indicates degeneracy. For `mtergm`, the `mcmc.diagnostics` function from the **ergm** package is used.

### Author(s)

Philip Leifeld (<http://www.philipleifeld.com>)

### References

- Hanneke, Steve, Wenjie Fu and Eric P. Xing (2010): Discrete Temporal Models of Social Networks. *Electronic Journal of Statistics* 4: 585–605.
- Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with `btergm`: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

### See Also

[btergm-package btergm](#) [gof](#)

---

edgeprob

*Compute all dyadic edge probabilities for an ERGM or TERGM.*

---

### Description

`edgeprob` is a convenience function that creates a data frame with all dyads in the ERGM or TERGM along with their edge probabilities and their predictor values (i.e., change statistics). This is useful for creating marginal effects plots or contrasting multiple groups of dyads. This function works faster than the [interpret](#) function. See also the [interpret](#) help page.

### Usage

```
edgeprob(object, verbose = FALSE)
```

**Arguments**

object            An ergm, btergm, or mtergm object.  
verbose           Print details?

**Value**

The first variable in the resulting data frame contains the edge value (i.e., the dependent variable, which is usually binary). The next variables contain all the predictors from the ERGM or TERGM (i.e., the change statistics). The next three variables contain the indices of the sender (i), the receiver (j), and the time step (t). These three indices serve to identify the dyad. The last variable contains the computed edge probabilities.

**Author(s)**

Philip Leifeld

**References**

Czarna, Anna Z., Philip Leifeld, Magdalena Smieja, Michael Dufner and Peter Salovey (2016): Do Narcissism and Emotional Intelligence Win Us Friends? Modeling Dynamics of Peer Popularity Using Inferential Network Analysis. *Personality and Social Psychology Bulletin* 42(11): 1588–1599.

Desmarais, Bruce A. and Skyler J. Cranmer (2012): Micro-Level Interpretation of Exponential Random Graph Models with Application to Estuary Networks. *The Policy Studies Journal* 40(3): 402–434.

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with btergm: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

**See Also**

[interpret btergm-package btergm](#)

---

getformula

*Extract the formula from a model.*

---

**Description**

Extract the model formula from ergm or btergm objects.

**Usage**

```
## S4 method for signature 'ergm'
getformula(x)

## S4 method for signature 'btergm'
getformula(x)

## S4 method for signature 'mtergm'
getformula(x)
```

**Arguments**

x                    A model object, for example a btergm or an ergm object.

**Details**

Extract the model formula from ergm or btergm objects.

**See Also**

[gof](#)

---

gof-methods

*Conduct Goodness-of-Fit Diagnostics on ERGMs, TERGMs, SAOMs,  
and logit models*

---

**Description**

Assess goodness of fit of btergm and other network models.

**Usage**

```
## S4 method for signature 'btergm'
gof(object, target = NULL, formula = getformula(object),
     nsim = 100, MCMC.interval = 1000, MCMC.burnin = 10000,
     parallel = c("no", "multicore", "snow"), ncpus = 1, cl = NULL,
     statistics = c(dsp, esp, deg, ideg, geodesic, rocpr,
     walktrap.modularity), verbose = TRUE, ...)

## S4 method for signature 'mtergm'
gof(object, target = NULL, formula = getformula(object),
     nsim = 100, MCMC.interval = 1000, MCMC.burnin = 10000,
     parallel = c("no", "multicore", "snow"), ncpus = 1, cl = NULL,
     statistics = c(dsp, esp, deg, ideg, geodesic, rocpr,
     walktrap.modularity), verbose = TRUE, ...)

## S4 method for signature 'ergm'
```

```

gof(object, target = NULL, formula = getformula(object),
     nsim = 100, MCMC.interval = 1000, MCMC.burnin = 10000,
     parallel = c("no", "multicore", "snow"), ncpus = 1, cl = NULL,
     statistics = c(dsp, esp, deg, ideg, geodesic, rocpr,
     walktrap.modularity), verbose = TRUE, ...)

## S4 method for signature 'matrix'
gof(object, covariates, coef, target = NULL, nsim = 100,
     mcmc = FALSE, MCMC.interval = 1000, MCMC.burnin = 10000,
     parallel = c("no", "multicore", "snow"), ncpus = 1, cl = NULL,
     statistics = c(dsp, esp, deg, ideg, geodesic, rocpr,
     walktrap.modularity), verbose = TRUE, ...)

## S4 method for signature 'network'
gof(object, covariates, coef, target = NULL,
     nsim = 100, mcmc = FALSE, MCMC.interval = 1000,
     MCMC.burnin = 10000, parallel = c("no", "multicore", "snow"),
     ncpus = 1, cl = NULL, statistics = c(dsp, esp, deg, ideg,
     geodesic, rocpr, walktrap.modularity), verbose = TRUE, ...)

## S4 method for signature 'sienaFit'
gof(object, period = NULL, parallel = c("no",
     "multicore", "snow"), ncpus = 1, cl = NULL, structzero = 10,
     statistics = c(esp, deg, ideg, geodesic, rocpr, walktrap.modularity),
     groupName = object$groupNames[[1]], varName = NULL,
     outofsample = FALSE, sienaData = NULL, sienaEffects = NULL,
     nsim = NULL, verbose = TRUE, ...)

createGOF(simulations, target, statistics = c(dsp, esp, deg,
     ideg, geodesic, rocpr, walktrap.modularity), parallel = "no",
     ncpus = 1, cl = NULL, verbose = TRUE, ...)

```

## Arguments

<code>cl</code>	An optional <b>parallel</b> or <b>snow</b> cluster for use if <code>parallel = "snow"</code> . If not supplied, a cluster on the local machine is created temporarily.
<code>coef</code>	A vector of coefficients.
<code>covariates</code>	A list of matrices or network objects that serve as covariates for the dependent network. The covariates in this list are automatically added to the formula as <code>edg cov</code> terms.
<code>formula</code>	A model formula from which networks are simulated for comparison. By default, the formula from the <code>btergm</code> object <code>x</code> is used. It is possible to hand over a formula with only a single response network and/or dyad or edge covariates or with lists of response networks and/or covariates. It is also possible to use indices like <code>networks[[4]]</code> or <code>networks[3:5]</code> inside the formula.
<code>groupName</code>	The group name used in the Siena model.
<code>mcmc</code>	Should <code>statnet</code> 's MCMC methods be used for simulating new networks? If

	<code>mcmc = FALSE</code> , new networks are simulated based on predicted tie probabilities of the regression equation.
<code>MCMC.burnin</code>	Internally, this package uses the simulation facilities of the <b>ergm</b> package to create new networks against which to compare the original network(s) for goodness-of-fit assessment. This argument sets the MCMC burnin to be passed over to the simulation command. The default value is <code>10000</code> . There is no general rule of thumb on the selection of this parameter, but if the results look suspicious (e.g., when the model fit is perfect), increasing this value may be helpful.
<code>MCMC.interval</code>	Internally, this package uses the simulation facilities of the <b>ergm</b> package to create new networks against which to compare the original network(s) for goodness-of-fit assessment. This argument sets the MCMC interval to be passed over to the simulation command. The default value is <code>1000</code> , which means that every 1000th simulation outcome from the MCMC sequence is used. There is no general rule of thumb on the selection of this parameter, but if the results look suspicious (e.g., when the model fit is perfect), increasing this value may be helpful.
<code>ncpus</code>	The number of CPU cores used for parallel GOF assessment (only if <code>parallel</code> is activated). If the number of cores should be detected automatically on the machine where the code is executed, one can try the <code>detectCores()</code> function from the <b>parallel</b> package. On some HPC clusters, the number of available cores is saved as an environment variable; for example, if MOAB is used, the number of available cores can sometimes be accessed using <code>Sys.getenv("MOAB_PROCCOUNT")</code> , depending on the implementation. Note that the maximum number of connections in a single R session (i.e., to other cores or for opening files etc.) is 128, so fewer than 128 cores should be used at a time.
<code>nsim</code>	The number of networks to be simulated at each time step. Example: If there are six time steps in the formula and <code>nsim = 100</code> , a total of 600 new networks is simulated. The comparison between simulated and observed networks is only done within time steps. For example, the first 100 simulations are compared with the first observed network, simulations 101-200 with the second observed network etc.
<code>object</code>	A <code>btergm</code> , <code>ergm</code> , or <code>sienaFit</code> object (for the <code>btergm</code> , <code>ergm</code> , and <code>sienaFit</code> methods, respectively). Or a network object or matrix (for the <code>network</code> and <code>matrix</code> methods, respectively).
<code>outofsample</code>	Should out-of-sample prediction be attempted? If so, some additional arguments must be provided: <code>sienaData</code> , <code>sienaEffects</code> , and <code>nsim</code> . The <code>sienaData</code> object must contain a base and a target network for out-of-sample prediction. The <code>sienaEffects</code> must contain the effects to be used for the simulations. The estimates will be taken from the estimated object, and they will be injected into a new SAOM and fixed during the sampling procedure. <code>nsim</code> determines how many simulations are used for the out-of-sample comparison.
<code>parallel</code>	Use multiple cores in a computer or nodes in a cluster to speed up the simulations. The default value <code>"no"</code> means parallel computing is switched off. If <code>"multicore"</code> is used (only available for <code>sienaAlgorithm</code> and <code>sienaModel</code> objects), the <code>mclapply</code> function from the <b>parallel</b> package (formerly in the <b>multicore</b> package) is used for parallelization. This should run on any kind of system except MS Windows because it is based on forking. It is usually the fastest type



	<p>of parallelization. If "snow" is used, the <code>parLapply</code> function from the <b>parallel</b> package (formerly in the <b>snow</b> package) is used for parallelization. This should run on any kind of system including cluster systems and including MS Windows. It is slightly slower than the former alternative if the same number of cores is used. However, "snow" provides support for MPI clusters with a large amount of cores, which <b>multicore</b> does not offer (see also the <code>cl</code> argument). Note that "multicore" will only work if all cores are on the same node. For example, if there are three nodes with eight cores each, a maximum of eight CPUs can be used. Parallel computing is described in more detail on the help page of <a href="#">btergm</a>.</p>
period	<p>Which transition between time periods should be used for GOF assessment? By default, all transitions between all time periods are used. For example, if there are three consecutive networks, this will extract simulations from the transitions between 1 and 2 and between 2 and 3, respectively, and these simulations will be compared to the networks at time steps 2 and 3, respectively. The time period can be provided as a numeric, e.g., <code>period = 4</code> for extracting the simulations between time steps 4 and 5 (= the fourth transition) and predicting the fifth network. Values lower than 1 or larger than the number of consecutive networks minus 1 are therefore not permitted. This argument is only used if out-of-sample prediction is switched off.</p>
sienaData	<p>An object of the class <code>siena</code>, which is usually created using the <code>sienaDataCreate</code> function in the <b>RSiena</b> package. This argument is only used for out-of-sample prediction. The object must be based on a <code>sienaDependent</code> object that contains two networks: the base network from which to simulate forward, and the target network which you want to predict out-of-sample. The object can contain further objects for storing covariates etc. that are necessary for estimating new networks. The best practice is to create an object that is identical to the <code>siena</code> object used for estimating the model, except that it contains the base and the target network instead of the dependent variable/networks.</p>
sienaEffects	<p>An object of the class <code>sienaEffects</code>, which is usually created using the <code>getEffects()</code> and the <code>includeEffects()</code> functions in the <b>RSiena</b> package. The best practice is to provide a <code>sienaEffects</code> object that is identical to the object used to create the original model (that is, it should contain the same effects), except that it should be based on the <code>siena</code> object provided through the <code>sienaData</code> argument. In other words, the <code>sienaEffects</code> object should be based on the base and target network used for out-of-sample prediction, and it should contain the same effects as those used for the original estimation. This argument is used only for out-of-sample prediction.</p>
simulations	<p>A list of network objects or sparse matrices (generated using the <b>Matrix</b> package) representing simulated networks.</p>
statistics	<p>A list of functions used for comparison of observed and simulated networks. Note that the list should contain the actual functions, not a character representation of them. See <a href="#">gof-statistics</a> for details.</p>
target	<p>In the <code>gof</code> function: A network or list of networks to which the simulations are compared. If left empty, the original networks from the <code>btergm</code> object <code>x</code> are used as observed networks. In the <code>createGOF</code> function: a list of sparse matrices (generated using the <b>Matrix</b> package) or a list of network objects (generated</p>

	using the <b>network</b> package). The simulations are compared against these target networks.
structzero	Which value was used for structural zeros (usually nodes that have dropped out of the network or have not yet joined the network) in the dependent variable/network? These nodes are removed from the observed network and the simulations before comparison. Usually, the value 10 is used for structural zeros in Siena.
varName	The variable name that denotes the dependent networks in the Siena model.
verbose	Print details?
...	Arbitrary further arguments to be passed on to the statistics. See also the help page for the <a href="#">gof-statistics</a> .

## Details

The generic `gof` function provides goodness-of-fit measures and degeneracy checks for `btergm`, `mtergm`, `ergm`, `sienaFit`, and custom dyadic-independent models. The user can provide a list of network statistics for comparing simulated networks based on the estimated model with the observed network(s). See [gof-statistics](#). The objects created by these methods can be displayed using various plot and print methods (see [gof-plot](#)).

In-sample GOF assessment is the default, which means that the same time steps are used for creating simulations and for comparison with the observed network(s). It is possible to do out-of-sample prediction by specifying a (list of) target network(s) using the `target` argument. If a formula is provided, the simulations are based on the networks and covariates specified in the formula. This is helpful in situations where complex out-of-sample predictions have to be evaluated. A usage scenario could be to simulate from a network at time  $t$  (provided through the `formula` argument) and compare to an observed network at time  $t + 1$  (the `target` argument). This can be done, for example, to assess predictive performance between time steps of the original networks, or to check whether the model performs well with regard to a newly measured network given the old data from the previous time step.

Predictive fit can also be assessed for stochastic actor-oriented models (SAOM) as implemented in the **RSiena** package. After compiling the usual objects (model, data, effects), one of the time steps can be predicted based on the previous time step and the SAOM using the `sienaFit` method of the `gof` function. By default, however, within-sample fit is used for SAOMs, just like for (T)ERGMs.

The `gof` methods for networks and matrices serve to assess the goodness of fit of a dyadic-independence model. To do this, the method requires a vector of coefficients (one coefficient for the intercept or edges term and one coefficient for each covariate), a list of covariates (in matrix or network shape), and a dependent network or matrix. This is useful for assessing the goodness of fit of QAP-adjusted logistic regression models (as implemented in the `netlogit` function in the **sna** package) or other dyadic-independence models, such as models fitted using `glm`. Note that this method only works with cross-sectional models and does not accept lists of networks as input data.

The `createGOF` function is used internally by the `gof` function in order to create a `gof` object from a list of simulated networks and a list of target networks to compare against. It can also be used directly by the end user if the user wants to supply lists of simulated and target networks from other sources.

**Author(s)**

Philip Leifeld (<http://www.philipleifeld.com>)

**References**

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with btergm: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

Leifeld, Philip and Skyler J. Cranmer (2014): A Theoretical and Empirical Comparison of the Temporal Exponential Random Graph Model and the Stochastic Actor-Oriented Model. Paper presented at the 7th Political Networks Conference, McGill University, Montreal, Canada, May 30. <http://arxiv.org/abs/1506.06696>.

**See Also**

[btergm-package](#) [btergm simulate](#) [btergm simulate.formula](#) [gof](#) [gof-statistics](#) [gof-plot](#)

**Examples**

```
## Not run:
# First, create data and fit a TERGM...
networks <- list()
for(i in 1:10){
  # create 10 random networks with 10 actors
  mat <- matrix(rbinom(100, 1, .25), nrow = 10, ncol = 10)
  diag(mat) <- 0 # loops are excluded
  nw <- network(mat) # create network object
  networks[[i]] <- nw # add network to the list
}

covariates <- list()
for (i in 1:10) {
  # create 10 matrices as covariate
  mat <- matrix(rnorm(100), nrow = 10, ncol = 10)
  covariates[[i]] <- mat # add matrix to the list
}

fit <- btergm(networks ~ edges + istar(2) +
  edgescov(covariates), R = 100)

# Then assess the goodness of fit:
g <- gof(fit, statistics = c(triad.directed, esp, maxmod.modularity,
  rocpr), nsim = 50)
g
plot(g) # see ?"gof-plot" for details

# createGOF can also be used with user-supplied simulations:
library("statnet")
data(florentine)
gest <- ergm(flomarriage ~ edges + absdiff("wealth"))
sim <- simulate(gest, nsim = 50)
g <- createGOF(sim, list(flomarriage), statistics = c(esp, ideg), roc = FALSE)
g
```

```

plot(g)

# The help page for the Knecht dataset (?knecht) contains another example.

## End(Not run)

```

---

gof-plot

*Plot and print methods for gof output.*


---

## Description

Plot and print methods for goodness-of-fit output for network models.

## Usage

```

## S3 method for class 'boxplot'
plot(x, relative = TRUE, transform = function(x) x,
      xlim = NULL, main = x$label, xlab = x$label, ylab = "Frequency",
      border = "darkgray", boxplot.lwd = 0.8, outline = FALSE,
      median = TRUE, median.col = "black", median.lty = "solid",
      median.lwd = 2, mean = TRUE, mean.col = "black",
      mean.lty = "dashed", mean.lwd = 1, ...)

## S3 method for class 'gof'
plot(x, mfrow = TRUE, ...)

## S3 method for class 'pr'
plot(x, add = FALSE, main = x$label, avg = c("none",
      "horizontal", "vertical", "threshold"), spread.estimate =
      c("boxplot", "stderror", "stddev"), lwd = 3, rgraph = FALSE,
      col = "#5886be", random.col = "#5886be44", pr.poly = 0, ...)

## S3 method for class 'roc'
plot(x, add = FALSE, main = x$label, avg = c("none",
      "horizontal", "vertical", "threshold"), spread.estimate =
      c("boxplot", "stderror", "stddev"), lwd = 3, rgraph = FALSE,
      col = "#bd0017", random.col = "#bd001744", ...)

## S3 method for class 'rocpr'
plot(x, main = x$label, roc.avg = c("none",
      "horizontal", "vertical", "threshold"),
      roc.spread.estimate = c("boxplot", "stderror", "stddev"),
      roc.lwd = 3, roc.rgraph = FALSE, roc.col = "#bd0017",
      roc.random.col = "#bd001744", pr.avg = c("none", "horizontal",
      "vertical", "threshold"), pr.spread.estimate = c("boxplot",
      "stderror", "stddev"), pr.lwd = 3, pr.rgraph = FALSE,
      pr.col = "#5886be", pr.random.col = "#5886be44", pr.poly = 0,

```

```

... )

## S3 method for class 'univariate'
plot(x, main = x$label, sim.hist = TRUE,
      sim.bar = TRUE, sim.density = TRUE, obs.hist = FALSE,
      obs.bar = TRUE, obs.density = TRUE, sim.adjust = 1,
      obs.adjust = 1, sim.lwd = 2, obs.lwd = 2, sim.col = "black",
      obs.col = "red", ...)

## S3 method for class 'boxplot'
print(x, ...)

## S3 method for class 'gof'
print(x, ...)

## S3 method for class 'pr'
print(x, ...)

## S3 method for class 'roc'
print(x, ...)

## S3 method for class 'rocpr'
print(x, ...)

## S3 method for class 'univariate'
print(x, ...)

```

## Arguments

add	Add the ROC and/or PR curve to an existing plot?
avg	Averaging pattern for the ROC and PR curve(s) if multiple target time steps were used. Allowed values are "none" (plot all curves separately), "horizontal" (horizontal averaging), "vertical" (vertical averaging), and "threshold" (threshold (= cutoff) averaging). Note that while threshold averaging is always feasible, vertical and horizontal averaging are not well-defined if the graph cannot be represented as a function $x \rightarrow y$ and $y \rightarrow x$ , respectively. More information can be obtained from the help pages of the <b>ROCR</b> package, the functions of which are employed here.
border	Color of the borders of the boxplots.
boxplot.lwd	Line width of boxplot.
col	Color of the ROC or PR curve.
lwd	Line width.
main	Main title of a GOF plot.
mean	Plot the mean curve for the observed network?
mean.col	Color of the mean of the observed network statistic.
mean.lty	Line type of mean line. For example "dashed" or "solid".

mean.lwd	Line width of mean line.
median	Plot the median curve for the observed network?
median.col	Color of the median of the observed network statistic.
median.lty	Line type of median line. For example "dashed" or "solid".
median.lwd	Line width of median line.
mfrow	Should the GOF plots come out separately (mfrow = FALSE), or should all statistics be aligned in a single diagram (mfrow = TRUE)? Returning the plots separately can be helpful if the output is redirected to a multipage PDF or TIFF file.
obs.adjust	Bandwidth adjustment parameter for the density curve.
obs.bar	Draw a bar for the median of the statistic for the observed networks?
obs.col	Color for the observed network(s).
obs.density	Draw a density curve for the statistic for the observed networks?
obs.hist	Draw a histogram for the observed networks?
obs.lwd	Line width for the observed network(s).
outline	Print outliers in the boxplots?
pr.avg	Averaging pattern for the PR curve(s) if multiple target time steps were used. Allowed values are "none" (plot all curves separately), "horizontal" (horizontal averaging), "vertical" (vertical averaging), and "threshold" (threshold (= cutoff) averaging). Note that while threshold averaging is always feasible, vertical and horizontal averaging are not well-defined if the graph cannot be represented as a function $x \rightarrow y$ and $y \rightarrow x$ , respectively. More information can be obtained from the help pages of the <b>ROCR</b> package, the functions of which are employed here.
pr.col	Color of the PR curve.
pr.lwd	Line width.
pr.poly	If a value of 0 is set, nothing special happens. If a value of 1 is set, a straight line is fitted through the PR curve and displayed. Values between 2 and 9 fit higher-order polynomial curves through the PR curve and display the resulting curve. This argument allows to check whether the imputation of the first precision value in the PR curve yielded a reasonable result (in case the value had to be imputed).
pr.random.col	Color of the PR curve of the random graph prediction.
pr.rgraph	Should an PR curve also be drawn for a random graph? This serves as a baseline against which to compare the actual PR curve.
pr.spread.estimate	When multiple target time steps are used and curve averaging is enabled, the variation around the average curve can be visualized as standard error bars ("stderror"), standard deviation bars ("stddev"), or by using box plots ("boxplot"). Note that the function plotCI, which is used internally by the <b>ROCR</b> package to draw error bars, might raise a warning if the spread of the curves at certain positions is 0. More details can be found in the documentation of the <b>ROCR</b> package, the functions of which are employed here.
random.col	Color of the ROC or PR curve of the random graph prediction.

relative	Print relative frequencies (as opposed to absolute frequencies) of a statistic on the y axis?
rgraph	Should an ROC or PR curve also be drawn for a random graph? This serves as a baseline against which to compare the actual ROC or PR curve.
roc.avg	Averaging pattern for the ROC curve(s) if multiple target time steps were used. Allowed values are "none" (plot all curves separately), "horizontal" (horizontal averaging), "vertical" (vertical averaging), and "threshold" (threshold (= cutoff) averaging). Note that while threshold averaging is always feasible, vertical and horizontal averaging are not well-defined if the graph cannot be represented as a function $x \rightarrow y$ and $y \rightarrow x$ , respectively. More information can be obtained from the help pages of the <b>ROCR</b> package, the functions of which are employed here.
roc.col	Color of the ROC curve.
roc.lwd	Line width.
roc.random.col	Color of the ROC curve of the random graph prediction.
roc.rgraph	Should an ROC curve also be drawn for a random graph? This serves as a baseline against which to compare the actual ROC curve.
roc.spread.estimate	When multiple target time steps are used and curve averaging is enabled, the variation around the average curve can be visualized as standard error bars ("stderror"), standard deviation bars ("stddev"), or by using box plots ("boxplot"). Note that the function plotCI, which is used internally by the <b>ROCR</b> package to draw error bars, might raise a warning if the spread of the curves at certain positions is 0. More details can be found in the documentation of the <b>ROCR</b> package, the functions of which are employed here.
sim.adjust	Bandwidth adjustment parameter for the density curve.
sim.bar	Draw a bar for the median of the statistic for the simulated networks?
sim.col	Color for the simulated networks.
sim.density	Draw a density curve for the statistic for the simulated networks?
sim.hist	Draw a histogram for the simulated networks?
sim.lwd	Line width for the simulated networks.
spread.estimate	When multiple target time steps are used and curve averaging is enabled, the variation around the average curve can be visualized as standard error bars ("stderror"), standard deviation bars ("stddev"), or by using box plots ("boxplot"). Note that the function plotCI, which is used internally by the <b>ROCR</b> package to draw error bars, might raise a warning if the spread of the curves at certain positions is 0. More details can be found in the documentation of the <b>ROCR</b> package, the functions of which are employed here.
transform	A function which transforms the y values used for the boxplots. For example, if some of the values become very large and make the output illegible, $\text{transform} = \text{function}(x) \ x^{0.1}$ or a similar transformation of the values can be used. Note that logarithmic transformations often produce infinite values because $\log(0) = -\text{Inf}$ , so one should rather use something like $\text{transform} = \text{function}(x) \ \log_{1p}$ to avoid infinite values.

x	An object created by one of the <code>gof</code> methods.
xlab	Label of the x-axis of a GOF plot.
xlim	Horizontal limit of the boxplots. Only the maximum value must be provided, e.g., <code>xlim = 8</code> .
ylab	Label of the y-axis of a GOF plot.
...	Arbitrary further arguments.

### Details

These plot and print methods serve to display the output generated by the `gof` function and its methods. See the help page of [gof-methods](#) for details on how to compute `gof`.

### Author(s)

Philip Leifeld (<http://www.philipleifeld.com>)

### References

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with `btergm`: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

### See Also

[btergm-package](#) [gof](#) [gof-methods](#) [gof-statistics](#)

---

gofstatistics

*Statistics for goodness-of-fit assessment of network models*

---

### Description

Statistics for goodness-of-fit assessment of network models.

### Usage

`b1deg(mat, ...)`

`b1star(mat, ...)`

`b2deg(mat, ...)`

`b2star(mat, ...)`

`comemb(vec)`

`deg(mat, ...)`



```
dsp(mat, ...)  
edgebetweenness.modularity(mat, ...)  
edgebetweenness.pr(sim, obs, ...)  
edgebetweenness.roc(sim, obs, ...)  
esp(mat, ...)  
fastgreedy.modularity(mat, ...)  
fastgreedy.pr(sim, obs, ...)  
fastgreedy.roc(sim, obs, ...)  
geodesic(mat, ...)  
ideg(mat, ...)  
istar(mat, ...)  
kcycle(mat, ...)  
kstar(mat, ...)  
louvain.modularity(mat, ...)  
louvain.pr(sim, obs, ...)  
louvain.roc(sim, obs, ...)  
maxmod.modularity(mat, ...)  
maxmod.pr(sim, obs, ...)  
maxmod.roc(sim, obs, ...)  
nsp(mat, ...)  
odeg(mat, ...)  
ostar(mat, ...)  
rocpr(sim, obs, roc = TRUE, pr = TRUE, joint = FALSE,  
      pr.impute = "poly4", ...)  
spinglass.modularity(mat, ...)
```

```

spinglass.pr(sim, obs, ...)
spinglass.roc(sim, obs, ...)
triad.directed(mat, ...)
triad.undirected(mat, ...)
walktrap.modularity(mat, ...)
walktrap.pr(sim, obs, ...)
walktrap.roc(sim, obs, ...)

```

### Arguments

<code>vec</code>	A vector of community memberships in order to create a community co-membership matrix.
<code>mat</code>	A sparse network matrix as created by the <code>Matrix</code> function in the <b>Matrix</b> package.
<code>sim</code>	A list of simulated networks. Each element in the list should be a sparse matrix as created by the <code>Matrix</code> function in the <b>Matrix</b> package.
<code>obs</code>	A list of observed (= target) networks. Each element in the list should be a sparse matrix as created by the <code>Matrix</code> function in the <b>Matrix</b> package.
<code>roc</code>	Compute receiver-operating characteristics (ROC)?
<code>pr</code>	Compute precision-recall curve (PR)?
<code>joint</code>	Merge all time steps into a single big prediction task and compute predictive fit (instead of computing GOF for all time steps separately)?
<code>pr.impute</code>	In some cases, the first precision value of the precision-recall curve is undefined. The <code>pr.impute</code> argument serves to impute this missing value to ensure that the AUC-PR value is not severely biased. Possible values are "no" for no imputation, "one" for using a value of 1.0, "second" for using the next (= adjacent) precision value, "poly1" for fitting a straight line through the remaining curve to predict the first value, "poly2" for fitting a second-order polynomial curve etc. until "poly9". Warning: this is a pragmatic solution. Please double-check whether the imputation makes sense. This can be checked by plotting the resulting object and using the <code>pr.poly</code> argument to plot the predicted curve on top of the actual PR curve.
<code>...</code>	Additional arguments. This must be present in all auxiliary GOF statistics.

### Details

These functions can be plugged into the `statistics` argument of the `gof` methods in order to compare observed with simulated networks (see the [gof-methods](#) help page). There are three types of statistics:

(1) Univariate statistics, which aggregate a network into a single quantity. For example, modularity measures or density. The distribution of statistics can be displayed using histograms, density plots, and median bars. Univariate statistics take a sparse matrix (`mat`) as an argument and return a single numeric value that summarize a network matrix.

(2) Multivariate statistics, which aggregate a network into a vector of quantities. For example, the distribution of geodesic distances, edgewise shared partners, or indegree. These statistics typically have multiple values, e.g., `esp(1)`, `esp(2)`, `esp(3)` etc. The results can be displayed using multiple boxplots for simulated networks and a black curve for the observed network(s). Multivariate statistics take a sparse matrix (`mat`) as an argument and return a vector of numeric values that summarize a network matrix.

(3) Tie prediction statistics, which predict dyad states the observed network(s) by the dyad states in the simulated networks. For example, receiver operating characteristics (ROC) or precision-recall curves (PR) of simulated networks based on the model, or ROC or PR predictions of community co-membership matrices of the simulated vs. the observed network(s). Tie prediction statistics take a list of simulated sparse network matrices and another list of observed sparse network matrices (possibly containing only a single sparse matrix) as arguments and return a `rocpr`, `roc`, or `pr` object (as created by the `rocpr` function).

Users can create their own statistics for use with the `codegof` methods. To do so, one needs to write a function that accepts and returns the respective objects described in the enumeration above. It is advisable to look at the definitions of some of the existing functions to add custom functions. It is also possible to add an attribute called `label` to the return object, which describes what is being returned by the function. This label will be used as a descriptive label in the plot and for verbose output during computations. The examples section contains an example of a custom user statistic. Note that all statistics `_must_` contain the `...` argument to ensure that custom arguments of other statistics do not cause an error.

To aid the development of custom statistics, the helper function `comemb` is available: it accepts a vector of community memberships and converts it to a co-membership matrix. This function is also used internally by statistics like `walktrap.roc` and others.

## Network statistics

The following built-in functions can be handed over to the `statistics` argument. See the usage section for their respective arguments.

(1) Univariate statistics:

`walktrap.modularity(mat, ...)` Modularity distribution as computed by the Walktrap algorithm.

`fastgreedy.modularity(mat, ...)` Modularity distribution as computed by the fast and greedy algorithm. Only sensible with undirected networks.

`louvain.modularity(mat, ...)` Modularity distribution as computed by the Louvain algorithm.

`maxmod.modularity(mat, ...)` Optimal modularity distribution.

`edgebetweenness.modularity(mat, ...)` Modularity distribution as computed by the Girvan-Newman edge betweenness community detection method.

`spinglass.modularity(mat, ...)` Modularity distribution as computed by the Spinglass algorithm.

(2) Multivariate statistics:

`dsp, ...` Dyad-wise shared partner distribution.  
`esp(mat, ...)` Edge-wise shared partner distribution.  
`nsp(mat, ...)` Non-edge-wise shared partner distribution.  
`deg(mat, ...)` Degree distribution (for undirected networks).  
`ideg(mat, ...)` Indegree distribution (for directed networks).  
`odeg(mat, ...)` Outdegree distribution (for directed networks).  
`b1deg(mat, ...)` Degree distribution (for the first mode in a two-mode network).  
`b2deg(mat, ...)` Degree distribution (for the second mode in a two-mode network).  
`kstar(mat, ...)` k-star distribution (for undirected networks).  
`istar(mat, ...)` in-star distribution (for directed networks).  
`ostar(mat, ...)` out-star distribution (for directed networks).  
`b1star(mat, ...)` k-star distribution (for the first mode in a two-mode network).  
`b2star(mat, ...)` k-star distribution (for the second mode in a two-mode network).  
`kcycle(mat, ...)` k-cycle distribution (for undirected networks).  
`geodesic(mat, ...)` Geodesic distance (or shortest path) distribution.  
`triad.directed(mat, ...)` Triad census (directed networks).  
`triad.undirected(mat, ...)` Triad census (undirected networks).

(3) Tie prediction statistics:

`walktrap.roc(sim, obs, ...)` Receiver-operating characteristics of predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Walktrap algorithm.  
`walktrap.pr(sim, obs, ...)` Precision-recall curve for predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Walktrap algorithm.  
`fastgreedy.roc(sim, obs, ...)` Receiver-operating characteristics of predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the fast and greedy algorithm. Only sensible with undirected networks.  
`fastgreedy.pr(sim, obs, ...)` Precision-recall curve for predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the fast and greedy algorithm. Only sensible with undirected networks.  
`louvain.roc(sim, obs, ...)` Receiver-operating characteristics of predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Louvain algorithm.  
`louvain.pr(sim, obs, ...)` Precision-recall curve for predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Louvain algorithm.  
`maxmod.roc(sim, obs, ...)` Receiver-operating characteristics of predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the modularity maximization algorithm.

`maxmod.pr(sim, obs, ...)` Precision-recall curve for predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the modularity maximization algorithm.

`edgebetweenness.roc(sim, obs, ...)` Receiver-operating characteristics of predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Girvan-Newman edge betweenness community detection method.

`edgebetweenness.pr(sim, obs, ...)` Precision-recall curve for predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Girvan-Newman edge betweenness community detection method.

`spinglass.roc(sim, obs, ...)` Receiver-operating characteristics of predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Spinglass algorithm.

`spinglass.pr(sim, obs, ...)` Precision-recall curve for predicting the community structure in the observed network(s) by the community structure in the simulated networks, as computed by the Spinglass algorithm.

`rocpr(sim, obs, roc = TRUE, pr = TRUE, joint = FALSE, pr.impute = "poly4", ...)` Receiver-operating characteristics (ROC) and precision-recall curve (PR). Prediction of the dyad states of the observed network(s) by the dyad states of the simulated networks.

**Author(s)**

Philip Leifeld (<http://www.philipleifeld.com>)

**References**

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with `btergm`: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

**See Also**

[btergm-package](#) [gof](#) [gof-methods](#)

**Examples**

```
# To see how these statistics are used, look at the examples section of
# ?"gof-methods". The following example illustrates how custom
# statistics can be created. Suppose one is interested in the density
# of a network. Then a univariate statistic can be created as follows.

dens <- function(mat, ...) {          # univariate: one argument
  mat <- as.matrix(mat)              # sparse matrix -> normal matrix
  d <- sna::gden(mat)                # compute the actual statistic
  attributes(d)$label <- "Density"   # add a descriptive label
  return(d)                          # return the statistic
}

# Note that the '...' argument must be present in all statistics.
# Now the statistic can be used in the statistics argument of one of
```

```

# the gof methods.

# For illustrative purposes, let us consider an existing statistic, the
# indegree distribution, a multivariate statistic. It also accepts a
# single argument. Note that the sparse matrix is converted to a
# normal matrix object when it is used. First, statnet's summary
# method is used to compute the statistic. Names are attached to the
# resulting vector for the different indegree values. Then the vector
# is returned.

ideg <- function(mat, ...) {
  d <- summary(mat ~ idegree(0:(nrow(mat) - 1)))
  names(d) <- 0:(length(d) - 1)
  attributes(d)$label <- "Indegree"
  return(d)
}

# See the gofstatistics.R file in the package for more complex examples.

```

---

interpret

*Interpretation functions for ergm and btergm objects*


---

## Description

Interpretation functions for ergm and btergm objects.

## Usage

```

## S4 method for signature 'ergm'
interpret(object, formula = getformula(object),
  coefficients = coef(object), target = NULL, type = "tie", i, j)

## S4 method for signature 'btergm'
interpret(object, formula = getformula(object),
  coefficients = coef(object), target = NULL, type = "tie", i, j,
  t = 1:object@time.steps)

## S4 method for signature 'mtergm'
interpret(object, formula = getformula(object),
  coefficients = coef(object), target = NULL, type = "tie", i, j,
  t = 1:object@time.steps)

```

## Arguments

object	An ergm, btergm, or mtergm object.
formula	The formula to be used for computing probabilities. By default, the formula embedded in the model object is retrieved and used.

coefficients	The estimates on which probabilities should be based. By default, the coefficients from the model object are retrieved and used. Custom coefficients can be handed over, for example, in order to compare versions of the model where the reciprocity term is fixed at 0 versus versions of the model where the reciprocity term is left as in the empirical result. This is one of the examples described in Desmarais and Cranmer (2012).
target	The response network on which probabilities are based. Depending on whether the function is applied to an <code>ergm</code> or <code>btergm</code> / <code>mtergm</code> object, this can be either a single network or a list of networks. By default, the (list of) network(s) provided as the left-hand side of the (T)ERGM formula is used.
type	If <code>type = "tie"</code> is used, probabilities at the edge level are computed. For example, what is the probability of a specific node $i$ to be connected to a specific node $j$ given the rest of the network and given the model? If <code>type = "dyad"</code> is used, probabilities at the dyad level are computed. For example, what is the probability that node $i$ is connected to node $j$ but not vice-versa, or what is the probability that nodes $i$ and $j$ and mutually connected in a directed network? If <code>type = "node"</code> is used, probabilities at the node level are computed. For example, what is the probability that node $i$ is connected to a set of three other $j$ nodes given the rest of the network and the model?
$i$	A single (sender) node $i$ or a set of (sender) nodes $i$ . If <code>type = "node"</code> is used, this can be more than one node and should be provided as a vector. The $i$ argument can be either provided as the index of the node in the sociomatrix (e.g., the fourth node would be $i = 4$ ) or the row name of the node in the sociomatrix (e.g., $i = \text{"Peter"}$ ). If more than one node is provided and <code>type = "node"</code> , there can be only one (receiver) node $j$ . The $i$ and $j$ arguments are used to specify for which nodes probabilities should be computed. For example, what is the probability that $i = 4$ is connected to $i = 7$ ?
$j$	A single (receiver) node $j$ or a set of (receiver) nodes $j$ . If <code>type = "node"</code> is used, this can be more than one node and should be provided as a vector. The $j$ argument can be either provided as the index of the node in the sociomatrix (e.g., the fourth node would be $j = 4$ ) or the row name of the node in the sociomatrix (e.g., $j = \text{"Mary"}$ ). If more than one node is provided and <code>type = "node"</code> , there can be only one (sender) node $i$ . The $i$ and $j$ arguments are used to specify for which nodes probabilities should be computed. For example, what is the probability that $i = 4$ is connected to $i = 7$ ?
$t$	A vector of (numerical) time steps for which the probabilities should be computed. This only applies to <code>btergm</code> objects because <code>ergm</code> objects are by definition based on a single time step. By default, all available time steps are used. It is, for example, possible to compute probabilities only for a single time step by specifying, e.g., $t = 5$ in order to compute probabilities for the fifth response network.

## Details

The `interpret` function facilitates interpretation of ERGMs and TERGMs at the micro level via block Gibbs sampling, as described in Desmarais and Cranmer (2012). There are generic methods for `ergm` objects, `btergm` objects, and `mtergm` objects. The function can be used to interpret these models at the tie or edge level, dyad level, and block level.

For example, what is the probability that two specific nodes  $i$  (the sender) and node  $j$  (the receiver) are connected given the rest of the network and given the model? Or what is the probability that any two nodes are tied at  $t = 2$  if they were tied (or disconnected) at  $t = 1$  (i.e., what is the amount of tie stability)? These tie- or edge-level questions can be answered if the `type = "tie"` argument is used.

Another example: What is the probability that node  $i$  has a tie to node  $j$  but not vice-versa? Or that  $i$  and  $j$  maintain a reciprocal tie? Or that they are disconnected? How much more or less likely are  $i$  and  $j$  reciprocally connected if the `mutual` term in the model is fixed at 0 (compared to the model that includes the estimated parameter for reciprocity)? See example below. These dyad-level questions can be answered if the `type = "dyad"` argument is used.

Or what is the probability that a specific node  $i$  is connected to nodes  $j_1$  and  $j_2$  but not to  $j_3$  and  $j_4$ ? And how likely is any node  $i$  to be connected to exactly four  $j$  nodes? These node-level questions (focusing on the ties of node  $i$  or node  $j$ ) can be answered by using the `type = "node"` argument.

The typical procedure is to manually enumerate all dyads or sender-receiver-time combinations with certain properties and repeat the same thing with some alternative properties for contrasting the two groups. Then apply the `interpret` function to the two groups of dyads and compute a measure of central tendency (e.g., mean or median) and possibly some uncertainty measure (i.e., confidence intervals) from the distribution of dyadic probabilities in each group. For example, if there is a gender attribute, one can sample male-male or female-female dyads, compute the distributions of edge probabilities for the two sets of dyads, and create boxplots or barplots with confidence intervals for the two types of dyads in order to contrast edge probabilities for male versus female same-sex dyads.

See also the [edgeprob](#) function for automatic computation of all dyadic edge probabilities.

## References

Czarna, Anna Z., Philip Leifeld, Magdalena Smieja, Michael Dufner and Peter Salovey (2016): Do Narcissism and Emotional Intelligence Win Us Friends? Modeling Dynamics of Peer Popularity Using Inferential Network Analysis. *Personality and Social Psychology Bulletin* 42(11): 1588–1599.

Desmarais, Bruce A. and Skyler J. Cranmer (2012): Micro-Level Interpretation of Exponential Random Graph Models with Application to Estuary Networks. *The Policy Studies Journal* 40(3): 402–434.

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with `btergm`: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

## See Also

[edgeprob](#) [btergm-package](#) [btergm](#) [timesteps.btergm](#)

## Examples

```
##### The following example is a TERGM adaptation of the #####
##### dyad-level example provided in figure 5(c) on page #####
##### 424 of Desmarais and Cranmer (2012) in the PSJ. At #####
##### each time step, it compares dyadic probabilities #####
##### (no tie, unidirectional tie, and reciprocal tie #####
```



```

##### probability) between a fitted model and a model #####
##### where the reciprocity effect is fixed at 0 based #####
##### on 20 randomly selected dyads per time step. The #####
##### results are visualized using a grouped bar plot. #####

## Not run:
# create toy dataset and fit a model
networks <- list()
for (i in 1:3) { # create 3 random networks with 10 actors
  mat <- matrix(rbinom(100, 1, 0.25), nrow = 10, ncol = 10)
  diag(mat) <- 0 # loops are excluded
  nw <- network(mat) # create network object
  networks[[i]] <- nw # add network to the list
}
fit <- btergm(networks ~ edges + istar(2) + mutual, R = 200)

# extract coefficients and create null hypothesis vector
null <- coef(fit) # estimated coeffs
null[3] <- 0 # set mutual term = 0

# sample 20 dyads per time step and compute probability ratios
probabilities <- matrix(nrow = 9, ncol = length(networks))
# nrow = 9 because three probabilities + upper and lower CIs
colnames(probabilities) <- paste("t =", 1:length(networks))
for (t in 1:length(networks)) {
  d <- dim(as.matrix(networks[[t]])) # how many row and column nodes?
  size <- d[1] * d[2] # size of the matrix
  nw <- matrix(1:size, nrow = d[1], ncol = d[2])
  nw <- nw[lower.tri(nw)] # sample only from lower triangle b/c
  samp <- sample(nw, 20) # dyadic probabilities are symmetric
  prob.est.00 <- numeric(0)
  prob.est.01 <- numeric(0)
  prob.est.11 <- numeric(0)
  prob.null.00 <- numeric(0)
  prob.null.01 <- numeric(0)
  prob.null.11 <- numeric(0)
  for (k in 1:20) {
    i <- arrayInd(samp[k], d)[1, 1] # recover 'i's and 'j's from sample
    j <- arrayInd(samp[k], d)[1, 2]
    # run interpretation function with estimated coeffs and mutual = 0:
    int.est <- interpret(fit, type = "dyad", i = i, j = j, t = t)
    int.null <- interpret(fit, coefficients = null, type = "dyad",
      i = i, j = j, t = t)
    prob.est.00 <- c(prob.est.00, int.est[[1]][1, 1])
    prob.est.11 <- c(prob.est.11, int.est[[1]][2, 2])
    mean.est.01 <- (int.est[[1]][1, 2] + int.est[[1]][2, 1]) / 2
    prob.est.01 <- c(prob.est.01, mean.est.01)
    prob.null.00 <- c(prob.null.00, int.null[[1]][1, 1])
    prob.null.11 <- c(prob.null.11, int.null[[1]][2, 2])
    mean.null.01 <- (int.null[[1]][1, 2] + int.null[[1]][2, 1]) / 2
    prob.null.01 <- c(prob.null.01, mean.null.01)
  }
}
prob.ratio.00 <- prob.est.00 / prob.null.00 # ratio of est. and null hyp

```

```

prob.ratio.01 <- prob.est.01 / prob.null.01
prob.ratio.11 <- prob.est.11 / prob.null.11
probabilities[1, t] <- mean(prob.ratio.00) # mean estimated 00 tie prob
probabilities[2, t] <- mean(prob.ratio.01) # mean estimated 01 tie prob
probabilities[3, t] <- mean(prob.ratio.11) # mean estimated 11 tie prob
ci.00 <- t.test(prob.ratio.00, conf.level = 0.99)$conf.int
ci.01 <- t.test(prob.ratio.01, conf.level = 0.99)$conf.int
ci.11 <- t.test(prob.ratio.11, conf.level = 0.99)$conf.int
probabilities[4, t] <- ci.00[1] # lower 00 conf. interval
probabilities[5, t] <- ci.01[1] # lower 01 conf. interval
probabilities[6, t] <- ci.11[1] # lower 11 conf. interval
probabilities[7, t] <- ci.00[2] # upper 00 conf. interval
probabilities[8, t] <- ci.01[2] # upper 01 conf. interval
probabilities[9, t] <- ci.11[2] # upper 11 conf. interval
}

# create barplots from probability ratios and CIs
require("gplots")
bp <- barplot2(probabilities[1:3, ], beside = TRUE, plot.ci = TRUE,
  ci.l = probabilities[4:6, ], ci.u = probabilities[7:9, ],
  col = c("tan", "tan2", "tan3"), ci.col = "grey40",
  xlab = "Dyadic tie values", ylab = "Estimated Prob./Null Prob.")
mtext(1, at = bp, text = c("(0,0)", "(0,1)", "(1,1)"), line = 0, cex = 0.5)

##### The following examples illustrate the behavior of #####
##### the interpret function with undirected and/or #####
##### bipartite graphs with or without structural zeros. #####

library("statnet")
library("btergm")

# micro-level interpretation for undirected network with structural zeros
set.seed(12345)
mat <- matrix(rbinom(400, 1, 0.1), nrow = 20, ncol = 20)
mat[1, 5] <- 1
mat[10, 7] <- 1
mat[15, 3] <- 1
mat[18, 4] < 1
nw <- network(mat, directed = FALSE, bipartite = FALSE)
cv <- matrix(rnorm(400), nrow = 20, ncol = 20)
offsetmat <- matrix(rbinom(400, 1, 0.1), nrow = 20, ncol = 20)
offsetmat[1, 5] <- 1
offsetmat[10, 7] <- 1
offsetmat[15, 3] <- 1
offsetmat[18, 4] < 1
model <- ergm(nw ~ edges + kstar(2) + edgecov(cv) + offset(edgecov(offsetmat)),
  offset.coef = -Inf)
summary(model)

# tie-level interpretation (note that dyad interpretation would not make any
# sense in an undirected network):
interpret(model, type = "tie", i = 1, j = 2) # 0.28 (= normal dyad)

```

```

interpret(model, type = "tie", i = 1, j = 5) # 0.00 (= structural zero)

# node-level interpretation; note the many 0 probabilities due to the
# structural zeros; also note the warning message that the probabilities may
# be slightly imprecise because -Inf needs to be approximated by some large
# negative number (-9e8):
interpret(model, type = "node", i = 1, j = 3:5)

# repeat the same exercise for a directed network
nw <- network(mat, directed = TRUE, bipartite = FALSE)
model <- ergm(nw ~ edges + istar(2) + edgescov(cv) + offset(edgescov(offsetmat)),
  offset.coef = -Inf)
interpret(model, type = "tie", i = 1, j = 2) # 0.13 (= normal dyad)
interpret(model, type = "tie", i = 1, j = 5) # 0.00 (= structural zero)
interpret(model, type = "dyad", i = 1, j = 2) # results for normal dyad
interpret(model, type = "dyad", i = 1, j = 5) # results for i->j struct. zero
interpret(model, type = "node", i = 1, j = 3:5)

# micro-level interpretation for bipartite graph with structural zeros
set.seed(12345)
mat <- matrix(rbinom(200, 1, 0.1), nrow = 20, ncol = 10)
mat[1, 5] <- 1
mat[10, 7] <- 1
mat[15, 3] <- 1
mat[18, 4] < 1
nw <- network(mat, directed = FALSE, bipartite = TRUE)
cv <- matrix(rnorm(200), nrow = 20, ncol = 10) # some covariate
offsetmat <- matrix(rbinom(200, 1, 0.1), nrow = 20, ncol = 10)
offsetmat[1, 5] <- 1
offsetmat[10, 7] <- 1
offsetmat[15, 3] <- 1
offsetmat[18, 4] < 1
model <- ergm(nw ~ edges + b1star(2) + edgescov(cv)
  + offset(edgescov(offsetmat)), offset.coef = -Inf)
summary(model)

# tie-level interpretation; note the index for the second mode starts with 21
interpret(model, type = "tie", i = 1, j = 21)

# dyad-level interpretation does not make sense because network is undirected;
# node-level interpretation prints warning due to structural zeros, but
# computes the correct probabilities (though slightly imprecise because -Inf
# is approximated by some small number:
interpret(model, type = "node", i = 1, j = 21:25)

# compute all dyadic probabilities
dyads <- edgeprob(model)
dyads

## End(Not run)

```

---

marginalplot

*Plot marginal effects for two-way interactions in ERGMs*


---

### Description

Plot marginal effects for two-way interactions in ERGMs.

### Usage

```
marginalplot(model, var1, var2, inter, ci = 0.95, rug = FALSE,
  point = FALSE, structzeromat = NULL, zeroline = TRUE,
  color = "black", xlab = NULL, ylab = NULL)
```

### Arguments

model	An ergm object as generated by the <b>ergm</b> package. Note that marginal effects plots cannot be created for btergm objects because the variance-covariance matrix is not valid. However, it should be possible to apply the marginalplot function to MCMC-MLE-estimated TERGMs because the ergm object is stored in the ergm slot of an mtergm object. To do this, supply the ergm object instead of the mtergm object (e.g., marginalplot(mtergmobject@ergm)).
var1	Name of the first main variable. This is the focal variable.
var2	Name of the second main variable. This is the conditioning variable.
inter	Name of the interaction effect.
ci	Significance level.
rug	Display the distribution of the conditioning variable at the bottom of the plot?
point	Display error bars for the levels of the conditioning variable (instead of a continuous curve)?
structzeromat	An optional matrix object which indicates dyads that should be deleted prior to the calculation of the confidence interval for the marginal effect curve. This is useful when such a matrix was used to indicate structural zeros during estimation. In this event, the dyads characterized by structural zeros are not allowed to be tied, therefore they should be removed from the set of dyads used for the calculation of marginal effects. The matrix should contain ones for structural zeros and zeros for entries that should be used.
zeroline	Draw a horizontal line to indicate zero for the first main variable?
color	Color of the curve, confidence interval, and distribution.
xlab	Axis label for the second (conditioning) variable.
ylab	Axis label for the first (focal) variable.

## Details

The `marginalplot` function creates marginal effects plots for ERGMs with interaction effects. The user has to supply the `ergm` object and the coefficient names of the first main variable, the second main variable, and the interaction term as stored in the coefficients vector inside the `ergm` object. It is possible to draw continuous curves or discrete error bars depending on the nature of the data (using the `point` argument). The distribution of the second (conditioning) variable can be plotted at the bottom of the viewport using the `rug` argument.

The resulting marginal effects plot is a `ggplot2` plot. This means it can be extended by plotting additional elements and using themes.

## Author(s)

Philip Leifeld (<http://www.philipleifeld.com>)

## See Also

[btergm-package interpret edgeprob](#)

## Examples

```
## Not run:
# data preparation
data("florentine")
n <- network.size(flobusiness)
wealth <- get.vertex.attribute(flobusiness, "wealth")
priorates <- get.vertex.attribute(flobusiness, "priorates")
wealth.icov <- matrix(rep(wealth, n), ncol = n, byrow = TRUE)
priorates.icov <- matrix(rep(priorates, n), ncol = n, byrow = TRUE)
interac <- wealth.icov * priorates.icov

# estimate model with interaction effect
model <- ergm(flobusiness ~ edges + esp(1) + edgecov(wealth.icov)
             + edgecov(priorates.icov) + edgecov(interac))

# plot the interaction (note the additional optional ggplot2 elements)
marginalplot(model, var1 = "edgecov.wealth.icov",
             var2 = "edgecov.priorates.icov", inter = "edgecov.interac",
             color = "darkred", rug = TRUE, point = FALSE, xlab = "Priorates",
             ylab = "Wealth") + theme_bw() + ggtitle("Interaction effect")

## End(Not run)
```

---

simulate.btergm

*Simulate new networks from btergm objects*

---

## Description

Simulate new networks from `btergm` objects.

**Usage**

```
## S3 method for class 'btergm'
simulate(object, nsim = 1, seed = NULL,
         index = NULL, formula = getformula(object),
         coef = object@coef, verbose = TRUE, ...)
```

**Arguments**

object	A btergm object, resulting from a call of the <code>btergm</code> function.
nsim	The number of networks to be simulated. Note that for values greater than one, a <code>network.list</code> object is returned, which can be indexed just like a <code>list</code> object, for example <code>mynetworks[[1]]</code> for the first simulated network in the object <code>mynetworks</code> .
seed	Random number integer seed. See <code>set.seed</code> .
formula	A model formula from which the new network(s) should be simulated. By default, the formula is taken from the btergm object.
index	Index of the network from which the new network(s) should be simulated. The index refers to the list of response networks on the left-hand side of the model formula. Note that more recent networks are located at the end of the list. By default, the last (= most recent) network is used.
coef	A vector of parameter estimates. By default, the coefficients are extracted from the given btergm object.
verbose	Print additional details while running the simulations?
...	Arbitrary further arguments are handed over to the <code>simulate.formula</code> function. For details, refer to the help page of the <code>simulate.formula</code> function.

**Details**

The `simulate.btergm` function is a wrapper for the `simulate.formula` function in the **ergm** package (see `help("simulate.formula")`). It can be used to simulate new networks from a btergm object. The `index` argument specifies from which of the original networks the new network(s) should be simulated. For example, if `object` is an estimation based on cosponsorship networks from the 99th to the 107th Congress (as in Desmarais and Cranmer 2012), and the cosponsorship network in the 108th Congress should be predicted using the `simulate.btergm` function, then the argument `index = 9` should be passed to the function because the network should be based on the 9th network in the list (that is, the latest network, which is the cosponsorship network for the 107th Congress). Note that all relevant objects (the networks and the covariates) must be present in the workspace (as was the case during the estimation of the model).

**References**

- Desmarais, Bruce A. and Skyler J. Cranmer (2012): Statistical Mechanics of Networks: Estimation and Uncertainty. *Physica A* 391: 1865–1876.
- Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with btergm: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

**See Also**

[btergm-package btergm gof](#)

**Examples**

```
# fit a TERGM to some toy data
library("statnet")
set.seed(5)
networks <- list()
for(i in 1:10){          # create 10 random networks with 10 actors
  mat <- matrix(rbinom(100, 1, .25), nrow = 10, ncol = 10)
  diag(mat) <- 0        # loops are excluded
  nw <- network(mat)    # create network object
  networks[[i]] <- nw   # add network to the list
}
covariates <- list()
for (i in 1:10) {      # create 10 matrices as covariate
  mat <- matrix(rnorm(100), nrow = 10, ncol = 10)
  covariates[[i]] <- mat # add matrix to the list
}
fit <- btergm(networks ~ edges + istar(2) +
  edgescov(covariates), R = 100)

# simulate 12 new networks from the last (= 10th) time step
sim1 <- simulate(fit, nsim = 12)

# simulate 1 network from the first time step
sim2 <- simulate(fit, index = 1)

# simulate network from t = 5 with larger covariate coefficient
coefs <- coef(fit)
coefs["edgescov.covariates[[i]]"] <- 0.5
sim3 <- simulate(fit, index = 5, coef = coefs)
```

---

 tergm-terms

*Temporal dependencies for TERGMs*


---

**Description**

Network statistics that span multiple time points.

**Details**

In addition to the ERGM user terms that can be estimated within a single network (see [ergm-terms](#)), the **btergm** package provides additional model terms that can be used within a formula. These additional statistics span multiple time periods and are therefore called "temporal dependencies." Examples include memory terms (i.e., positive autoregression, dyadic stability, edge innovation, or edge loss), delayed reciprocity or mutuality, and time covariates (i.e., functions of time or interactions with time):

- `delrecip(mutuality = FALSE, lag = 1)` The `delrecip` term checks for delayed reciprocity. For example, if node *j* is tied to node *i* at *t* = 1, does this lead to a reciprocation of that tie back from *i* to *j* at *t* = 2? If `mutuality = TRUE` is set, this extends not only to ties, but also non-ties. That is, if *i* is not tied to *j* at *t* = 1, will this lead to *j* not being tied to *i* at *t* = 2, in addition to positively reciprocal patterns over time? The `lag` argument controls the size of the temporal lag: with `lag = 1`, reciprocity over one consecutive time period is checked. Note that as `lag` increases, the number of time steps on the dependent variable decreases.
- `memory(type = "stability", lag = 1)` Memory terms control for the impact of a previous network on the current network. Four different types of memory terms are available: positive autoregression (`type = "autoregression"`) checks whether previous ties are carried over to the current network; dyadic stability (`type = "stability"`) checks whether both edges and non-edges are stable between the previous and the current network; edge loss (`type = "loss"`) checks whether ties in the previous network have been dissolved and no longer exist in the current network; and edge innovation (`type = "innovation"`) checks whether previously unconnected nodes have the tendency to become tied in the current network. The `lag` argument accepts integer values and controls whether the comparison is made with the previous network (`lag = 1`), the pre-previous network (`lag = 2`) etc. Note that as `lag` increases, the number of time steps on the dependent variable decreases.
- `timecov(x = NULL, minimum = 1, maximum = NULL, transform = function(t) t)` The `timecov` model term checks for linear or non-linear time trends with regard to edge formation. Optionally, this can be combined with a covariate to create an interaction effect between a dyadic covariate and time in order to test whether the importance of a covariate increases or decreases over time. In the default case, edges modeled as being linearly increasingly important over time. By tweaking the `transform` function, arbitrary functional forms of time can be tested. For example, `transform = sqrt` (for a geometrically decreasing time effect), `transform = function(x) x^2` (for a geometrically increasing time effect), `transform = function(t) t` (for a linear time trend) or polynomial functional forms (e.g.,  $0 + (1 * t) + (1 * t^2)$ ) can be used. For time steps below the `minimum` value and above the `maximum` value, the time covariate is set to 0. These arguments can be used to create step-wise, discrete effects, for example to use a value of 0 up to an external event and 1 from that event onwards in order to control for influences of external events.

## References

Leifeld, Philip, Skyler J. Cranmer and Bruce A. Desmarais (2017): Temporal Exponential Random Graph Models with `btergm`: Estimation and Bootstrap Confidence Intervals. *Journal of Statistical Software* 83(6): 1-36. <http://dx.doi.org/10.18637/jss.v083.i06>.

## See Also

[btergm-package](#) [btergm](#) [ergm-terms](#)



# Index

- \*Topic **classes**
  - btergm-class, 7
- \*Topic **gof**
  - gof-methods, 14
  - gof-plot, 20
  - gofstatistics, 24
- \*Topic **interpretation**
  - marginalplot, 36
- \*Topic **marginal effects**
  - marginalplot, 36
- \*Topic **methods**
  - gof-methods, 14
  - gof-plot, 20
- \*Topic **plot**
  - gof-plot, 20
- \*Topic **statistics**
  - gofstatistics, 24
  
- b1deg (gofstatistics), 24
- b1star (gofstatistics), 24
- b2deg (gofstatistics), 24
- b2star (gofstatistics), 24
- boot.ci, 9
- btergm, 2, 3, 10, 12, 13, 17, 19, 32, 38–40
- btergm-class, 2, 5, 7
- btergm-package, 2, 5, 10, 12, 13, 19, 24, 29, 32, 37, 39, 40
- btergm-terms (tergm-terms), 39
- btergm.se (btergm-class), 7
- btergmterms (tergm-terms), 39
  
- check.degeneracy (checkdegeneracy), 10
- checkdegeneracy, 2, 5, 10
- checkdegeneracy, btergm-method (checkdegeneracy), 10
- checkdegeneracy, mtergm-method (checkdegeneracy), 10
- checkdegeneracy.btergm (checkdegeneracy), 10
  
- checkdegeneracy.mtergm (checkdegeneracy), 10
- chemnet, 2
- coef, btergm-method (btergm-class), 7
- coef, mtergm-method (btergm-class), 7
- comemb (gofstatistics), 24
- confint, btergm-method (btergm-class), 7
- createGOF (gof-methods), 14
  
- deg (gofstatistics), 24
- degeneracy (checkdegeneracy), 10
- dsp (gofstatistics), 24
  
- edgebetweenness.modularity (gofstatistics), 24
- edgebetweenness.pr (gofstatistics), 24
- edgebetweenness.roc (gofstatistics), 24
- edgeprob, 12, 32, 37
- ergm, 4
- ergm-terms, 39, 40
- ergm-terms (tergm-terms), 39
- ergmterms (tergm-terms), 39
- esp (gofstatistics), 24
  
- fastgreedy.modularity (gofstatistics), 24
- fastgreedy.pr (gofstatistics), 24
- fastgreedy.roc (gofstatistics), 24
  
- geodesic (gofstatistics), 24
- getformula, 10, 13
- getformula, btergm-method (getformula), 13
- getformula, ergm-method (getformula), 13
- getformula, mtergm-method (getformula), 13
- getformula-methods (getformula), 13
- gof, 2, 5, 10, 12, 14, 19, 24, 29, 39
- gof (gof-methods), 14
- gof, btergm-method (gof-methods), 14

- gof, ergm-method (gof-methods), 14
- gof, matrix-method (gof-methods), 14
- gof, mtergm-method (gof-methods), 14
- gof, network-method (gof-methods), 14
- gof, sienaFit-method (gof-methods), 14
- gof-methods, 14, 24, 26, 29
- gof-plot, 18, 19, 20
- gof-statistics, 17–19, 24
- gof-statistics (gofstatistics), 24
- gof-terms (gofstatistics), 24
- gof.btergm (gof-methods), 14
- gof.ergm (gof-methods), 14
- gof.matrix (gof-methods), 14
- gof.methods (gof-methods), 14
- gof.mtergm (gof-methods), 14
- gof.network (gof-methods), 14
- gof.sienaFit (gof-methods), 14
- gofmethods (gof-methods), 14
- gofplot (gof-plot), 20
- gofstatistics, 24
- gofterms (gofstatistics), 24
  
- ideg (gofstatistics), 24
- interpret, 2, 10, 12, 13, 30, 37
- interpret, btergm-method (interpret), 30
- interpret, ergm-method (interpret), 30
- interpret, mtergm-method (interpret), 30
- interpret-methods (interpret), 30
- interpret.btergm (interpret), 30
- interpret.ergm (interpret), 30
- interpret.mtergm (interpret), 30
- interpretation (interpret), 30
- istar (gofstatistics), 24
  
- kcycle (gofstatistics), 24
- knecht, 2, 5, 10
- kstar (gofstatistics), 24
  
- louvain.modularity (gofstatistics), 24
- louvain.pr (gofstatistics), 24
- louvain.roc (gofstatistics), 24
  
- marginalplot, 36
- maxmod.modularity (gofstatistics), 24
- maxmod.pr (gofstatistics), 24
- maxmod.roc (gofstatistics), 24
- mtergm, 2, 10
- mtergm (btergm), 3
- mtergm-class (btergm-class), 7
  
- nobs, btergm-method (btergm-class), 7
- nobs, mtergm-method (btergm-class), 7
- nsp (gofstatistics), 24
  
- odeg (gofstatistics), 24
- ostar (gofstatistics), 24
  
- plot (gof-plot), 20
- plot, boxplot-method (gof-plot), 20
- plot, gof-method (gof-plot), 20
- plot, pr-method (gof-plot), 20
- plot, roc-method (gof-plot), 20
- plot, rocpr-method (gof-plot), 20
- plot, univariate-method (gof-plot), 20
- plot-gof (gof-plot), 20
- plot.boxplot (gof-plot), 20
- plot.degeneracy (checkdegeneracy), 10
- plot.gof (gof-plot), 20
- plot.pr (gof-plot), 20
- plot.roc (gof-plot), 20
- plot.rocpr (gof-plot), 20
- plot.univariate (gof-plot), 20
- plotgof (gof-plot), 20
- pr (gofstatistics), 24
- print, boxplot-method (gof-plot), 20
- print, gof-method (gof-plot), 20
- print, pr-method (gof-plot), 20
- print, roc-method (gof-plot), 20
- print, rocpr-method (gof-plot), 20
- print, univariate-method (gof-plot), 20
- print.boxplot (gof-plot), 20
- print.degeneracy (checkdegeneracy), 10
- print.gof (gof-plot), 20
- print.pr (gof-plot), 20
- print.roc (gof-plot), 20
- print.rocpr (gof-plot), 20
- print.univariate (gof-plot), 20
  
- roc (gofstatistics), 24
- rocpr, 27
- rocpr (gofstatistics), 24
- rocprgof (gofstatistics), 24
  
- set.seed, 38
- show, btergm-method (btergm-class), 7
- show, mtergm-method (btergm-class), 7
- simulate.btergm, 2, 5, 10, 19, 37
- simulate.formula, 19, 38
- spinglass.modularity (gofstatistics), 24

spinglass.pr (gofstatistics), 24  
spinglass.roc (gofstatistics), 24  
statistics (gofstatistics), 24  
summary, btergm-method (btergm-class), 7  
summary, mtergm-method (btergm-class), 7

tergm (btergm), 3  
tergm-terms, 39  
tergmterms (tergm-terms), 39  
timesteps.btergm, 32  
timesteps.btergm (btergm-class), 7  
timesteps.mtergm (btergm-class), 7  
triad.directed (gofstatistics), 24  
triad.undirected (gofstatistics), 24

walktrap.modularity (gofstatistics), 24  
walktrap.pr (gofstatistics), 24  
walktrap.roc (gofstatistics), 24