

# Package ‘christmas’

October 12, 2022

**Type** Package

**Title** Generation of Different Animated Christmas Cards

**Version** 1.1.1

**Depends** R (>= 4.1)

**Imports** animation (>= 2.6), grDevices, graphics, stats, methods

**Author** Jose Barrera-Gomez

**Maintainer** Jose Barrera-Gomez <jose.barrera@isglobal.org>

**Description** Generation of different Christmas cards, most of them being animated. Most of the cards can be generated in three languages (English, Catalan and Spanish). The collection started in 2009.

**License** GPL-2

**URL** <https://sites.google.com/view/josebarrera/>

**Encoding** UTF-8

**RoxygenNote** 7.1.1

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2022-01-11 06:52:43 UTC

## R topics documented:

christmas	2
xmascaganer	2
xmasepitree	3
xmasflag	4
xmasgalton	5
xmashealth	6
xmasneon2014	7
xmasregression	8

xmassnowkoch . . . . .	9
xmassnowman . . . . .	9
xmastext . . . . .	10
xmastree . . . . .	11
xmastreeshape . . . . .	12
xmastreewire . . . . .	13

## Index 14

christmas *christmas: Generation of Different Animated Christmas Cards*

### Description

Generation of different Christmas cards, most of them being animated. Most of the cards can be generated in three languages (English, Catalan and Spanish). The collection started in 2009.

### Author(s)

Jose Barrera-Gomez <jose.barrera@isglobal.org>

xmascaganer *Caganer.*

### Description

A Catalan 'caganer' (2009 card). Caganer is a figurine depicted in the act of defecation appearing in nativity scenes in Catalonia and neighbouring areas with Catalan culture such as Andorra, Valencia, and Northern Catalonia (in southern France). It is most popular and widespread in these areas, but can also be found in other areas of Spain (Murcia), Portugal, and southern Italy (Naples). Further details can be found at <https://en.wikipedia.org/wiki/Caganer>. This caganer won the annual contest of sustainable caganers at CREAL (now ISGlobal, <https://www.isglobal.org/en/>) in 2009.

### Usage

```
xmascaganer (
  year = 2010,
  language = c("english", "spanish", "catalan"),
  seed = NULL
)
```

### Arguments

year	Year to be printed. Default is 2010.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot with a caganer.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmascaganer()
```

---

xmasepitree	<i>Christmas epitree.</i>
-------------	---------------------------

---

**Description**

A statistical/epidemiological Christmas tree (2016 card). This tree is built using a random subset of statistical and epidemiological words.

**Usage**

```
xmasepitree(year = 2017, seed = NULL)
```

**Arguments**

year	Year to be printed. Default is 2017.
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot including a tree made of nice words.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmasepitree()  
xmasepitree(year = 2020)
```

---

xmasflag	<i>Christmas flag.</i>
----------	------------------------

---

### Description

Christmas flag (2015 card). A flag with a Christmas message.

### Usage

```
xmasflag(  
  year = 2016,  
  language = c("english", "spanish", "catalan"),  
  seed = NULL  
)
```

### Arguments

year	Year to be printed. Default is 2016.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
seed	Seed for reproducibility of the card. Default is NULL (no seed).

### Value

A Christmas card plot including a message in a flag.

### Author(s)

Jose Barrera-Gomez.

### Examples

```
xmasflag()  
xmasflag(year = 2020, language = "catalan")  
xmasflag(year = 2020, language = "spanish")
```

---

`xmasgalton`*Christmas Galton card.*

---

**Description**

Christmas Galton card (2018). A Christmas tree in the Galton board. This is an adaptation of `quincunx()` in package `animation`, which simulates the Galton board ([https://en.wikipedia.org/wiki/Bean\\_machine](https://en.wikipedia.org/wiki/Bean_machine)).

**Usage**

```
xmasgalton(  
  year = 2019,  
  language = c("english", "spanish", "catalan"),  
  balls = 240,  
  layers = 15,  
  onlyBoard = FALSE,  
  treeballs = 15,  
  time = 0.02,  
  seed = NULL  
)
```

**Arguments**

<code>year</code>	Year to be printed. Default is 2019.
<code>language</code>	Language to be used in the card. One of <code>c("english", "spanish", "catalan")</code> . Default is "english".
<code>balls</code>	The number of balls in the board. Default is 240.
<code>layers</code>	The number of layers in the board. Default is 15.
<code>onlyBoard</code>	Logical. If FALSE (default), an empirical Christmas normal tree estimated from data is added to the histogram.
<code>treeballs</code>	The number of balls to be added to the Christmas normal tree. Default is 15.
<code>time</code>	Elapsed time, in seconds, between two consecutive balls in the board. Default is 0.02.
<code>seed</code>	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas tree in a Galton board.

**Author(s)**

Jose Barrera-Gomez.

## Examples

```
xmasgalton()  
# more balls, less layers:  
xmasgalton(balls = 300, layers = 9)  
# no balls in the gaussian christmas tree:  
xmasgalton(balls = 400, layers = 11, time = 0.005, treeballs = 0)
```

---

xmashealth

*Christmas risks.*

---

## Description

Christmas risks (2011 card). Some epidemiological jokes about potential effects of Christmas on health.

## Usage

```
xmashealth(year = 2012, seed = NULL)
```

## Arguments

year	Year to be printed. Default is 2012.
seed	Seed for reproducibility of the card. Default is NULL (no seed).

## Value

A Christmas card plot including boxplots and OR estimates.

## Author(s)

Jose Barrera-Gomez.

## Examples

```
xmashealth()
```

---

`xmasneon2014`*Neon Christmas card.*

---

## Description

Christmas card using a neon sign. It only works for wishing 2014.

## Usage

```
xmasneon2014(  
  language = c("english", "spanish", "catalan"),  
  nflash = 30,  
  pause = 0.1,  
  seed = NULL  
)
```

## Arguments

<code>language</code>	Language to be used in the card. One of <code>c("english", "spanish", "catalan")</code> . Default is "english".
<code>nflash</code>	Number of flashes shown in the neon sign. Default is 30.
<code>pause</code>	Pause, in seconds, between two consecutive flashes shown in the neon sign. Default is 0.1.
<code>seed</code>	Seed for reproducibility of the card. Default is NULL (no seed).

## Value

A Christmas card plot including a message and then a simulations of a neon sign.

## Author(s)

Jose Barrera-Gomez.

## Examples

```
xmasneon2014()  
xmasneon2014(language = "catalan", nflash = 10, pause = 0.3)  
xmasneon2014(language = "spanish", nflash = 8, pause = 1)  
xmasneon2014(nflash = 100, pause = 0.02)
```

---

xmasregression	<i>Christmas regression model.</i>
----------------	------------------------------------

---

**Description**

A plot of the Christmas regression model (2019 card).

**Usage**

```
xmasregression(  
  year = 2020,  
  language = c("english", "spanish", "catalan"),  
  time = 12,  
  seed = NULL  
)
```

**Arguments**

year	Year to be printed. Default is 2020.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
time	Total time, in seconds, for the card generation. Default is 12.
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

An illustration of the Christmas regression model.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmasregression()  
xmasregression(year = 2021, language = "catalan", time = 5)
```



---

xmassnowkoch	<i>Koch snowflakes.</i>
--------------	-------------------------

---

**Description**

Koch snowflakes (2012 card). Koch snowflakes ([https://en.wikipedia.org/wiki/Koch\\_snowflake](https://en.wikipedia.org/wiki/Koch_snowflake)) are used to print the Christmas message in three languages (English, Catalan and Spanish).

**Usage**

```
xmassnowkoch(year = 2013, seed = NULL)
```

**Arguments**

year	Year to be printed. Default is 2013.
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot including Koch snowflakes.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmassnowkoch()
```

---

xmassnowman	<i>Christmas snowman.</i>
-------------	---------------------------

---

**Description**

Christmas snowman (2014 card).

**Usage**

```
xmassnowman(  
  year = 2015,  
  language = c("english", "spanish", "catalan"),  
  seed = NULL  
)
```

**Arguments**

year	Year to be printed. Default is 2015.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot including a snowman.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmassnowman()
xmassnowman(year = 2020, language = "catalan")
xmassnowman(year = 2020, language = "spanish")
```

---

xmastext

*Christmas message.*

---

**Description**

A random repetition of a message (2010 card). Random allocation of repetitions of the Christmas message.

**Usage**

```
xmastext(
  year = 2011,
  language = c("english", "spanish", "catalan"),
  seed = NULL
)
```

**Arguments**

year	Year to be printed. Default is 2011.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot including the repetition of the same message randomly allocated.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmastext()  
xmastext(year = 2020, language = "spanish", seed = 666)
```

---

xmastree	<i>Naive Christmas tree.</i>
----------	------------------------------

---

**Description**

A random naive Christmas tree (2008 card).

**Usage**

```
xmastree(  
  year = 2009,  
  language = c("english", "spanish", "catalan"),  
  seed = NULL  
)
```

**Arguments**

year	Year to be printed. Default is 2009.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot including a random tree.

**Author(s)**

Jose Barrera-Gomez.

**Examples**

```
xmastree()
xmastree(year = 2020, language = "catalan")
xmastree(year = 2020, language = "spanish", seed = 666)
```

---

xmastreeshape	<i>Christmas shaped tree.</i>
---------------	-------------------------------

---

**Description**

Christmas trees (2017 card) with different shapes.

**Usage**

```
xmastreeshape(
  year = 2018,
  language = c("english", "spanish", "catalan"),
  shape = c("pyramidal", "oval", "vshaped", "round", "columnar"),
  nballs = 15,
  ballscolor = NULL,
  seed = NULL
)
```

**Arguments**

year	Year to be printed. Default is 2018.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
shape	The shape of the tree. One of c("pyramidal", "oval", "vshaped", "round", "columnar"). Default is "pyramidal".
nballs	The number of balls in the tree. Default is 15.
ballscolor	The colors to be used for the balls in the tree. It must be a vector with names of colors included in colors(), or NULL (default). If NULL, then colors are randomly selected.
seed	Seed for reproducibility of the card. Default is NULL (no seed).

**Value**

A Christmas card plot including a christmas tree.

**Author(s)**

Jose Barrera-Gomez.

## Examples

```
xmastreeshape()  
xmastreeshape(shape = "oval", language = "catalan", ballscolor = "blue")  
xmastreeshape(shape = "vshaped", nballs = 15, ballscolor = c("sienna2", "yellow2", "tomato"),  
              seed = 1111)  
xmastreeshape(shape = "round", language = "spanish")  
xmastreeshape(shape = "columnar", nballs = 20, ballscolor = "red")
```

---

xmastreewire	<i>Wire Christmas tree.</i>
--------------	-----------------------------

---

## Description

A random wire Christmas tree (2021 card).

## Usage

```
xmastreewire(  
  year = 2022,  
  language = c("english", "spanish", "catalan"),  
  seed = NULL  
)
```

## Arguments

year	Year to be printed. Default is 2022.
language	Language to be used in the card. One of c("english", "spanish", "catalan"). Default is "english".
seed	Seed for reproducibility of the card. Default is NULL (no seed).

## Value

A Christmas card plot including a random wire tree.

## Author(s)

Jose Barrera-Gomez.

## Examples

```
xmastreewire()  
xmastreewire(year = 2020, language = "catalan")  
xmastreewire(year = 2020, language = "spanish", seed = 666)
```

# Index

[christmas](#), [2](#)

[xmascaganer](#), [2](#)

[xmasepitree](#), [3](#)

[xmasflag](#), [4](#)

[xmasgalton](#), [5](#)

[xmashealth](#), [6](#)

[xmasneon2014](#), [7](#)

[xmasregression](#), [8](#)

[xmassnowkoch](#), [9](#)

[xmassnowman](#), [9](#)

[xmastext](#), [10](#)

[xmastree](#), [11](#)

[xmastreeshape](#), [12](#)

[xmastreewire](#), [13](#)