

Package ‘dynmix’

October 13, 2022

Type Package

Title Estimation of Dynamic Finite Mixtures

Version 1.0

Imports graphics, MASS, Rcpp, stats, utils, zoo

LinkingTo Rcpp, RcppArmadillo

Date 2020-06-19

Author Krzysztof Drachal [aut, cre] (Faculty of Economic Sciences, University of Warsaw, Poland)

Maintainer Krzysztof Drachal <kdrachal@wne.uw.edu.pl>

Description Allows to perform the dynamic mixture estimation with state-space components and normal regression components, and clustering with normal mixture. Quasi-Bayesian estimation, as well as, that based on the Kerridge inaccuracy approximation are implemented. Main references: Nagy and Suzdaltseva (2013) <[doi:10.1016/j.apm.2013.05.038](https://doi.org/10.1016/j.apm.2013.05.038)>; Nagy et al. (2011) <[doi:10.1002/acs.1239](https://doi.org/10.1002/acs.1239)>.

License GPL-3

LazyData TRUE

URL <https://CRAN.R-project.org/package=dynmix>

Note The author obtained financial resources as part of financing the doctoral scholarship from the Polish National Science Centre (DEC-2018/28/T/HS4/00095).

NeedsCompilation yes

Repository CRAN

Date/Publication 2020-06-25 09:20:09 UTC

R topics documented:

convts	2
ldlt	3
ltdl	4
mixest1	5

mixest2	7
oil	8
plot.mixest	9
plot.qbnmix	10
plot.tvpreg	11
print.mixest	12
print.qbnmix	12
print.tvpreg	13
qbnmix	14
sqrtmat	15
tvpr.reg	16

Index	18
--------------	-----------

convts	<i>Renames Selected Outcomes of mixest and tvpreg Objects.</i>
--------	----------------------------------------------------------------

Description

This function renames rows of selected outcomes stored in `mixest` and `tvpreg` objects. It can be useful in generating better looking plots.

Usage

```
convts(x, ind=NULL, ...)
```

Arguments

<code>x</code>	object of class <code>mixest</code> or <code>tvpreg</code>
<code>ind</code>	optional, character consisting of names of time points, should have the same length as the forecasted time-series
<code>...</code>	optional, alternatively, instead of providing <code>ind</code> , arguments of seq.Date can be specified

Value

object of the same class as `x` but with renamed rownames of selected outcomes

Examples

```
data(oil)
t1 <- tvpr.reg(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],lambda=0.99,V=100,W=100)
plot(t1)

t1a <- convts(x=t1,from=as.Date("1990-02-15"),by="month",length.out=nrow(oil[,1,drop=FALSE]))
plot(t1a)

m1 <- mixest1(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],ftype=1,V=100,W=100)
```

```
plot(m1)

ind <- as.character(seq(from=as.Date("1990-02-15"),by="month",length.out=nrow(oil[,1,drop=FALSE])))
m1a <- convts(x=m1,ind=ind)
plot(m1a)
```

ldlt*Computes LDL' Matrix Decomposition.*

Description

This function decomposes matrix V into $V = LDL'$, where L is a lower triangular matrix with unit diagonal and D is a diagonal matrix with non-negative terms.

Usage

```
ldlt(A)
```

Arguments

A symmetric positive-definite [matrix](#)

Value

[list](#) of

\$L [matrix](#) L

\$D [matrix](#) D

References

Zhuang, X., 2020, Numerical analysis. <https://sites.ualberta.ca/~xzhuang/Math381/Lab5.pdf>

Examples

```
A <- matrix(c(5,1,1,3),2,2)
V <- ldlt(A)
V$L
V$D
V$L %*% V$D %*% t(V$L)
A
```

`ltdl`*Computes L'DL Matrix Decomposition.*

Description

This function decomposes matrix V into $V = L'DL$, where L is a lower triangular matrix with unit diagonal and D is a diagonal matrix with non-negative terms.

Usage`ltdl(A)`**Arguments**

`A` symmetric positive-definite `matrix`

Value

`list` of

`$L` `matrix` L

`$D` `matrix` D

References

de Jonge, P., Tiberius, C., 1996, *The LAMBDA Method for Integer Ambiguity Estimation: Implementation Aspects*, Universiteitsdrukkerij TU Delft.

Examples

```
A <- matrix(c(5,1,1,3),2,2)
V <- ltdl(A)
V$L
V$D
t(V$L) %*% V$D %*% V$L
A
```

 mixest1

Computes Mixture Estimation with State-Space Components.

Description

This function estimates recursively mixtures with state-space components with a dynamic model of switching. The components are normal linear models. Suppose there are available k potentially important predictors of y , i.e., x_1, \dots, x_k . Then up to 2^k linear models including constant term can be created by including or not including each of these predictors in the individual model, i.e., component of the mixture.

Usage

```
mixest1(y,x,mods=NULL,ftype=NULL,lambda=NULL,kappa=NULL,V=NULL,W=NULL,atype=NULL)
```

Arguments

<code>y</code>	one column matrix of forecasted time-series, observations inserted rowwise
<code>x</code>	matrix of independent time-series (predictors), observations inserted rowwise
<code>mods</code>	optional, matrix indicating which models should be used as components, the first column indicates inclusion of a constant in a component model, by default all possible models with a constant are used, inclusion of a variable is indicated by 1, omitting by 0, component models are indexed by rows, variables (time-series) are indexed by columns
<code>ftype</code>	optional, numeric indicating type of forecasting, 0 represents forecasting based on coefficients derived from the estimated mixture, 1 represents averaging forecasts from all components by the estimated weights, 2 represents selecting the forecast given by the model with the highest weight, 3 represents selecting the forecast from the so-called median probability model (Barbieri and Berger, 2004), by default <code>ftype=0</code> is taken
<code>lambda</code>	optional, numeric between 0 and 1, a forgetting factor in covariance estimation method described by Raftery et al. (2010), by default the method of Nagy and Suzdaleva (2013) is used
<code>kappa</code>	optional, numeric between 0 and 1, a parameter for the exponentially weighted moving average estimation of components variances, described for example by Koop and Korobilis (2012), if <code>lambda</code> is specified but <code>kappa</code> is not, then the method of recursive moments described by Raftery et al. (2010) is used, by default the method of Nagy and Suzdaleva (2013) is used
<code>V</code>	optional, numeric initial variance for all components (output equation), by default <code>V=1</code> is taken
<code>W</code>	optional, numeric initial value to be put in the diagonal matrix representing the covariance matrices (state equation), by default <code>W=1</code> is taken
<code>atype</code>	optional, numeric indicating approximation of pdf, 0 represents quasi-Bayesian approach, 1 represents minimization of the Kerridge inaccuracy (where suitable optimization is done with the Gauss-Newton method, still this increases the computation time greatly), by default <code>atype=0</code> is taken

Value

object of class `mixest`, i.e., [list](#) of

<code>\$y.hat</code>	vector of predictions
<code>\$rvi</code>	matrix of relative variable importances
<code>\$coef</code>	matrix of regression coefficients corresponding to <code>f</code> type method chosen
<code>\$weights</code>	matrix of estimated weights of component models
<code>\$V</code>	vector of updated variances from the selected models, consistent with <code>f</code> type chosen
<code>\$R</code>	matrix of updated diagonal of covariances corresponding to independent variables in regressions, consistent with <code>f</code> type chosen
<code>\$components</code>	matrix of mods
<code>\$parameters</code>	character of parameters used in the model

Source

Nagy, I., Suzdaleva, E., 2013, Mixture estimation with state-space components and Markov model of switching. *Applied Mathematical Modelling* **37**, 9970–9984.

References

Barbieri, M. M., Berger, J. O., 2004, Optimal predictive model selection. *The Annals of Statistics* **32**, 870–897.

Burnham, K. P., Anderson, D. R., 2002, *Model Selection and Multimodel Inference*, Springer.

Karny, M. (ed.), 2006, *Optimized Bayesian Dynamic Advising*, Springer.

Koop, G., Korobilis, D., 2012, Forecasting inflation using Dynamic Model Averaging. *International Economic Review* **53**, 867–886.

Nagy, I., Suzdaleva, E., 2017, *Algorithms and Programs of Dynamic Mixture Estimation*, Springer.

Raftery, A. E., Karny, M., Ettler, P., 2010, Online prediction under model uncertainty via Dynamic Model Averaging: Application to a cold rolling mill. *Technometrics* **52**, 52–66.

See Also

[mixest2](#)

Examples

```
data(oil)
m1 <- mixest1(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],ftype=1,V=100,W=100)

# Models with only one variable
mods <- diag(1,nrow=ncol(oil[,-1,drop=FALSE]),ncol=ncol(oil[,-1,drop=FALSE]))
mods <- cbind(1,mods)
m2 <- mixest1(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],mods=mods,ftype=1,V=100,W=100)
```

 mixest2

Computes Mixture Estimation with Normal Regression Components.

Description

This function estimates recursively mixtures with normal regression components with a dynamic model of switching.

Usage

```
mixest2(y,x,mods=NULL,ftype=NULL,V=NULL,W=NULL,atype=NULL,Tvar=NULL)
```

Arguments

y	one column matrix of forecasted time-series, observations inserted rowwise
x	matrix of independent time-series (predictors), observations inserted rowwise
mods	see mixest1
ftype	optional, numeric indicating type of forecasting, 1 represents averaging forecasts from all components by the estimated weights (i.e., forecasting based on coefficients derived from the estimated mixture), 2 represents selecting the forecast given by the model with the highest weight, 3 represents selecting the forecast from the so-called median probability model (Barbieri and Berger, 2004), by default ftype=1 is taken
V	optional, numeric initial variance, the same for all components, by default V=1 is taken
W	optional, numeric initial value to be put in the diagonal matrix representing the covariance matrices for regression coefficients, the same for all components, by default W=1 is taken
atype	optional, numeric indicating approximation of pdfs, 0 represents quasi-Bayesian approach, 1 represents minimization of the Kerridge inaccuracy, by default atype=0 is taken
Tvar	optional, numeric indicating the number of first observations, when variance and covariance updating will not be performed, i.e., the initial values will be kept fixed, by default Tvar=30 is taken

Value

object of class `mixest`, i.e., [list](#) of

<code>\$y.hat</code>	vector of predictions
<code>\$rvi</code>	matrix of relative variable importances
<code>\$coef</code>	matrix of regression coefficients corresponding to ftype method chosen
<code>\$weights</code>	matrix of estimated weights of component models

\$V	vector of updated variances from the selected models, consistent with ftype chosen
\$R	matrix of updated diagonal of covariances corresponding to independent variables in regressions, consistent with ftype chosen
\$components	matrix of mods
\$parameters	character of parameters used in the model

Source

Nagy, I., Suzdaleva, E., Karny, M., Mlynarova, T., 2011, Bayesian estimation of dynamic finite mixtures. *International Journal of Adaptive Control and Signal Processing* **25**, 765–787.

References

Barbieri, M. M., Berger, J. O., 2004, Optimal predictive model selection. *The Annals of Statistics* **32**, 870–897.

Burnham, K. P., Anderson, D. R., 2002, *Model Selection and Multimodel Inference*, Springer.

Dedecius, K., 2010, *Partial Forgetting in Bayesian Estimation*, Czech Technical University in Prague.

Karny, M. (ed.), 2006, *Optimized Bayesian Dynamic Advising*, Springer.

Nagy, I., 2015, *Mixture Models and Their Applications*, Czech Technical University in Prague.

Nagy, I., Suzdaleva, E., 2017, *Algorithms and Programs of Dynamic Mixture Estimation*, Springer.

See Also

[mixest1](#)

Examples

```
data(oil)
m1 <- mixest2(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],ftype=1,V=100,W=100)
```

oil

Crude Oil Data.

Description

Selected data from oil market.

Usage

```
data(oil)
```


Format

oil is `matrix` object such that columnwise are

- WTI – WTI spot price in USD per barrel
- MSCI – MSCI World Index
- TB3MS – U.S. 3-month treasury bill secondary market rate
- TWEXM – Trade weighted U.S. dollar index (Mar, 1973 = 100)
- PROD – U.S. product supplied for crude oil and petroleum products in thousands of barrels

Details

The data are in monthly frequency. They cover the period between Feb, 1990 and Dec, 2016. MSCI, TB3MS, TWEXM and PROD are lagged one period back.

Source

The data are provided by Federal Reserve Bank of St. Louis, MSCI and U.S. Energy Information Administration.

<https://www.eia.gov>

<https://fred.stlouisfed.org>

<https://www.msci.com/end-of-day-data-search>

Examples

```
data(oil)
```

plot.mixest

Plots Selected Outcomes from mixest Object.

Description

The function plots selected outcomes from mixest object.

Usage

```
## S3 method for class 'mixest'  
plot(x, ...)
```

Arguments

x	an object of mixest class
...	not used

Details

The function plots a few outcomes from `mixest` object. First, the estimated regression coefficients are plotted separately for each variable. Credible intervals of 90% are added. Next, if averaging was chosen for forecasting, then relative variable importances are plotted, i.e., sum of weights of models containing the given variable. If selection procedure was chosen for forecasting, it is plotted whether the given variable is included in the selected model at the given time. Finally weights from all component models are presented in one plot.

See Also

[convts](#)

Examples

```
data(oil)
m1 <- mixest1(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],ftype=2,V=100,W=100)
plot(m1)
```

plot.qbnmix

Plots Selected Outcomes from qbnmix Object.

Description

The function plots selected outcomes from `qbnmix` object.

Usage

```
## S3 method for class 'qbnmix'
plot(x, ...)
```

Arguments

<code>x</code>	an object of <code>qbnmix</code> class
<code>...</code>	not used

Details

The function plots a few outcomes from `qbnmix` object. First, it plots means for each cluster. Then, it plots posterior probabilities for each cluster. Finally, estimates of mixing weights for each cluster.

Examples

```
R <- list(matrix(c(1,0.3,0,
                  0.3,0.3,0,
                  0,0,0.15),3,3),
          matrix(c(1,0,0,
                  0,0.5,0,
                  0,0,0.2),3,3))
data <- rbind(MASS::mvrnorm(n=180,c(5,2,3),R[[1]]),
             MASS::mvrnorm(n=20,c(1,2,3),R[[2]]))
data <- data[sample(nrow(data)),]

mu0 <- list(matrix(c(4.8689,1.9417,3.0175),nrow=1,ncol=3),
             matrix(c(1.0182,1.9903,2.8847),nrow=1,ncol=3))
est <- qbnmix(y=data,mu0=mu0)
plot(est)
```

plot.tvpreg

*Plots Selected Outcomes from tvpreg Object.***Description**

The function plots selected outcomes from tvpreg object.

Usage

```
## S3 method for class 'tvpreg'
plot(x, ...)
```

Arguments

```
x          an object of tvpreg class
...        not used
```

Details

The function plots the estimated regression coefficients, separately for each variable. 90% credible intervals are added.

See Also

[convts](#)

Examples

```
data(oil)
t1<- tvp.reg(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],lambda=0.99,V=100,W=100)
plot(t1)
```

```
print.mixest          Prints mixest Object.
```

Description

The function prints selected outcomes obtained from object `mixest`.

Usage

```
## S3 method for class 'mixest'
print(x, ...)
```

Arguments

```
x          an object of mixest class
...        not used
```

Details

The function prints the general structure of the model, i.e., names of predictors. It also prints the number of observations (length of time-series) and the number of component models used in estimations (mixing). Additionally it prints the model's parameters (i.e., forecasting method, values of the initial parameters, etc.).

Examples

```
data(oil)
m1 <- mixest1(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],ftype=2,V=100,W=100)
print(m1)
```

```
print.qbnmix          Prints qbnmix Object.
```

Description

The function prints selected outcomes obtained from [qbnmix](#).

Usage

```
## S3 method for class 'qbnmix'
print(x, ...)
```

Arguments

x an object of qbnmix class
 ... not used

Details

The function prints estimated means and covariance matrices from the last step.

Examples

```
R <- list(matrix(c(1,0.3,0,
                  0.3,0.3,0,
                  0,0,0.15),3,3),
          matrix(c(1,0,0,
                  0,0.5,0,
                  0,0,0.2),3,3))
data <- rbind(MASS::mvrnorm(n=180,c(5,2,3),R[[1]]),
             MASS::mvrnorm(n=20,c(1,2,3),R[[2]]))
data <- data[sample(nrow(data)),]

mu0 <- list(matrix(c(4.8689,1.9417,3.0175),nrow=1,ncol=3),
            matrix(c(1.0182,1.9903,2.8847),nrow=1,ncol=3))
est <- qbnmix(y=data,mu0=mu0)
print(est)
```

print.tvpreg *Prints tvpreg Object.*

Description

The function prints selected outcomes obtained from object tvpreg.

Usage

```
## S3 method for class 'tvpreg'
print(x, ...)
```

Arguments

x an object of tvpreg class
 ... not used

Details

The function prints the general structure of the model, i.e., names of predictors. It also prints the number of observations (length of time-series) and the regression coefficients as estimated in the last period.

Examples

```
data(oil)
t1<- tvp.reg(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],lambda=0.99,V=100,W=100)
print(t1)
```

qbnmix

*Estimates Normal Mixtures.***Description**

This function performs a recursive clustering for normal mixtures. Quasi-Bayesian approximation is performed.

Usage

```
qbnmix(y,m=2,mu0=NULL,R0=NULL)
```

Arguments

y **matrix** of observations, rows correspond to observations, columns correspond to tuples

m **numeric** specifying the number of components (clusters), by default $m=2$ is taken

mu0 optional, initial means, should be a **list** of m matrices, each of them having one row and $\text{ncol}(y)$ columns, if not specified random values are taken

R0 optional, initial covariance matrices, should be a **list** of m matrices, each of them having $\text{ncol}(y)$ rows and $\text{ncol}(y)$ columns, if not specified identity matrices are taken

Value

object of class qbnmix, i.e., **list** of

\$mu **list** of estimated means

\$R **list** of estimated covariance matrices (from last step only)

\$alpha **matrix** of estimates of mixing weights (components columnwise)

\$w **matrix** of posterior probabilities (components columnwise)

\$mu0 **list** of initial means matrices

\$R0 **list** of initial covariance matrices

Source

Karny, M., Kadlec, J., Sutanto, E.L., 1998, Quasi-Bayes estimation applied to normal mixture, *Preprints of The 3rd European IEEE Workshop on Computer-Intensive Methods in Control and Data Processing*, Rojicek, J., Valeckova, M., Karny, M., Warwick K. (eds.), UTIA AV CR, 77–82.

Examples

```
R <- list(matrix(c(1,0.3,0,
                  0.3,0.3,0,
                  0,0,0.15),3,3),
          matrix(c(1,0,0,
                  0,0.5,0,
                  0,0,0.2),3,3))
data <- rbind(MASS::mvrnorm(n=180,c(5,2,3),R[[1]]),
              MASS::mvrnorm(n=20,c(1,2,3),R[[2]]))
data <- data[sample(nrow(data)),]

mu0 <- list(matrix(c(4.8689,1.9417,3.0175),nrow=1,ncol=3),
            matrix(c(1.0182,1.9903,2.8847),nrow=1,ncol=3))
est <- qbnmix(y=data,mu0=mu0)
```

sqrtmat

*Computes the Square Root of a Matrix.***Description**

This function computes the square root of a matrix.

Usage

```
sqrtmat(A)
```

Arguments

A symmetric positive-definite [matrix](#)

Value

[matrix](#) *B* such that $BB' = A$

References

https://en.wikipedia.org/wiki/Square_root_of_a_matrix

Examples

```
A <- matrix(c(5,1,1,3),2,2)
B <- sqrtmat(A)
B %*% t(B)
A
```

`tvp.reg`*Computes Time-Varying Parameters Regression.*

Description

This function estimates Time-Varying Parameters regression.

Usage

```
tvp.reg(y, x, lambda=NULL, kappa=NULL, V=NULL, W=NULL)
```

Arguments

<code>y</code>	one column matrix of forecasted time-series, observations inserted rowwise
<code>x</code>	matrix of independent time-series (predictors), observations inserted rowwise
<code>lambda</code>	optional, see mixest1
<code>kappa</code>	optional, see mixest1
<code>V</code>	optional, numeric initial variance, by default $V=1$ is taken
<code>W</code>	optional, numeric initial value to be put on diagonal of covariance matrix, by default $W=1$ is taken

Details

If `lambda` is specified, then the method described by Raftery et al. (2010) is used, with possible extension to the one described by Koop and Korobilis (2012). Otherwise, the Kalman filter described as by Nagy and Suzdaleva (2013) is used.

Value

object of class `tvpreg`, i.e., **list** of

<code>\$y.hat</code>	vector of predictions
<code>\$coef</code>	matrix of regression coefficients
<code>\$R</code>	matrix of diagonals of covariances corresponding to independent variables in regressions
<code>\$V</code>	vector of outcome variances

References

Koop, G., Korobilis, D., 2012, Forecasting inflation using Dynamic Model Averaging. *International Economic Review* **53**, 867–886.

Nagy, I., Suzdaleva, E., 2017, *Algorithms and Programs of Dynamic Mixture Estimation*, Springer.

Raftery, A. E., Karny, M., Ettler, P., 2010, Online prediction under model uncertainty via Dynamic Model Averaging: Application to a cold rolling mill. *Technometrics* **52**, 52–66.

Examples

```
data(oil)
t1 <- tvp.reg(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],lambda=0.99,V=100,W=100)
t2 <- tvp.reg(y=oil[,1,drop=FALSE],x=oil[,-1,drop=FALSE],V=100,W=100)
```

Index

character, [2](#), [6](#), [8](#)
convts, [2](#), [10](#), [11](#)

ldlt, [3](#)
list, [3](#), [4](#), [6](#), [7](#), [14](#), [16](#)
ltdl, [4](#)

matrix, [3–9](#), [14–16](#)
mixest1, [5](#), [7](#), [8](#), [16](#)
mixest2, [6](#), [7](#)

numeric, [5](#), [7](#), [14](#), [16](#)

oil, [8](#)

plot (plot.mixest), [9](#)
plot.mixest, [9](#)
plot.qbnmix, [10](#)
plot.tvpreg, [11](#)
print (print.mixest), [12](#)
print.mixest, [12](#)
print.qbnmix, [12](#)
print.tvpreg, [13](#)

qbnmix, [12](#), [14](#)

seq.Date, [2](#)
sqrtmat, [15](#)

tvreg, [16](#)

vector, [6–8](#), [16](#)