

Package ‘ebmstate’

August 26, 2020

Type Package

Title Empirical Bayes Multi-State Cox Model

Version 0.1.1

Date 2020-08-21 21:34:01 GMT

Description

Implements an empirical Bayes, multi-state Cox model for survival analysis. Run ```?'ebmstate-package''` for details. See also Schall (1991) <doi:10.1093/biomet/78.4.719>.

Depends R (>= 3.6.0), survival (>= 2.44-1.1), mstate (>= 0.2.11)

Imports Rcpp, HDInterval, stats, utils, methods

License GPL (>= 3)

LinkingTo Rcpp

RoxygenNote 7.1.1

Encoding UTF-8

LazyData true

NeedsCompilation yes

Author Rui Costa [aut, cre],

Moritz Gerstung [aut],

Terry M Therneau [ctb] (author of 'survival', a package from which code parts were copied),

Thomas Lumley [ctb] (contributor to 'survival', a package from which code parts were copied),

Hein Putter [ctb] (co-author of 'mstate', a package from which code parts were copied),

Liesbeth de Wreede [ctb] (co-author of 'mstate', a package from which code parts were copied),

Marta Fiocco [ctb] (co-author of 'mstate', a package from which code parts were copied),

Ronald Geskus [ctb] (contributor to 'mstate', a package from which code parts were copied)

Maintainer Rui Costa <rui.costa@ebi.ac.uk>

Repository CRAN

Date/Publication 2020-08-26 09:10:12 UTC

R topics documented:

ebmstate-package	2
boot_coxrfx	3
boot_ebmstate	4
boot_probtrans	6
CIs_for_target_state	6
convolute_Markov	7
convolute_semiMarkov	8
CoxRFX	8
coxrfx_object_sample	11
cumhazCIs_for_target_transition	12
cumhaz_splines	12
extract_function	13
joint_cum_hazard_function	14
loo_ebmstate	15
MakeInteger	16
msfit_generic	17
msfit_object_sample	19
mstate_data_sample	20
print.coxrfx	20
print.msfit	21
probtrans_by_convolution	21
probtrans_by_convolution_Markov	22
probtrans_by_convolution_semiMarkov	23
probtrans_ebmstate	24
probtrans_mstate	25
successful_transitions	27
summary.coxrfx	28
unique_paths	28
Index	30

 ebmstate-package

Empirical Bayes multi-state Cox model

Description

This package implements an empirical Bayes, multi-state Cox model. Different groups of regression coefficients can be defined, with coefficients of the same group sharing the same Gaussian prior. It takes as input a data set in 'long format' and generates estimates of relative hazards, cumulative hazard functions and transition probabilities. It relies on packages [survival](#) and [mstate](#) and incorporates some of their functions to reduce upstream dependency.

Details

Package: ebmstate
Type: Package
Version: 0.0.73
Date: 2020-01-21
License: GPL 3

Author(s)

Rui Costa, Moritz Gerstung

boot_coxrfx

Bootstrap confidence intervals for regression coefficients

Description

This function computes 95% highest density bootstrap confidence intervals (non-parametric) for the regression coefficients estimated by CoxRFX.

Usage

```
boot_coxrfx(  
  mstate_data_expanded,  
  which_group,  
  min_nr_samples = 100,  
  output = "CIs",  
  ...  
)
```

Arguments

mstate_data_expanded Data in 'long format', possibly with 'expanded' covariates (as obtained by running `mstate::expand.covs`).

which_group A character vector with the same meaning as the 'groups' argument of the function `CoxRFX` but named (with the covariate names).

min_nr_samples The confidence interval of any coefficient is based on a number of bootstrap samples at least as high as this argument. See details.

output Determines the sort of output. See value.

... Further arguments to the `CoxRFX` function.

Details

In a given bootstrap sample there might not be enough information to generate estimates for all coefficients. If a covariate has little or no variation in a given bootstrap sample, no estimate of its coefficient will be computed. The present function will keep taking bootstrap samples until every coefficient has been estimated at least `min_nr_samples` times.

Value

For each regression coefficient, the confidence intervals and the number of bootstrap samples on which they are based, if the `'output'` argument is equal to `'CIs'`; if `'output'` is equal to `'CIs_and_coxrfx_fits'`, also the CoxRFX objects for each bootstrap sample.

Author(s)

Rui Costa

boot_ebmstate	<i>Bootstrap samples and bootstrap interval estimates</i>
---------------	---

Description

This function computes bootstrap samples of regression coefficients, cumulative hazard functions, and transition probability functions.

Usage

```
boot_ebmstate(
  mstate_data_expanded = NULL,
  which_group = NULL,
  min_nr_samples = NULL,
  patient_data = NULL,
  initial_state = NULL,
  tmat = NULL,
  backup_file = NULL,
  input_file = NULL,
  time_model = NULL,
  coxrfx_args = NULL,
  msfit_args = NULL,
  probtrans_args = NULL
)
```

Arguments

`mstate_data_expanded`
Data in `'long format'`, possibly with `'expanded'` covariates (as obtained by running `mstate::expand.covs`). See details.

which_group	A character vector with the same meaning as the 'groups' argument of the function CoxRFX but named (with the covariate names).
min_nr_samples	The confidence interval of any coefficient is based on a number of bootstrap samples at least as high as this argument. See details.
patient_data	The covariate data for which the estimates of cumulative hazards and transition probabilities are computed. Must contain: one row of data for each transition, all the covariate columns in the fitted model, and also the 'strata' column.
initial_state	The initial state for which transition probability estimates should be computed
tmat	Transition matrix for the multi-state model, as obtained by running <code>mstate::transMat</code>
backup_file	Path to file. Objects generated while the present function is running are stored in this file. This avoids losing all estimates if and when the algorithm breaks down. See argument <code>input_file</code> .
input_file	Path to <code>backup_file</code> (see argument <code>backup_file</code>). If this argument is given, all other arguments should be NULL.
time_model	The model of time-dependency: either 'Markov' or 'semiMarkov'.
coxrfx_args	Named list with arguments to the CoxRFX function other than <code>Z</code> , <code>surv</code> and <code>groups</code> .
msfit_args	Named list with arguments to the <code>msfit_generic.coxrfx</code> function other than <code>object</code> , <code>newdata</code> and <code>trans</code> .
probtrans_args	Named list with arguments to the <code>probtrans_ebmstate</code> function other than <code>initia_state</code> , <code>cumhaz</code> and <code>model</code> .

Details

In a given bootstrap sample there might not be enough information to generate estimates for all coefficients. If a covariate has little or no variation in a given bootstrap sample, no estimate of its coefficient will be computed. The present function will keep taking bootstrap samples until every coefficient has been estimated at least `min_nr_samples` times. After expansion, the original covariates should be excluded from `mstate_data_expanded`.

Value

A list with: 95% bootstrap intervals for each regression coefficient and for transition probabilities; bootstrap samples of regression coefficients, cumulative hazards and transition probabilities.

Author(s)

Rui Costa

boot_probtrans	<i>Bootstrap confidence intervals for transition probabilities</i>
----------------	--

Description

Generates 95% highest density bootstrap interval estimates for transition probabilities computed using probtrans_ebmstate (semi-Markov version).

Usage

```
boot_probtrans(coxrfx_fits_boot, patient_data, tmat, initial_state, max_time)
```

Arguments

coxrfx_fits_boot	The list of CoxRFX objects obtained by running boot_coxrfx.
patient_data	(Single) patient data in ‘long format’, possibly with ‘expanded’ covariates (as obtained by running <code>mstate::expand.covs</code>).
tmat	Transition matrix for the multi-state model, as obtained by running <code>mstate::transMat</code>
initial_state	The initial state for which transition probability estimates should be computed
max_time	The maximum time for which estimates should be computed

Value

Interval estimates for transition probabilities.

Author(s)

Rui Costa

See Also

[probtrans_ebmstate](#); [boot_coxrfx](#); [transMat](#); [expand.covs](#)

CIs_for_target_state	<i>Ancillary function of boot_ebmstate.</i>
----------------------	---

Description

Computes 95% highest density bootstrap confidence intervals for the transition probabilities into target_state, given a list object with bootstrap estimates of transition probabilities into multiple states. This function is not meant to be called by the user.

Usage

```
CIs_for_target_state(target_state, probtrans_objects_boot)
```

Arguments

`target_state` The target state for whose transition probabilities the confidence intervals are computed.

`probtrans_objects_boot` A list containing bootstrap estimates of transition probabilities.

Details

Uses function `extract_function`.

Value

95% highest density bootstrap confidence intervals for the transition probabilities into `target_state`.

Author(s)

Rui Costa

See Also

[boot_ebmstate](#); [extract_function](#).

convolute_Markov

Convolution function for Markov models

Description

Internal function of `probtrans_by_convolution_Markov`. It is written in C++ and is not meant to be called directly by the user.

Usage

```
convolute_Markov(  
  time_vector,  
  diff_vector,  
  probtrans_vector_1,  
  probtrans_vector_2  
)
```

Arguments

`time_vector`, `diff_vector`, `probtrans_vector_1`, `probtrans_vector_2`
Numeric vectors.

Author(s)

Moritz Gerstung & Rui Costa

See Also

[probtrans_by_convolution_Markov](#).

`convolute_semiMarkov` *Convolution function for semi-Markov models*

Description

Internal function of `probtrans_by_convolution_semiMarkov`. It is written in C++ and is not meant to be called directly by the user.

Usage

```
convolute_semiMarkov(time_vector, integrand_1, integrand_2)
```

Arguments

`time_vector`, `integrand_1`, `integrand_2`
Numeric vectors.

Author(s)

Moritz Gerstung & Rui Costa

See Also

[probtrans_by_convolution_semiMarkov](#).

CoxRFX *Empirical Bayes, multi-state Cox model*

Description

This function estimates a multi-state Cox model with one or more Gaussian priors imposed on the regression coefficients (see Therneau et al., 2003). Multiple groups of coefficients can be defined: coefficients within a group share the same (possibly unknown) mean and variance. The parameters and hyperparameters are efficiently estimated by an EM-type algorithm built around the function `survival::coxph`.

Usage

```

CoxRFX(
  Z,
  surv,
  groups = rep(1, ncol(Z)),
  tmat = NULL,
  which.mu = unique(groups),
  tol = 0.001,
  max.iter = 50,
  sigma0 = 0.1,
  sigma.hat = c("df", "MLE", "REML", "BLUP"),
  verbose = FALSE,
  ...
)

```

Arguments

Z	A data frame consisting of the covariate columns of a data set in 'long format', and two extra columns: one named 'trans', with the transition that each row refers to, and another named 'strata', with the stratum of each transition (transitions belonging to the same stratum are assumed to have the same baseline hazard function).
surv	A 'survival' object created with <code>survival::Surv</code> .
groups	A character or numeric vector whose <i>i</i> th element gives the group of the regression coefficient associated with the <i>i</i> th covariate column of Z (coefficients belonging to the same group share the same Gaussian prior).
tmat	Transition matrix describing the states and transitions in the multi-state model. See <code>trans</code> in <code>mstate::msprep</code> for more detailed information.
which.mu	A vector with names or numbers of coefficient groups (see argument <code>groups</code>). If the name or number of a group of coefficients is given in this argument, CoxRFX will estimate the mean of its Gaussian distribution; otherwise the mean will be fixed at zero.
tol	Convergence criterium of the EM algorithm. The algorithm stops unless there is at least one parameter (or hyperparameter) for which it holds that the current estimate differs in absolute terms by more than <code>tol</code> from the previous estimate.
max.iter	The maximum number of iterations in the EM algorithm.
sigma0	A vector with the initial value of the variance hyperparameter for each group of coefficients. Or a single value, in case the initial value of the variance hyperparameter is meant to be the same for all groups.
sigma.hat	Which estimator to use for the variance hyperparameters (see details).
verbose	Gives more output.
...	Further arguments passed to the function <code>survival::coxph</code> .

Details

Different estimators exist for the variance hyperparameters: the default is "df", as used by Perperoglou (2014) and introduced by Schall (1991). Alternatives are MLE, REML, and BLUP, as defined by Therneau et al. (2003). Simulations suggest that the 'df' method is the most accurate.

The model can also be fitted using package `coxme`; the `coxme` routine numerically optimises the integrated partial likelihood, which may be more accurate, but is computationally expensive.

Value

An object of class `c(coxrfx, coxph.penal, coxph)`, which is essentially a `coxph` object with a few extra fields [the inputs `$groups`, `$Z`, `$surv`, and `$mat`, and the hyperparameters `$sigma2` (variances) and `$mu` (means)]. See [survival::coxph.object](#).

Author(s)

Moritz Gerstung & Rui Costa, extending the work of Terry Therneau et al. in the package `survival`.

References

- Terry M Therneau, Patricia M Grambsch & V. Shane Pankratz (2003) Penalized Survival Models and Frailty, *Journal of Computational and Graphical Statistics*, 12:1, 156-175, <http://dx.doi.org/10.1198/1061860031365>
- A. Perperoglou (2014). Cox models with dynamic ridge penalties on time-varying effects of the covariates. *Stat Med*, 33:170-80. <http://dx.doi.org/10.1002/sim.5921>
- R. Schall (1991). Estimation in generalized linear models with random effects. *Biometrika*, 78:719-727. <http://dx.doi.org/10.1093/biomet/78.4.719>

See Also

Package `survival` [survival::coxph.object](#); [survival::Surv](#); package `coxme`.

Examples

```
# Fit an empirical Bayes Cox model using
# simulated, illness-death data from 250
# patients ('mstate_data_sample').

#load simulated data
data("mstate_data_sample")

# Set class of 'mstate_data_sample'
class(mstate_data_sample)<-c("data.frame", "msdata")

# add transition matrix as attribute
tmat<-mstate::transMat(x=list(c(2,3),c(4),c(),c()),
  names=c("health","illness","death",
  "death_after_illness"))
attr(mstate_data_sample,"trans")<-tmat

# expand covariates by transition:
covariates.expanded<-mstate::expand.covs(
```

```

mstate_data_sample,
covs=names(mstate_data_sample)
[!names(mstate_data_sample)%in%c("id", "from",
"to", "trans", "Tstart", "Tstop", "time", "status",
"strata")], append=FALSE)

# argument 'Z' of coxrfx
Z<-data.frame(covariates.expanded,
trans=mstate_data_sample$trans,
strata=mstate_data_sample$trans)

# argument 'surv' for a non-homogeneous
# Markov model
surv<-survival::Surv(mstate_data_sample$Tstart,
mstate_data_sample$Tstop,
mstate_data_sample$status)

# argument 'groups' of coxrfx
groups<-paste0(rep("group", ncol(Z)-2), c("_1", "_2", "_3"))

#fit random effects model
coxrfx_object<-CoxRFX(Z, surv, groups, tmat)

#show point estimates
summary(coxrfx_object)

```

coxrfx_object_sample *Example of an empirical Bayes model fit*

Description

An RData object containing the model fit obtained by running CoxRFX on the data set `mstate_data_sample` (included in the present package).

Usage

```
coxrfx_object_sample
```

Format

An object of class `c(coxrfx, coxph.penal, coxph)`, which is essentially a `coxph` object with a few extra fields [the inputs `$groups`, `$Z`, and `$surv`, and the hyperparameters `$sigma2` (variances) and `$mu` (means)].

See Also

[mstate_data_sample](#); [CoxRFX](#).

cumhazCIs_for_target_transition

Ancillary function of boot_ebmstate.

Description

Computes 95% highest density, non-parametric bootstrap confidence intervals for the cumulative hazard rate functions, given a list of `msfit` objects with bootstrap estimates of cumulative hazard rate functions for multiple transitions. This function is not meant to be called by the user.

Usage

```
cumhazCIs_for_target_transition(transition, msfit_objects_boot)
```

Arguments

`transition` The transition for which transition confidence intervals are computed.
`msfit_objects_boot` List of `msfit` objects with bootstrap estimates of cumulative hazard rate functions for multiple transitions.

Value

95% highest density, non-parametric bootstrap confidence intervals for the cumulative hazard rate functions.

Author(s)

Rui Costa

See Also

[boot_ebmstate](#).

cumhaz_splines

Spline approximations of the cumulative hazard functions

Description

Creates a spline approximation for the vector of cumulative hazards of each transition.

Usage

```
cumhaz_splines(cumhaz)
```

Arguments

cumhaz An object of class `msfit`, created by `msfit_generic` or `msfit`.

Details

This function is used by the function `probtrans_by_convolution`. It is not meant to be called by the user.

Value

A list of estimated cumulative hazard functions (one for each transition).

Author(s)

Rui Costa

See Also

[msfit_generic](#); [msfit](#); [probtrans_by_convolution](#).

extract_function *Ancillary function to* `boot_ebmstate`.

Description

Extracts the bootstrap estimates of transition probabilities for target state ‘tstate’ from a list with bootstrap estimates of transition probabilities into multiple states. This function is not meant to be called by the user.

Usage

```
extract_function(list_object, tstate)
```

Arguments

`list_object` A list in which each individual element is a single bootstrap estimate of the probability of transition into different states.

`tstate` The state whose bootstrap estimates of transition probabilities we wish to extract from `list_object`.

Details

This function is an ancillary function of `CIs_for_target_state`, which in turn is an ancillary function of `boot_ebmstate`.

Value

Bootstrap estimates of transition probabilities into target state ‘tstate’.

Author(s)

Rui Costa

See Also[CIs_for_target_state](#); [boot_ebmstate](#)

`joint_cum_hazard_function`*Compute the cumulative hazard of leaving a given state*

Description

This function is not meant to be called by the user. It is an internal function of `probtrans_by_convolution_Markov` and `probtrans_by_convolution_semiMarkov`.

`joint_cum_hazard_function` returns the cumulative hazard of leaving state `i` to any state that can be reached directly from `i`, at each of the time points in `t`. There is no explicit argument `i`: this state is entirely defined by the transitions that can occur when the patient is in it (and these transitions are given in the argument `competing_transitions`).

Usage

```
joint_cum_hazard_function(t, competing_transitions, spline_list)
```

Arguments

<code>t</code>	A vector of time points.
<code>competing_transitions</code>	The transitions that can occur when the process is in state <code>i</code> .
<code>spline_list</code>	A list whose elements are spline functions approximating the cumulative hazard of making each possible transition in the process. This is normally a list object created by running <code>cumhaz_splines</code> .

Value

A vector with the cumulative hazard of leaving a given state evaluated at given time points.

Author(s)

Rui Costa

See Also[probtrans_by_convolution_Markov](#); [probtrans_by_convolution_semiMarkov](#); [cumhaz_splines](#).

 loo_ebmstate *Leave-one-out estimation*

Description

This function computes leave-one-out estimation of regression coefficients, cumulative hazard functions, and transition probability functions.

Usage

```
loo_ebmstate(
  mstate_data,
  mstate_data_expanded,
  which_group,
  patient_IDs,
  initial_state,
  tmat,
  backup_file = NULL,
  input_file = NULL,
  time_model = NULL,
  coxrfx_args = list(),
  msfit_args = NULL,
  probtrans_args = NULL
)
```

Arguments

mstate_data	Data in 'long format'.
mstate_data_expanded	Data in 'long format', possibly with 'expanded' covariates (as obtained by running <code>mstate::expand.covs</code>).
which_group	A character vector with the same meaning as the 'groups' argument of the function <code>CoxRFX</code> but named (with the covariate names).
patient_IDs	The IDs of the patients whose cumulative hazards and transition probabilities one wishes to estimate.
initial_state	The initial state for which transition probability estimates should be computed
tmat	Transition matrix for the multi-state model, as obtained by running <code>mstate::transMat</code>
backup_file	Path to file. Objects generated while the present function is running are stored in this file. This avoids losing all estimates if and when the algorithm breaks down. See argument <code>input_file</code> .
input_file	Path to <code>backup_file</code> (see argument <code>backup_file</code>). If this argument is given, all other arguments should be <code>NULL</code> .
time_model	The model of time-dependency: either 'Markov' or 'semiMarkov'.
coxrfx_args	Named list with arguments to the <code>CoxRFX</code> function other than <code>Z,surv</code> and <code>groups</code> .

`msfit_args` Named list with arguments to the `msfit_generic.coxrfx` function other than `object`, `newdata` and `trans`.

`probtrans_args` Named list with arguments to the `probtrans_ebmstate` function other than `initia_state`, `cumhaz` and `model`.

Details

In a given bootstrap sample there might not be enough information to generate estimates for all coefficients. If a covariate has little or no variation in a given bootstrap sample, no estimate of its coefficient will be computed. The present function will keep taking bootstrap samples until every coefficient has been estimated at least `min_nr_samples` times.

Value

A list with: 95% bootstrap intervals for each regression coefficient and for transition probabilities; bootstrap samples of regression coefficients, cumulative hazards and transition probabilities.

Author(s)

Rui Costa

MakeInteger

Convert factor to integer.

Description

Convert factor to integer.

Usage

`MakeInteger(v)`

Arguments

`v` A factor vector.

Details

An internal function of `CoxRFX`, not meant to called directly by the user.

Value

A data.frame with columns corresponding to levels in the factor.

Author(s)

Moritz Gerstung

See Also[CoxRFX](#)

`msfit_generic`*Compute subject-specific transition hazards.*

Description

This function computes subject-specific or overall cumulative transition hazards for each of the possible transitions in the multi-state model. This help page is an adaptation of the `mstate::msfit` help page.

Usage

```
msfit_generic(object, ...)

## Default S3 method:
msfit_generic(
  object,
  newdata,
  variance = TRUE,
  vartype = c("aalen", "greenwood"),
  trans,
  ...
)

## S3 method for class 'coxrfx'
msfit_generic(object, newdata, trans, ...)
```

Arguments

<code>object</code>	An object describing the fit of a multi-state Cox model.
<code>...</code>	Further arguments
<code>newdata</code>	A data frame in ‘long format’. See details.
<code>variance</code>	A logical value indicating whether the (co-)variances of the subject-specific transition hazards should be computed.
<code>vartype</code>	A character string specifying the type of variances to be computed (so only needed if <code>variance=TRUE</code>).
<code>trans</code>	Transition matrix describing the states and transitions in the multi-state model. See <code>trans</code> in mstate::msprep for more detailed information.

Details

The purpose of `msfit_generic` is to be able to use `mstate::msfit` on model fit objects of class `coxrfx` (i.e. objects generated by `CoxRFX`). This can now be done with `msfit_generic.coxrfx`, which introduces minor modifications to `mstate::msfit`. In particular, it precludes `msfit` from computing the (co-)variances of transition hazard estimators, as this computation relies on asymptotic results for the fixed effects Cox model (see de Wreede et al, 2010, section 2.3.2). The method `msfit_generic.default` corresponds to the original `mstate::msfit` function. The data frame given as `newdata` input needs to have one row for each transition in the multi-state model, and one column for each covariate. An additional column `strata` (numeric) is needed to describe for each transition to which stratum it belongs. The name has to be `strata`, even if in the original `coxph` call another variable was used. See `msfit` for more details.

Value

An 'msfit' object. See `mstate::msfit` for details. If the S3 method `msfit_generic.coxrfx` is called, the returned object will be of class `c(msfit, coxrfx)`; otherwise, it will be of class `msfit`.

Author(s)

Rui Costa, adapting the work of L. de Wreede, M. Fiocco and H. Putter in the `mstate` package.

References

de Wreede LC, Fiocco M, and Putter H (2010). The `mstate` package for estimation and prediction in non- and semi-parametric multi-state and competing risks models. *Computer Methods and Programs in Biomedicine* **99**, 261–274.

See Also

`mstate::msfit`; `mstate::msprep`; `mstate::plot.msfit`.

Examples

```
# Compute cumulative hazard rates
# under a (pre-estimated) empirical Bayes Cox
# model.

#load simulated data (illness-death model,
#500 patients) and estimated empirical
# Bayes Cox model
data("mstate_data_sample")
data("coxrfx_object_sample")

# Make objects 'surv' and 'Z'
# with the data used in the estimation

#outcome data
surv<-coxrfx_object_sample$urv

#covariate data
```

```

Z<-coxrfx_object_sample$Z

# Build a data frame 'patient_data'
# with the covariate values for which
# cumulative hazards are to be computed
# (patient 1 covariate values in this case).
# 'patient_data' must have one row for each
# transition in the model
# and the same columns as 'Z'. The assignment
# of transitions to strata (made in the 'strata'
# column) must follow the original model in
# 'coxrfx_object_sample'.

patient_data<-mstate_data_sample[mstate_data_sample$id==1,
  ,drop=FALSE][rep(1,3),]
patient_data$strata<-patient_data$trans<-1:3
patient_data<-mstate::expand.covs(patient_data,
  covs=names(patient_data)[!names(patient_data)%in%
  c("id","from","to","trans","Tstart","Tstop","time",
  "to","trans","Tstart","Tstop","time","status",
  "strata")],append=TRUE)

# compute cumulative hazards
msfit_object<-msfit_generic(coxrfx_object_sample,
  patient_data,
  coxrfx_object_sample$tmatrix)

# show estimates
print(msfit_object)

```

msfit_object_sample *Estimated cumulative hazard rates under an empirical Bayes Cox model (example)*

Description

An RData object containing estimated cumulative hazards, obtained by running `msfit_generic` on the object `coxrfx_object_sample` (also included in the present package).

Usage

```
msfit_object_sample
```

Format

An object of class `c(msfit, coxrfx)`. See `msfit_generic` and `mstate::msfit` for details.

See Also

[coxrfx_object_sample](#).

mstate_data_sample *A simulated event-history data set*

Description

A data set generated by simulation from an illness-death Cox model. This is an object of double class 'data.frame' and 'msdata', whose 'trans' attribute is a transition matrix (`attr(mstate_data_sample, "trans")`).

Usage

```
mstate_data_sample
```

Format

A data frame with 649 rows and 18 variables (250 patients):

id patient identification number

from state in which the patient is

to state to which the patient is at risk of going to

trans transition ID number

Tstart when the risk of the transition started

Tstop the time at which the risk of the transition ended or the last follow-up time (whichever happened first)

time Tstop-Tstart

status did the transition occur at Tstop?

Cov1,Cov2,Cov3,Cov4,Cov5,Cov6,Cov7,Cov8,Cov9,Cov10 covariates

print.coxrfx *Print method for CoxRFX objects*

Description

This function implicitly calls `summary.coxrfx()`.

Usage

```
## S3 method for class 'coxrfx'
print(x, ...)
```

Arguments

x A coxrfx object

... further arguments passed to or from other methods.

Author(s)

Moritz Gerstung & Rui Costa

print.msfit	<i>Print method for msfit objects generated by msfit_generic</i>
-------------	--

Description

This method is a simple call to `print.default`. Its main purpose is to override `print.coxrfx` when printing an object of double class `msfit` and `coxrfx`.

Usage

```
## S3 method for class 'msfit'
print(x, ...)
```

Arguments

x	An object of class <code>msfit</code> or double class <code>msfit</code> and <code>coxrfx</code> .
...	Further arguments passed to or from other methods.

Author(s)

Rui Costa

probtrans_by_convolution	<i>Compute all transition probabilities from a given state using convolution</i>
--------------------------	--

Description

`probtrans_by_convolution` is an internal function of `probtrans_ebmstate` and is not meant to be called directly by the user. It is itself a wrapper for the functions `probtrans_by_convolution_Markov` and `probtrans_by_convolution_semiMarkov`, which are the workhorses of the convolution algorithm.

Usage

```
probtrans_by_convolution(tmat, cumhaz, from_state, model, max_time, nr_steps)
```

Arguments

tmat	A transition matrix extracted from the cumhaz argument to probtrans_ebmstate.
cumhaz	msfit object (argument passed on from probtrans_ebmstate).
from_state	Initial state (argument passed on from probtrans_ebmstate).
model	'Markov' or 'semiMarkov' (argument passed on from probtrans_ebmstate).
max_time	The maximum time for which transition probabilities are estimated.
nr_steps	The number of steps in the convolution algorithm (larger increases precision but makes it slower)

Details

For more information on the arguments of this function see [probtrans_ebmstate](#).

Author(s)

Rui Costa & Moritz Gerstung

See Also

[probtrans_ebmstate](#); [probtrans_by_convolution_Markov](#); [probtrans_by_convolution_semiMarkov](#).

probtrans_by_convolution_Markov

Compute transition probabilities under a non-homogeneous Markov model using a convolution algorithm.

Description

Compute transition probabilities for a given starting state and target state under a non-homogeneous Markov model, using a convolution algorithm.

probtrans_by_convolution_Markov is an internal function of probtrans_by_convolution and is not meant to be called directly by the user.

Usage

```
probtrans_by_convolution_Markov(
  tmat,
  cumhaz,
  from_state,
  to_state,
  spline_list,
  unique_paths_object,
  time
)
```

Arguments

tmat	Transition matrix.
cumhaz	msfit object.
from_state	Initial state.
to_state	Target state.
spline_list	A list whose elements are spline functions approximating the cumulative hazard of making each possible transition in the process. This is normally a list object created by running cumhaz_splines.
unique_paths_object	An object created by running unique_paths.
time	A vector of ordered time points.

Author(s)

Rui Costa & Moritz Gerstung

See Also

[probtrans_ebmstate](#); [probtrans_by_convolution_semiMarkov](#); [probtrans_by_convolution](#); [unique_paths](#); [cumhaz_splines](#).

probtrans_by_convolution_semiMarkov

Compute transition probabilities under a semi-Markov model using a convolution algorithm.

Description

Compute transition probabilities for a given starting state and target state under a semi-Markov model with a single time scale (sojourn time), using a convolution algorithm.

probtrans_by_convolution_semiMarkov is an internal function of probtrans_by_convolution and is not meant to be called directly by the user.

Usage

```
probtrans_by_convolution_semiMarkov(  
  tmat,  
  cumhaz,  
  from_state,  
  to_state,  
  spline_list,  
  unique_paths_object,  
  time  
)
```

Arguments

tmat	Transition matrix.
cumhaz	msfit object.
from_state	Initial state.
to_state	Target state.
spline_list	A list whose elements are spline functions approximating the cumulative hazard of making each possible transition in the process. This is normally a list object created by running cumhaz_splines.
unique_paths_object	An object created by running unique_paths.
time	A vector of ordered time points.

Author(s)

Rui Costa & Moritz Gerstung

See Also

[probtrans_ebmstate](#); [probtrans_by_convolution_Markov](#); [probtrans_by_convolution](#); [unique_paths](#); [cumhaz_splines](#).

probtrans_ebmstate *Compute subject-specific transition probabilities using convolution.*

Description

Compute subject-specific transition probabilities using convolution.

Usage

```
probtrans_ebmstate(
  initial_state,
  cumhaz,
  model,
  max_time = NULL,
  nr_steps = 10000
)
```

Arguments

initial_state	The present function estimates transition probabilities from the state given in this argument.
cumhaz	An msfit object created by running mstate or mstate_generic.
model	Either 'Markov' or 'semiMarkov'. See details.
max_time	The maximum time for which transition probabilities are estimated.
nr_steps	The number of steps in the convolution algorithm (larger increases precision but makes it slower)

Details

The Markov model is a non-homogeneous Markov model in which the transition hazard rates depend only on time since the initiating event. The semi-Markov model has a single time scale: the sojourn time in the current state. This is sometimes called homogeneous semi-Markov model.

The algorithm behind probtrans_ebmstate is based on the convolution of density and survival functions and is suitable for processes with a tree-like transition structure only.

Value

An object of class 'probtrans'. See the 'value' section in the help page of mstate::probtrans.

Author(s)

Rui Costa & Moritz Gerstung

See Also

[probtrans](#);

Examples

```
# Compute transition probabilities
# from an object with (pre-estimated)
# cumulative hazard rates.

#load object with estimated
#cumulative hazard rates
data("msfit_object_sample")

#compute transition probabilities
probtrans_object<-probtrans_ebmstate("health",
  msfit_object_sample,"Markov")
```

probtrans_mstate

Compute subject-specific or overall transition probabilities

Description

This function is a wrapper for mstate::probtrans. Its purpose is to preclude the computation of (co-)variances of the transition probability estimator when the fitted Cox model is empirical Bayes. This help page is an adaptation of the mstate::probtrans help page.

Usage

```

probtrans_mstate(object, ...)

## Default S3 method:
probtrans_mstate(
  object,
  predt,
  direction = c("forward", "fixedhorizon"),
  method = c("aalen", "greenwood"),
  variance = TRUE,
  covariance = FALSE,
  ...
)

## S3 method for class 'coxrfx'
probtrans_mstate(object, predt, direction = c("forward", "fixedhorizon"), ...)

```

Arguments

object	An msfit object containing estimated cumulative hazards for each of the transitions in the multi-state model and, if standard errors are requested, (co)variances of these cumulative hazards for each pair of transitions.
...	other arguments.
predt	A positive number indicating the prediction time. This is either the time at which the prediction is made (if direction="forward") or the time for which the prediction is to be made (if direction="fixedhorizon").
direction	One of "forward" (default) or "fixedhorizon", indicating whether prediction is forward or for a fixed horizon.
method	A character string specifying the type of variances to be computed (so only needed if either variance or covariance is TRUE). Possible values are "aalen" or "greenwood".
variance	Logical value indicating whether standard errors are to be calculated (default is TRUE).
covariance	Logical value indicating whether covariances of transition probabilities for different states are to be calculated (default is FALSE).

Details

probtrans_mstate computes estimates of transition probabilities for an object generated by `msfit_generic`. It calls the method `probtrans_mstate.coxrfx`, if the msfit object was generated by `msfit_generic.coxrfx`, or the method `probtrans_mstate.default` otherwise. Both methods are identical to the function `mstate::probtrans`. The only reserve is that `probtrans_mstate.coxrfx` does not allow the computation of the (co-)variances of the transition probability estimator. In fact, this computation relies on asymptotic results for the *fixed* effects Cox model (see de Wreede et al, 2010, section 2.3.2), and `msfit_generic.coxrfx` produces estimates of cumulative hazards under a random effects/empirical Bayes Cox model.

probtrans_mstate should only be used for Markov models, as it relies on product limit calculations.

Value

An object of class probtrans. See the ‘value’ section in the the help page of [probtrans](#) for details.

Author(s)

Rui Costa, adapting the work of L. de Wreede, M. Fiocco and H. Putter in the [mstate](#) package.

References

de Wreede LC, Fiocco M, and Putter H (2010). The mstate package for estimation and prediction in non- and semi-parametric multi-state and competing risks models. *Computer Methods and Programs in Biomedicine* **99**, 261–274.

See Also

[mstate::probtrans](#); [mstate::msfit](#); [msfit_generic](#).

successful_transitions

Find the unique possible path until an absorbing state

Description

From a unique_paths object that shows all possible paths until absorption from an initial state, successful_transitions picks the path that finishes in to_state, if there is one. The initial state is the one defined in the argument from_state to the function unique_paths. The process must have a tree-like structure.

Usage

```
successful_transitions(unique_paths_object, to_state, tmat)
```

Arguments

unique_paths_object	An object created by running unique_paths .
to_state	An absorbing state.
tmat	Transition matrix.

Details

This function is used by probtrans_by_convolution_Markov and probtrans_by_convolution_semiMarkov. It is not meant to be called by the user.

Value

A vector with the unique sequence of states between two states.

Author(s)

Rui Costa

See Also

[unique_paths](#); [probtrans_by_convolution_Markov](#); [probtrans_by_convolution_semiMarkov](#).

summary.coxrfx

A summary method for CoxRFX models

Description

This function prints the point estimates of parameters and hyperparameters contained in a coxrfx object.

Usage

```
## S3 method for class 'coxrfx'
summary(object, ...)
```

Arguments

object A coxrfx object (obtained by running the function CoxRFX).
 ... Further arguments passed to or from other methods.

Author(s)

Rui Costa

unique_paths

Find all possible paths until absorption from a given starting state

Description

unique_paths finds all possible sequences of states until absorption when the process has a tree-like structure.

Usage

```
unique_paths(from_state, tmat)
```

Arguments

<code>from_state</code>	Initial state.
<code>tmat</code>	A transition matrix describing the states and transitions in the multi-state model, as can be obtained by running transMat . See argument <code>trans</code> in msprep (mstate package) for more detailed information.

Details

This function is used by the function [probtrans_by_convolution](#). It is not meant to be called by the user.

Value

A matrix where each column is a sequence of states taken by the process until absorption. There are as many columns as the number of possible paths until absorption.

Author(s)

Rui Costa

See Also

[probtrans_by_convolution](#); [transMat](#).

Index

- * **datasets**
 - coxrfx_object_sample, 11
 - msfit_object_sample, 19
 - mstate_data_sample, 20
- * **package**
 - ebmstate-package, 2
- boot_coxrfx, 3, 6
- boot_ebmstate, 4, 7, 12, 14
- boot_probtrans, 6
- CIs_for_target_state, 6, 14
- convolute_Markov, 7
- convolute_semiMarkov, 8
- CoxRFX, 8, 11, 17, 18
- coxrfx_object_sample, 11, 19
- cumhaz_splines, 12, 14, 23, 24
- cumhazCIs_for_target_transition, 12
- ebmstate-package, 2
- expand.covs, 6
- extract_function, 7, 13
- joint_cum_hazard_function, 14
- loo_ebmstate, 15
- MakeInteger, 16
- msfit, 13, 18
- msfit_generic, 13, 17, 19, 27
- msfit_object_sample, 19
- msprep, 29
- mstate, 2, 18, 27
- mstate::msfit, 18, 19, 27
- mstate::msprep, 9, 17, 18
- mstate::plot.msfit, 18
- mstate::probtrans, 27
- mstate_data_sample, 11, 20
- print.coxrfx, 20
- print.msfit, 21
- probtrans, 25, 27
- probtrans_by_convolution, 13, 21, 23, 24, 29
- probtrans_by_convolution_Markov, 8, 14, 22, 22, 24, 28
- probtrans_by_convolution_semiMarkov, 8, 14, 22, 23, 23, 28
- probtrans_ebmstate, 6, 22–24, 24
- probtrans_mstate, 25
- successful_transitions, 27
- summary.coxrfx, 28
- survival, 2
- survival::coxph.object, 10
- survival::Surv, 10
- transMat, 6, 29
- unique_paths, 23, 24, 27, 28, 28