

Package ‘genpwr’

April 7, 2020

Title Power Calculations Under Genetic Model Misspecification

Version 1.0.2

Description Power and sample size calculations for genetic association studies allowing for misspecification of the model of genetic susceptibility.

Power and/or sample size can be calculated for logistic (case/control study design) and linear (continuous phenotype) regression models, using additive, dominant, recessive or degree of freedom coding of the genetic covariate while assuming a true dominant, recessive or additive genetic effect. In addition, power and sample size calculations can be performed for gene by environment interactions.

These methods are extensions of Gauderman (2002)

<doi:10.1093/aje/155.5.478> and Gauderman (2002) <doi:10.1002/sim.973>

and are described in:

Moore CM, Jacobson S, Fingerlin TE. Power and Sample Size Calculations for Genetic Association Studies in the Presence of Genetic Model Misspecification. American Society of Human Genetics. October 2018, San Diego.

Depends R (>= 3.5.0)

License GPL-3

Imports ggplot2, nleqslv, MASS, stats, utils

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Camille Moore [aut, cre],
Sean Jacobson [aut]

Maintainer Camille Moore <moorec@njhealth.org>

Repository CRAN

Date/Publication 2020-04-07 17:30:02 UTC

R topics documented:

add.fun.t	3
add.or.function	4
additive.ll	5
additive.ll.linear	5
as.numeric2	6
calc.like	7
calc.like.linear	7
calc.like.linear.log.envir.interaction	8
df2.ll	9
df2.ll.linear	10
dom.fun.t	11
dom.or.function	11
dominant.ll	12
dominant.ll.linear	13
es.calc.linear	14
expected.linear.ll	15
expected.linear.ll.lin.envir	15
find.prob.dom	16
find.prob.rec	17
genpwr.calc	17
integrand_funct_case	20
integrand_funct_control	20
linear.mles	21
linear.mles.lin.envir.interaction	22
linear.mles.lin.envir.interaction_reduced	23
linear.mles.log.envir.interaction	24
linear.outcome.lin.envir.interaction.sds	25
linear.outcome.lin.envir.interaction.sds_reduced	26
linear.outcome.log.envir.interaction.sds	27
linear.sds	28
ll.ge.logistic	28
ll.ge.logistic.lin.envir	29
ll.linear.selector	30
ll_zero_finder2	31
logistic.mles	32
logit	32
ncp.search	33
null.ll	34
null.ll.linear	34
odds_ratio_function	35
or.function.2df	36
or.plot	37
or_calc	38
power.calc	39
power.calc.linear	40
power.plot	41

power_envir.calc	43
power_envir.calc.linear_outcome	44
power_linear_envir.calc.linear_outcome	45
power_linear_envir.calc.logistic_outcome	47
p_vec_returner	48
p_vec_returner_lin_env	49
quad_roots	49
rec.fun.t	50
rec.or.function	51
recessive.ll	51
recessive.ll.linear	52
solve_a	53
ss.calc	53
ss.calc.linear	55
ss.plot	56
ss_envir.calc	57
ss_envir.calc.linear_outcome	58
ss_linear_envir.calc.linear_outcome	60
ss_linear_envir.calc.logistic_outcome	61
X_mat_returner	63
X_mat_returner lle	63
zero_finder_nleqslv	64
Index	65

add.fun.t	<i>Function to Calculate t matrix for logistic outcome with binary environment interaction in additive model</i>
-----------	--

Description

Calculates the t matrix for logistic outcome with binary environment interaction in additive model

Usage

```
add.fun.t(MAF, P_e, OR_E, OR_G, OR_GE, Case.Rate)
```

Arguments

MAF	Vector of minor allele frequencies
P_e	Vector of proportions of the population with exposure to the environmental effect
OR_E	Vector of environmental odds ratios to detect
OR_G	Vector of genetic odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).

Value

t matrix for all combinations of environment/outcome

Examples

```
add.fun.t(MAF = 0.1, P_e = 0.2, Case.Rate = 0.5,
OR_G = 1.5, OR_E = 2, OR_GE = 1.8)
```

add.or.function	<i>Additive Model Function</i>
-----------------	--------------------------------

Description

Operates within odds_ratio_function to calculate odds ratios for a Test.Model of "Additive"

Usage

```
add.or.function(like, Case.Rate, P_AA, P_AB, P_BB, True.Model, risk_allele)
```

Arguments

like	Expected log likelihood
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele
True.Model	A vector object specifying the true underlying genetic model(s): 'Dominant', 'Additive', or 'Recessive'
risk_allele	Logical: If OR > 1, the allele is classified as a "risk allele"

Value

: The odds ratios and their corresponding genetic model(s)

Examples

```
add.or.function(like=-0.57162, Case.Rate=0.3, P_AA=0.5625, P_AB=0.375,
P_BB=0.0625, True.Model="Additive", risk_allele=TRUE)
```

additive.ll	<i>Function to Calculate Additive Log Likelihood for a Logistic Regression Model</i>
-------------	--

Description

Calculates the log likelihood for a given set of logistic regression coefficients under an additive genetic model.

Usage

```
additive.ll(beta, t)
```

Arguments

beta	Vector of logistic regression coefficients.
t	A 2x3 table of joint probabilities of disease and genotype. Rows = case vs. control, columns=genotype.

Value

The log likelihood.

Examples

```
additive.ll(c(-0.3793525, -1.1395417),  
  rbind(c(0.2339079, 0.05665039, 0.009441731),  
  c(0.3285921, 0.31834961, 0.053058269)))
```

additive.ll.linear	<i>Function to Calculate Additive Log Likelihood for a Linear Regression Model</i>
--------------------	--

Description

Calculates the log likelihood for a given set of linear regression coefficients under an additive genetic model.

Usage

```
additive.ll.linear(beta, m, es, sd_y_x_model, sd_y_x_truth)
```

Arguments

beta	Vector of linear regression coefficients.
m	Minor allele frequency.
es	Vector of effect sizes with two elements, (mean AB - mean AA) and (mean BB - mean AA).
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.

Value

The log likelihood.

Examples

```
additive.ll.linear(beta = c(-0.03, 0.3), m = 0.1, es = c(0,3),
  sd_y_x_model = 0.9918669, sd_y_x_truth = 0.9544108)
```

as.numeric2	<i>Function to convert to numeric with scientific notation containing the "." character</i>
-------------	---

Description

convert to numeric with scientific notation containing the "." character

Usage

```
as.numeric2(char)
```

Arguments

char	string to be converted to numeric
------	-----------------------------------

Value

a number

Examples

```
as.numeric2("2e.2")
```

calc.like	<i>Function to Calculate Log Likelihood for a Logistic Regression Model</i>
-----------	---

Description

Convenience function to calculate the log likelihood of a specified model.

Usage

```
calc.like(beta, t, model)
```

Arguments

beta	Vector of logistic regression coefficients.
t	A 2x3 table of joint probabilities of disease and genotype. Rows = case vs. control, columns=genotype.
model	The genetic model in the logistic regression: "Dominant", "Additive", "Recessive", "2df" or "null"

Value

The log likelihood.

Examples

```
t <- rbind(c(0.2967437, 0.1806723, 0.02258404),  
          c(0.3432563, 0.1393277, 0.01741596))  
calc.like(logistic.mles(t, "Dominant"), t, model="Dominant")
```

calc.like.linear	<i>Function to Calculate Log Likelihood for a Linear Regression Model</i>
------------------	---

Description

Convenience function to calculate the log likelihood of a specified model.

Usage

```
calc.like.linear(beta, m, es_ab, es_bb, sd_y_x_model, sd_y_x_truth, model)
```

Arguments

beta	Vector of linear regression coefficients.
m	Minor allele frequency.
es_ab	effect size for mean AB - mean AA
es_bb	effect size for mean BB - mean AA
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.
model	The genetic model in the linear regression: "Dominant", "Additive", "Recessive", "2df" or "null"

Value

The log likelihood.

Examples

```
calc.like.linear(beta = c(0.0000000, 0.1578947), m = 0.1, es_ab = 0, es_bb = 3,
sd_y_x_model = 0.9980797, sd_y_x_truth = 0.9544108, model = "Dominant")
```

```
calc.like.linear.log.envir.interaction
```

Function to calculate the standard deviation of y given x for linear models with logistic environment interaction

Description

Returns the standard deviation of y given x for linear models with logistic environment interaction

Usage

```
calc.like.linear.log.envir.interaction(
  beta_hat,
  MAF,
  P_e,
  ES_G,
  ES_E,
  ES_GE,
  sd_y_x_truth,
  sd_y_x_model,
  Test.Model,
  True.Model,
  reduced = F
)
```


Arguments

beta_hat	Effect sizes from MLE
MAF	Minor allele Frequency
P_e	Population prevalence of logistic environmental factor
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
sd_y_x_truth	Standard deviation of y for the true model
sd_y_x_model	Standard deviation of y for the test model
Test.Model	Test model
True.Model	True model
reduced	logical, indicates whether the X matrix will be used for a reduced model

Value

The standard deviation of y given x for linear models with logistic environment interaction

Examples

```
beta_hat = linear.mles.log.envir.interaction(MAF = 0.1, P_e = 0.2,
ES_G = 1.2, ES_E = 1.3, ES_GE = 2,
Test.Model = "Dominant", True.Model = "Additive")
calc.like.linear.log.envir.interaction(beta_hat = beta_hat,
MAF = 0.1, P_e = 0.2, ES_G = 1.2, ES_E = 1.3,
ES_GE = 2, sd_y_x_truth = 9.947945, sd_y_x_model = 9.949468,
True.Model = "Additive", Test.Model="Dominant")
```

df2.ll *Function to Calculate 2df Log Likelihood for a Logistic Regression Model*

Description

Calculates the log likelihood for a given set of logistic regression coefficients under an unspecified/2df genetic model.

Usage

```
df2.ll(beta, t)
```

Arguments

beta	Vector of logistic regression coefficients.
t	A 2x3 table of joint probabilities of disease and genotype. Rows = case vs. control, columns=genotype.

Value

The log likelihood.

Examples

```
df2.ll(c(-0.3793525, -1.1395417),
  rbind(c(0.2339079, 0.05665039, 0.009441731),
  c(0.3285921, 0.31834961, 0.053058269)))
```

df2.ll.linear	<i>Function to Calculate 2 Degree of Freedom Log Likelihood for a Linear Regression Model</i>
---------------	---

Description

Calculates the log likelihood for a given set of linear regression coefficients under a the 2df model.

Usage

```
df2.ll.linear(beta, m, es, sd_y_x_model, sd_y_x_truth)
```

Arguments

beta	Vector of linear regression coefficients.
m	Minor allele frequency.
es	Vector of effect sizes with two elements, (mean AB - mean AA) and (mean BB - mean AA).
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.

Value

The log likelihood.

Examples

```
df2.ll.linear(beta = c(0, 0, 3), m = 0.1, es = c(0,3),
  sd_y_x_model = 0.9544108, sd_y_x_truth = 0.9544108)
```

dom.fun.t	<i>Function to Calculate t matrix for logistic outcome with binary environment interaction in dominant model</i>
-----------	--

Description

Calculates the t matrix for logistic outcome with binary environment interaction in dominant model

Usage

```
dom.fun.t(MAF, P_e, OR_E, OR_G, OR_GE, Case.Rate)
```

Arguments

MAF	Vector of minor allele frequencies
P_e	Vector of proportions of the population with exposure to the environmental effect
OR_E	Vector of environmental odds ratios to detect
OR_G	Vector of genetic odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).

Value

t matrix for all combinations of environment/outcome

Examples

```
dom.fun.t(MAF = 0.1, P_e = 0.2, Case.Rate = 0.5,
OR_G = 1.5, OR_E = 2, OR_GE = 1.8)
```

dom.or.function	<i>Dominant Model Function</i>
-----------------	--------------------------------

Description

Operates within odds_ratio_function to calculate odds ratios for a Test.Model of "Dominant"

Usage

```
dom.or.function(like, Case.Rate, P_AA, P_AB, P_BB, True.Model, risk_allele)
```

Arguments

like	Expected log likelihood
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele
True.Model	A vector object specifying the true underlying genetic model(s): 'Dominant', 'Additive', or 'Recessive'
risk_allele	Logical: If OR > 1, the allele is classified as a "risk allele"

Value

: The odds ratios and their corresponding genetic model(s)

Examples

```
dom.or.function(like=-0.57162, Case.Rate=0.3, P_AA=0.5625, P_AB=0.375,
  P_BB=0.0625, True.Model="Dominant", risk_allele=TRUE)
```

dominant.ll	<i>Function to Calculate Dominant Log Likelihood for a Logistic Regression Model</i>
-------------	--

Description

Calculates the log likelihood for a given set of logistic regression coefficients under a dominant genetic model.

Usage

```
dominant.ll(beta, t)
```

Arguments

beta	Vector of logistic regression coefficients.
t	A 2x3 table of joint probabilities of disease and genotype. Rows = case vs. control, columns=genotype.

Value

The log likelihood.

Examples

```
dominant.ll(c(-0.3793525, -1.1395417),
  rbind(c(0.2339079, 0.05665039, 0.009441731),
  c(0.3285921, 0.31834961, 0.053058269)))
```

dominant.ll.linear	<i>Function to Calculate Dominant Log Likelihood for a Linear Regression Model</i>
--------------------	--

Description

Calculates the log likelihood for a given set of linear regression coefficients under a dominant genetic model.

Usage

```
dominant.ll.linear(beta, m, es, sd_y_x_model, sd_y_x_truth)
```

Arguments

beta	Vector of linear regression coefficients.
m	Minor allele frequency.
es	Vector of effect sizes with two elements, (mean AB - mean AA) and (mean BB - mean AA).
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.

Value

The log likelihood.

Examples

```
dominant.ll.linear(beta = c(0.000000, 0.1578947), m = 0.1, es = c(0,3),
  sd_y_x_model = 0.9980797, sd_y_x_truth = 0.9544108)
```

es.calc.linear *Function to Calculate Effect Size for Linear Models*

Description

Calculates the detectable effect size/regression coefficient, at a given sample size, N, and power, with type 1 error rate, Alpha

Usage

```
es.calc.linear(
  power = NULL,
  N = NULL,
  MAF = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

power	Vector of the desired power(s)
N	Vector of the desired sample size(s)
MAF	Vector of minor allele frequencies
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
es <- es.calc.linear(N=1000,power=0.8,
  MAF=0.1, sd_y = 1, Alpha=0.05,
  True.Model='All', Test.Model='All')
```

expected.linear.ll *Function to Calculate Expected Log Likelihood for a Single Genotype*

Description

Calculates the expected log likelihood for a single genotype given the true and estimated mean and standard deviation for the outcome.

Usage

```
expected.linear.ll(mean_truth, mean_model, sd_y_x_truth, sd_y_x_model)
```

Arguments

mean_truth	Mean of the outcome given X(predictors/genotype) under the true model.
mean_model	Mean of the outcome given X(predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.

Value

The log likelihood.

Examples

```
expected.linear.ll(mean_truth = 0, mean_model = 0.03,
  sd_y_x_model = 1, sd_y_x_truth = 0.9544108)
```

expected.linear.ll.lin.env

Function to Calculate Expected Log Likelihood for a Single Genotype with linear environment interaction

Description

Calculates the expected log likelihood for a single genotype with linear environment interaction given the true and estimated mean and standard deviation for the outcome.

Usage

```
expected.linear.ll.lin.env(sd_y_x_model)
```

Arguments

sd_y_x_model The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.

Value

The log likelihood.

Examples

```
expected.linear.ll.lin.env(4.309354)
```

find.prob.dom

Dominant probability finding function

Description

Operates within add.or.function to find probability of disease in a dominant truth given AB or BB, additive test model

Usage

```
find.prob.dom(x, P_AA, P_AB, P_BB, cr, like)
```

Arguments

x	Probability of disease given AB or BB
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele
cr	proportion of cases in the sample (cases/(cases + controls)).
like	Expected log likelihood

Value

: The "a" in the binomial function $ax^2 + bx + c$ that arises in solution for the additive OR functions

Examples

```
find.prob.dom(0.1510677, 0.5625, 0.375, 0.0625, 0.3, -0.57162)
```

find.prob.rec	<i>Recessive probability finding function</i>
---------------	---

Description

Operates within add.or.function to find probability of disease in a recessive truth given AB or BB, additive test model

Usage

```
find.prob.rec(x, P_AA, P_AB, P_BB, cr, like)
```

Arguments

x	Probability of disease given AB or BB
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele
cr	proportion of cases in the sample (cases/(cases + controls)).
like	Expected log likelihood

Value

: The "a" in the binomial function $ax^2 + bx + c$ that arises in solution for the additive OR functions

Examples

```
find.prob.rec(0.7072381, 0.5625, 0.375, 0.0625, 0.3, -0.6005743)
```

genpwr.calc	<i>Function to Calculate Power for Linear Models with logistic environment interaction</i>
-------------	--

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```

genpwr.calc(
  calc,
  model,
  ge.interaction = NULL,
  N = NULL,
  Power = NULL,
  MAF = NULL,
  Alpha = 0.05,
  P_e = NULL,
  sd_e = NULL,
  sd_y = NULL,
  Case.Rate = NULL,
  k = NULL,
  OR = NULL,
  OR_G = NULL,
  OR_E = NULL,
  OR_GE = NULL,
  risk_allele = TRUE,
  ES = NULL,
  ES_G = NULL,
  ES_E = NULL,
  ES_GE = NULL,
  R2 = NULL,
  R2_G = NULL,
  R2_E = NULL,
  R2_GE = NULL,
  True.Model = "All",
  Test.Model = "All"
)

```

Arguments

calc	What kind of calculation to perform? sample size ("ss"), power ("power"), or effect size ("es")
model	Distribution of the outcome variable? ("logistic" or "linear")
ge.interaction	If no environment interaction, should be NULL, otherwise should be "logistic" or "linear"
N	Vector of the desired sample size(s)
Power	Vector of the desired power(s)
MAF	Vector of minor allele frequencies
Alpha	the desired type 1 error rate(s)
P_e	Vector of proportions of the population with exposure to the environmental effect
sd_e	Standard deviation of the environmental variable

sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Case.Rate	Case Rate of the outcome in the population (ignoring genotype). Either Case.Rate_x or Case.Rate must be specified.
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
OR	Vector of genetic odds ratios to detect in absence of environmental odds ratios
OR_G	Vector of genetic odds ratios to detect
OR_E	Vector of environmental odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
risk_allele	Logical: If OR > 1, the allele is classified as a "risk allele"
ES	Vector of effect sizes (difference in means) to detect. Either ES or R2 must be specified.
ES_G	Vector of genetic effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_E	Vector of environmental effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_GE	Vector of genetic/environment interaction effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2	Vector of R-squared values to detect. Either ES or R2 must be specified.
R2_G	Vector of genetic R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_E	Vector of environmental R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_GE	Vector of genetic/environment interaction R-squared values Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
pw <- genpwr.calc(calc = "power", model = "logistic", ge.interaction = "continuous",
N=100, OR_G=2, OR_E=1.4, OR_GE=c(1.5, 2),
sd_e = 1.1, MAF=0.1, Case.Rate = 0.3, Alpha=0.05,
True.Model="All", Test.Model=c("Dominant", "Recessive"))
```

integrand_funct_case *Function to generate integrand for mle for cases*

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
integrand_funct_case(x1, x2)
```

Arguments

x1	"true" part of model
x2	"test" part of model

Value

a function to be used as the integrand for the mle

Examples

```
integrand_funct_case(-1.462531 + 1*0.1823216,  
-1.462531 + 1*0.1823216)
```

integrand_funct_control
Function to generate integrand for mle for controls

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
integrand_funct_control(x1, x2)
```

Arguments

x1	"true" part of model
x2	"test" part of model

Value

a function to be used as the integrand for the mle

Examples

```
integrand_funct_control(-1.462531 + 1*0.1823216,  
-1.462531 + 1*0.1823216)
```

`linear.mles`*Function to calculate MLE's for linear models*

Description

Finds the maximum likelihood estimates for a given MAF under the specified genetic model and effect size.

Usage

```
linear.mles(m, es_ab, es_bb, model)
```

Arguments

<code>m</code>	minor allele frequency
<code>es_ab</code>	effect size for mean AB - mean AA
<code>es_bb</code>	effect size for mean BB - mean AA
<code>model</code>	The assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive', '2df'

Value

A vector of linear regression model coefficients.

Examples

```
linear.mles(m = 0.1, es_ab = 0, es_bb = 3, model = "Dominant")
```

```
linear.mles.lin.envir.interaction
```

Function to calculate the standard deviation of y given x for linear models with linear environment interaction

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
linear.mles.lin.envir.interaction(  
  MAF,  
  beta0,  
  ES_G,  
  ES_E,  
  ES_GE,  
  Test.Model,  
  True.Model  
)
```

Arguments

MAF	Minor allele Frequency
beta0	baseline value for the outcome
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
Test.Model	Test Model
True.Model	True Model

Value

The standard deviation of y given x for linear models with linear environment interaction

Examples

```
linear.mles.lin.envir.interaction(MAF = 0.28, ES_G = 0.5, beta0 = -0.28,  
  ES_E = 1.6, ES_GE = 1.4, Test.Model = "Dominant", True.Model = "Additive")
```

```
linear.mles.lin.envir.interaction_reduced
```

Function to calculate the standard deviation of y given x for linear models with linear environment interaction for the reduced model without GxE interaction

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
linear.mles.lin.envir.interaction_reduced(  
  MAF,  
  beta0,  
  ES_G,  
  ES_E,  
  ES_GE,  
  Test.Model,  
  True.Model  
)
```

Arguments

MAF	Minor allele Frequency
beta0	baseline value for the outcome
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
Test.Model	Test Model
True.Model	True Model

Value

The standard deviation of y given x for linear models with linear environment interaction

Examples

```
linear.mles.lin.envir.interaction_reduced(MAF = 0.28, ES_G = 0.5, beta0 = -0.28,  
ES_E = 1.6, ES_GE = 1.4, Test.Model = "Dominant", True.Model = "Additive")
```

```
linear.mles.log.envir.interaction
```

Function to calculate the standard deviation of y given x for linear models with logistic environment interaction

Description

Returns the standard deviation of y given x for linear models with logistic environment interaction

Usage

```
linear.mles.log.envir.interaction(  
  MAF,  
  P_e,  
  ES_G,  
  ES_E,  
  ES_GE,  
  Test.Model,  
  True.Model,  
  reduced = F  
)
```

Arguments

MAF	Minor allele Frequency
P_e	Population prevalence of logistic environmental factor
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
Test.Model	Test model
True.Model	True model
reduced	logical, indicates whether the X matrix will be used for a reduced model

Value

The standard deviation of y given x for linear models with logistic environment interaction

Examples

```
linear.mles.log.envir.interaction(MAF = 0.1, P_e = 0.2,  
  ES_G = 1.2, ES_E = 1.3, ES_GE = 2,  
  Test.Model = "Dominant", True.Model = "Additive")
```

```
linear.outcome.lin.envir.interaction.sds
```

Function to calculate the standard deviation of y given x for linear models with linear environment interaction

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
linear.outcome.lin.envir.interaction.sds(  
  MAF,  
  sd_e,  
  beta0,  
  ES_G,  
  ES_E,  
  ES_GE,  
  mod,  
  True.Model,  
  sd_y  
)
```

Arguments

MAF	Minor allele Frequency
sd_e	Standard deviation of linear environmental factor
beta0	baseline value for the outcome
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
mod	Test model
True.Model	True model
sd_y	Standard deviation of y

Value

The standard deviation of y given x for linear models with linear environment interaction

Examples

```
linear.outcome.lin.envir.interaction.sds(MAF = 0.28, beta0 = -0.28,  
sd_y = 5, sd_e = 1, ES_G = 0.5, ES_E = 1.6, ES_GE = 1.4,  
mod = "Dominant", True.Model = "Additive")
```

```
linear.outcome.lin.envir.interaction.sds_reduced
```

Function to calculate the standard deviation of y given x for linear models with linear environment interaction

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
linear.outcome.lin.envir.interaction.sds_reduced(  
  MAF,  
  sd_e,  
  beta0,  
  ES_G,  
  ES_E,  
  ES_GE,  
  mod,  
  True.Model,  
  sd_y  
)
```

Arguments

MAF	Minor allele Frequency
sd_e	Standard deviation of linear environmental factor
beta0	baseline value for the outcome
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
mod	Test model
True.Model	True model
sd_y	Standard deviation of y

Value

The standard deviation of y given x for linear models with linear environment interaction

Examples

```
linear.outcome.lin.envir.interaction.sds_reduced(MAF = 0.28, beta0 = -0.28,  
sd_y = 5, sd_e = 1, ES_G = 0.5, ES_E = 1.6,  
ES_GE = 1.4, mod = "Dominant", True.Model = "Additive")
```

```
linear.outcome.log.envir.interaction.sds
```

Function to calculate the standard deviation of y given x for linear models with logistic environment interaction

Description

Returns the standard deviation of y given x for linear models with logistic environment interaction

Usage

```
linear.outcome.log.envir.interaction.sds(  
  MAF,  
  P_e,  
  ES_G,  
  ES_E,  
  ES_GE,  
  mod,  
  True.Model,  
  sd_y,  
  reduced = F  
)
```

Arguments

MAF	Minor allele Frequency
P_e	Population prevalence of logistic environmental factor
ES_G	Genetic Effect size
ES_E	Environment Effect size
ES_GE	Environment x Genetic interaction Effect size
mod	Test model
True.Model	True model
sd_y	Standard deviation of y
reduced	logical, indicates whether the X matrix will be used for a reduced model

Value

The standard deviation of y given x for linear models with logistic environment interaction

Examples

```
linear.outcome.log.envir.interaction.sds(MAF = 0.1, P_e = 0.2, sd_y = 10,  
ES_G = 1.2, ES_E = 1.3, ES_GE = 2, mod = "Dominant", True.Model = "Additive")
```

linear.sds	<i>Functions to Calculate Residual SD for Normal/Continuous Outcomes Function to calculate the standard deviation of y given x for linear models</i>
------------	--

Description

Functions to Calculate Residual SD for Normal/Continuous Outcomes Function to calculate the standard deviation of y given x for linear models

Usage

```
linear.sds(m, es_ab, es_bb, sd_y, model)
```

Arguments

m	minor allele frequency
es_ab	effect size for mean AB - mean AA
es_bb	effect size for mean BB - mean AA
sd_y	the standard deviation of y in the overall population.
model	The assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive', '2df'

Value

A vector of linear regression model coefficients.

Examples

```
linear.sds(m = 0.1, es_ab = 0, es_bb = 3, sd_y = 1, model = "Dominant")
```

ll.ge.logistic	<i>Function to calculate MLE's for logistic models with logistic environment interaction</i>
----------------	--

Description

Finds the maximum likelihood estimates for a given 2x3 table under the specified genetic model.

Usage

```
ll.ge.logistic(t, N = NULL, power = NULL, Alpha, mod)
```

Arguments

t	A 2x6 table of the joint probabilities of disease, genotype, and environment. Rows are case vs. control and columns are genotypes.
N	Sample size
power	Power
Alpha	Alpha
mod	Test model

Value

A vector of logistic regression model coefficients.

Examples

```
t <- rbind(c(0.2870353, 0.07833006, 0.00435167, 0.09946088, 0.029199878, 0.0016222154),
c(0.3609647, 0.06566994, 0.00364833, 0.06253912, 0.006800122, 0.0003777846))
ll.ge.logistic(t, N = 200, Alpha = 0.05, mod = "Dominant")
```

```
ll.ge.logistic.lin.envir
```

Function to output log likelihood for logistic outcome with linear environment variables

Description

Returns the standard deviation of y given x for linear models with linear environment interaction

Usage

```
ll.ge.logistic.lin.envir(
  sd_e,
  N = NULL,
  MAF,
  power = NULL,
  beta0,
  OR_G,
  OR_E,
  OR_GE,
  Alpha,
  True.Model,
  Test.Model
)
```

Arguments

sd_e	Standard deviation of the environmental variable
N	desired sample size
MAF	Vector of minor allele frequencies
power	desired power
beta0	the beta0 coefficient in the logistic model
OR_G	Vector of genetic odds ratios to detect
OR_E	Vector of environmental odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

a function to be used as the integrand for the mle

Examples

```
ll.ge.logistic.lin.envir(sd_e = 1, MAF = 0.2, N = 30, beta0 = -1.462531, OR_G = 1.1,
OR_E = 1.2, OR_GE = 1.5, Alpha = 0.05, True.Model = "Dominant", Test.Model = "Dominant")
```

ll.linear.selector *Function to return log likelihood function for specified model type*

Description

Convenience function to return log likelihood function for specified model type

Usage

```
ll.linear.selector(model)
```

Arguments

model	The genetic model in the linear regression: "Dominant", "Additive", "Recessive", "2df" or "null"
-------	--

Value

Log likelihood function for specified model type

Examples

```
ll.linear.selector("Dominant")
```

ll_zero_finder2	<i>Zero finding function</i>
-----------------	------------------------------

Description

Finds the zeros of a function `af`. Alternative to `uniroot`, designed specifically to work with the `genpwr` package. Finds multiple zeros if a function has more than one in the given range.

Usage

```
ll_zero_finder2(af, ii = 6, lower = 0, upper = 1, qdelta = 27)
```

Arguments

<code>af</code>	The function for which to find the zero(s)
<code>ii</code>	Number of iterations. The more iterations, the more accuracy. It is recommended that <code>ii</code> be at least 4.
<code>lower</code>	Lower limit of region in which to find the zero
<code>upper</code>	Upper limit of region in which to find the zero
<code>qdelta</code>	Factor for finding intervals over which the function is close to zero

Value

Points over the given interval at which the given function is approximately equal to zero

Examples

```
ll_zero_finder2(function(x) (x-0.5)^2 - 0.1)
ll_zero_finder2(function(x) 8*x^3 - 11.2*x^2 + 4.56*x - 0.476)
```

logistic.mles	<i>Function to calculate MLE's for logistic models</i>
---------------	--

Description

Finds the maximum likelihood estimates for a given 2x3 table under the specified genetic model.

Usage

```
logistic.mles(t, model)
```

Arguments

t	A 2x3 table of the joint probabilities of disease and genotype. Rows are case vs. control and columns are genotypes.
model	The assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive'

Value

A vector of logistic regression model coefficients.

Examples

```
logistic.mles(rbind(c(0.2967437, 0.1806723, 0.02258404),
  c(0.3432563, 0.1393277, 0.01741596)), "Dominant")
```

logit	<i>Logit Function</i>
-------	-----------------------

Description

Calculates the logit of a specified value.

Usage

```
logit(x, min = 0, max = 1)
```

Arguments

x	a number between 0 and 1.
min	minimum
max	maximum

Value

The logit of x.

Examples

```
logit(0.5)
```

ncp.search	<i>Function to Determine Non-Centrality Parameter of the Chi-squared distribution</i>
------------	---

Description

This function is set to 0 and solved for x, the non-centrality parameter to determine the sample size in [ss.calc](#)

Usage

```
ncp.search(x, power, Alpha, df)
```

Arguments

x	the non-centrality parameter
power	the desired power
Alpha	the desired type 1 error rate
df	the degrees of freedom for the likelihood ratio test

Value

numeric value of the function

Examples

```
ncp.search(x = 7.848861, pow = 0.8, Alpha = 0.05, df=1)
```

null.ll	<i>Function to Calculate Null Log Likelihood for a Logistic Regression Model</i>
---------	--

Description

Calculates the log likelihood for a given set of logistic regression coefficients under the null.

Usage

```
null.ll(t)
```

Arguments

t A 2x3 table of joint probabilities of disease and genotype. Rows = case vs. control, columns=genotype.

Value

The log likelihood.

Examples

```
null.ll(rbind(c(0.2339079, 0.05665039, 0.009441731),  
c(0.3285921, 0.31834961, 0.053058269)))
```

null.ll.linear	<i>Function to Calculate Expected Null Log Likelihood for a Linear Regression Model</i>
----------------	---

Description

Calculates the expected log likelihood for a given set of linear regression coefficients under the null.

Usage

```
null.ll.linear(beta, m, es, sd_y_x_model, sd_y_x_truth)
```

Arguments

beta	Vector of linear regression coefficients.
m	Minor allele frequency.
es	Vector of effect sizes with two elements, (mean AB - mean AA) and (mean BB - mean AA).
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.

Value

The log likelihood.

Examples

```
null.ll.linear(beta = 0.03, m = 0.1, es = c(0,3),  
sd_y_x_model = 1, sd_y_x_truth = 0.9544108)
```

odds_ratio_function *Odds Ratio Function*

Description

Calculates the odds ratio for a given power, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
odds_ratio_function(  
  N = NULL,  
  Case.Rate = NULL,  
  k = NULL,  
  MAF = NULL,  
  power = NULL,  
  risk_allele = TRUE,  
  Alpha = 0.05,  
  True.Model = "All",  
  Test.Model = "All"  
)
```

Arguments

N	Vector of the desired sample size(s)
Case.Rate	Vector of the proportion(s) of cases in the sample (cases/(cases + controls)). Either k or Case.Rate must be specified.
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
MAF	Vector of minor allele frequencies
power	Vector of powers to detect
risk_allele	Logical: If OR > 1, the allele is classified as a "risk allele"
Alpha	the desired type 1 error rate(s)
True.Model	A vector vector the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the odds ratios for all combinations of the specified parameters

Examples

```
or <- odds_ratio_function(N=c(100), Case.Rate=0.3,
  k=NULL, MAF= 0.25, power=0.8,
  Alpha = 0.05, risk_allele = TRUE, True.Model = 'All', Test.Model = 'All')
```

or.function.2df *2df Model Function*

Description

Operates within odds_ratio_function to calculate odds ratios for a Test.Model of "2df"

Usage

```
or.function.2df(like, Case.Rate, P_AA, P_AB, P_BB, True.Model, risk_allele)
```

Arguments

like	Expected log likelihood
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele

True.Model	A vector object specifying the true underlying genetic model(s): 'Dominant', 'Additive', or 'Recessive'
risk_allele	Logical: If OR > 1, the allele is classified as a "risk allele"

Value

: The odds ratios and their corresponding genetic model(s)

Examples

```
or.function.2df(like=-0.5626909, Case.Rate=0.3, P_AA=0.5625,
  P_AB=0.375, P_BB=0.0625, True.Model="Recessive", risk_allele=TRUE)
```

or.plot

Function to Plot Odds Ratio Results

Description

Plot the power results by MAF, Power, Alpha or N

Usage

```
or.plot(
  data = NULL,
  x = "MAF",
  panel.by = "True.Model",
  y_limit = NULL,
  y_log = F,
  return_gg = F,
  linear.effect.measure = "ES",
  select.Alpha = NULL,
  select.power = NULL,
  select.ES = NULL,
  select.N = NULL,
  select.MAF = NULL,
  select.Case.Rate = NULL,
  select.SD = NULL,
  select.True.Model = NULL,
  select.Test.Model = NULL
)
```

Arguments

data	The data frame result from power.calc
x	The desired variable on the y axis: "MAF", "OR", "Alpha", or "N_total"

panel.by	A grouping variable to panel the graphs by: "True.Model", "MAF", "Power", "Alpha", or "N_total"
y_limit	An object specifying the minimum and maximum of the y-axis (eg c(0,4)) default is NULL, which allows the limits to be picked automatically
y_log	Logical, specifying whether the y axis should be logarithmic. Default is F
return_gg	Logical, specifying whether to return the ggplot object instead of printing out the plot
linear.effect.measure	Should the graphs indicate ES values, or R2 values? (default ES)
select.Alpha	Only produce graphs for the specified Alpha level(s).
select.power	Only produce graphs for the specified Power(s).
select.ES	Only produce graphs for the specified effect sizes(s).
select.N	Only produce graphs for the specified sample size(s).
select.MAF	Only produce graphs for the specified minor allele frequency(ies).
select.Case.Rate	Only produce graphs for the specified case rate(s).
select.SD	Only produce graphs for the specified standard deviation(s).
select.True.Model	Only produce graphs for the specified true genetic model(s): "Additive", "Dominant", "Recessive".
select.Test.Model	Only produce graphs for the specified testing model(s): "Additive", "Dominant", "Recessive", "2df".

Value

A series of plots with power on the Y axis.

Examples

```
or <- odds_ratio_function(N=1000, Case.Rate=0.5, k=NULL,
  MAF=seq(0.3, 0.32, 0.01), power=0.8, Alpha=0.05,
  True.Model=c("Dominant", "Recessive"), Test.Model=c("Dominant", "Recessive"))
or.plot(data=or, x='MAF')
```

or_calc

Odds ratio calculation

Description

Calculates odds ratio for given parameters. Used by the function odds_ratio_function.

Usage

```
or_calc(a, b, c, d, e, f, mod, risk_allele)
```

Arguments

a	The probability of a case given homogeneity for the major allele
b	The probability of a case given heterozygosity
c	The probability of a case given homogeneity for the minor allele
d	The probability of a control given homogeneity for the major allele
e	The probability of a control given heterozygosity
f	The probability of a control given homogeneity for the minor allele#'
mod	The model to be used (eg "Dominant", "Recessive", etc)
risk_allele	Is this allele a risk allele? use T or F

Value

Odds ratio

Examples

```
or_calc(a = 0.3649185, b = 0.12797197, c = 0.007109554,
d= 0.4450815, e= 0.05202803, f = 0.002890446,
mod = "Dominant", risk_allele = TRUE)
```

power.calc

Function to Calculate Power

Description

Calculates the power to detect an odds ratio, OR, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
power.calc(
  N = NULL,
  Case.Rate = NULL,
  k = NULL,
  MAF = NULL,
  OR = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

N	Vector of the desired sample size(s)
Case.Rate	Vector of the proportion(s) of cases in the sample (cases/(cases + controls)). Either k or Case.Rate must be specified.
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
MAF	Vector of minor allele frequencies
OR	Vector of odds ratios to detect
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, OR, Power, etc)

Examples

```
pw <- power.calc(N=2000, Case.Rate=0.5, k=NULL,
  MAF=0.2, OR=1.5, Alpha=0.05,
  True.Model='All', Test.Model='All')
```

power.calc.linear *Function to Calculate Power for Linear Models*

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
power.calc.linear(
  N = NULL,
  MAF = NULL,
  ES = NULL,
  R2 = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```


Arguments

N	Vector of the desired sample size(s)
MAF	Vector of minor allele frequencies
ES	Vector of effect sizes (difference in means) to detect. Either ES or R2 must be specified.
R2	Vector of R-squared values to detect. Either ES or R2 must be specified.
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive1', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
pw <- power.calc.linear(N=1000,
  MAF=0.1, ES=3, sd_y = 1, Alpha=0.05,
  True.Model='All', Test.Model='All')
```

power.plot

Function to Plot Power Results

Description

Plot the power results by MAF, OR, Alpha or N

Usage

```
power.plot(
  data = NULL,
  x = "MAF",
  panel.by = "True.Model",
  y_limit = NULL,
  y_log = F,
  return_gg = F,
  linear.effect.measure = "ES",
  select.Alpha = NULL,
  select.OR = NULL,
```

```

select.ES = NULL,
select.N = NULL,
select.MAF = NULL,
select.Case.Rate = NULL,
select.SD = NULL,
select.True.Model = NULL,
select.Test.Model = NULL
)

```

Arguments

<code>data</code>	The data frame result from <code>power.calc</code>
<code>x</code>	The desired variable on the y axis: "MAF", "OR", "Alpha", or "N_total"
<code>panel.by</code>	A grouping variable to panel the graphs by: "True.Model", "MAF", "OR", "Alpha", or "N_total"
<code>y_limit</code>	An object specifying the minimum and maximum of the y-axis (eg <code>c(0,4)</code>) default is NULL, which allows the limits to be picked automatically
<code>y_log</code>	Logical, specifying whether the y axis should be logarithmic. Default is F
<code>return_gg</code>	Logical, specifying whether to return the ggplot object instead of printing out the plot
<code>linear.effect.measure</code>	Should the graphs indicate ES values, or R2 values? (default ES)
<code>select.Alpha</code>	Only produce graphs for the specified Alpha level(s).
<code>select.OR</code>	Only produce graphs for the specified odds ratio(s).
<code>select.ES</code>	Only produce graphs for the specified effect sizes(s).
<code>select.N</code>	Only produce graphs for the specified sample size(s).
<code>select.MAF</code>	Only produce graphs for the specified minor allele frequency(ies).
<code>select.Case.Rate</code>	Only produce graphs for the specified case rate(s).
<code>select.SD</code>	Only produce graphs for the specified standard deviation(s).
<code>select.True.Model</code>	Only produce graphs for the specified true genetic model(s): "Additive", "Dominant", "Recessive".
<code>select.Test.Model</code>	Only produce graphs for the specified testing model(s): "Additive", "Dominant", "Recessive", "2df".

Value

A series of plots with power on the Y axis.

Examples

```

pw <- power.calc(N=1000, Case.Rate=c(0.5), k=NULL,
MAF=seq(0.15, 0.2, 0.01), OR=1.5,Alpha=c(0.05),
True.Model='All', Test.Model='All')

```

power_envir.calc	<i>Function to Calculate Power for Logistic Models with Environment Interaction</i>
------------------	---

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
power_envir.calc(
  N = NULL,
  Case.Rate = NULL,
  k = NULL,
  MAF = NULL,
  OR_G = NULL,
  OR_E = NULL,
  OR_GE = NULL,
  P_e = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

N	Vector of the desired sample size(s)
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
MAF	Vector of minor allele frequencies
OR_G	Vector of genetic odds ratios to detect
OR_E	Vector of environmental odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
P_e	Vector of proportions of the population with exposure to the environmental effect
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive1', 'Additive2', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
pw <- power_envir.calc(P_e = 0.2, MAF = 0.1, N = 200, Case.Rate = 0.5, Alpha = 0.05,
OR_G = 1.5, OR_E = 2, OR_GE = 1.8, Test.Model = "All", True.Model = "All")
```

```
power_envir.calc.linear_outcome
```

Function to Calculate Power for Linear Models with logistic environment interaction

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
power_envir.calc.linear_outcome(
  N = NULL,
  MAF = NULL,
  ES_G = NULL,
  ES_E = NULL,
  ES_GE = NULL,
  P_e = NULL,
  R2_G = NULL,
  R2_E = NULL,
  R2_GE = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

N	Vector of the desired sample size(s)
MAF	Vector of minor allele frequencies
ES_G	Vector of genetic effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_E	Vector of environmental effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.

ES_GE	Vector of genetic/environment interaction effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
P_e	Vector of proportions of the population with exposure to the environmental effect
R2_G	Vector of genetic R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_E	Vector of environmental R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_GE	Vector of genetic/environment interaction R-squared values Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
pw <- power_envir.calc.linear_outcome(N=100, ES_G = 1.2, ES_E = 1.3,
ES_GE = 2, Alpha = 0.05, MAF = 0.2, P_e = 0.2,
sd_y = 10, True.Model = "All", Test.Model = "All")
```

power_linear_envir.calc.linear_outcome

Function to Calculate Power for Linear Models with linear environment interaction

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
power_linear_envir.calc.linear_outcome(
  N = NULL,
  MAF = NULL,
  ES_G = NULL,
  ES_E = NULL,
  ES_GE = NULL,
  sd_e = NULL,
  R2_G = NULL,
  R2_E = NULL,
  R2_GE = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

N	Vector of the desired sample size(s)
MAF	Vector of minor allele frequencies
ES_G	Vector of genetic effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_E	Vector of environmental effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_GE	Vector of genetic/environment interaction effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
sd_e	Standard deviation of the environmental variable
R2_G	Vector of genetic R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_E	Vector of environmental R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_GE	Vector of genetic/environment interaction R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
pw <- power_linear_envir.calc.linear_outcome(N=1000,
ES_G=0.5, ES_E=1.6, ES_GE=1.4,
sd_e = 1, MAF=0.28,
sd_y = 5, Alpha=0.05,
True.Model='All', Test.Model='All')
```

power_linear_envir.calc.logistic_outcome

Function to Calculate Power for Linear Models with logistic environment interaction

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
power_linear_envir.calc.logistic_outcome(
  N = NULL,
  MAF = NULL,
  OR_G = NULL,
  OR_E = NULL,
  OR_GE = NULL,
  sd_e = NULL,
  Case.Rate = NULL,
  k = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

N	Vector of the desired sample size(s)
MAF	Vector of minor allele frequencies
OR_G	Vector of genetic odds ratios to detect
OR_E	Vector of environmental odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect

sd_e	Standard deviation of the environmental variable
Case.Rate	Standard deviation of the outcome in the population (ignoring genotype). Either Case.Rate_x or Case.Rate must be specified.
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
pw <- power_linear_envir.calc.logistic_outcome(N=30,
OR_G=1.1, OR_E=1.2, OR_GE=1.5,
sd_e = 1, MAF=0.2, Case.Rate = 0.2,
Alpha=0.05, True.Model="All", Test.Model="All")
```

p_vec_returner	<i>Function to output probability vector used in calculation of MLE's for linear outcome with logistic environment interaction</i>
----------------	--

Description

Returns probability vector used in calculation of MLE's for linear outcome with logistic environment interaction

Usage

```
p_vec_returner(MAF, P_e)
```

Arguments

MAF	Minor allele frequency
P_e	Population prevalence of logistic environmental factor

Value

A probability vector to be used in MLE calculation for linear outcome with logistic environment interaction

Examples

```
p_vec_returner(MAF = 0.1, P_e = 0.2)
```

`p_vec_returner_lin_env`

Function to output probability vector used in calculation of MLE's for linear outcome with linear environment interaction

Description

Returns probability vector used in calculation of MLE's for linear outcome with linear environment interaction

Usage

```
p_vec_returner_lin_env(MAF)
```

Arguments

MAF Minor Allele Frequency

Value

A probability vector to be used in MLE calculation for linear outcome with linear environment interaction

Examples

```
p_vec_returner_lin_env(0.1)
```

`quad_roots`

Function to Solve Quadratic Equations

Description

Finds the positive root of a quadratic equation $ax^2 + bx + c$.

Usage

```
quad_roots(a, b, c)
```

Arguments

a	the coefficient for x^2
b	the coefficient for x
c	the constant

Value

The positive root of the quadratic equation $ax^2 + bx + c$

Examples

```
pw<-power.calc(N=c(1000,2000), Case.Rate=c(0.5),
k=NULL, MAF=seq(0.05, 0.1, 0.01), OR=c(3,4),
Alpha=c(0.05), True.Model='All', Test.Model='All')
```

rec.fun.t	<i>Function to Calculate t matrix for logistic outcome with binary environment interaction in recessive model</i>
-----------	---

Description

Calculates the t matrix for logistic outcome with binary environment interaction in recessive model

Usage

```
rec.fun.t(MAF, P_e, OR_E, OR_G, OR_GE, Case.Rate)
```

Arguments

MAF	Vector of minor allele frequencies
P_e	Vector of proportions of the population with exposure to the environmental effect
OR_E	Vector of environmental odds ratios to detect
OR_G	Vector of genetic odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).

Value

t matrix for all combinations of environment/outcome

Examples

```
rec.fun.t(MAF = 0.1, P_e = 0.2, Case.Rate = 0.5,
OR_G = 1.5, OR_E = 2, OR_GE = 1.8)
```

rec.or.function	<i>Recessive Model Function</i>
-----------------	---------------------------------

Description

Operates within odds_ratio_function to calculate odds ratios for a Test.Model of "Recessive"

Usage

```
rec.or.function(like, Case.Rate, P_AA, P_AB, P_BB, True.Model, risk_allele)
```

Arguments

like	Expected log likelihood
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele
True.Model	A vector object specifying the true underlying genetic model(s): 'Dominant', 'Additive', or 'Recessive'
risk_allele	Logical: If OR > 1, the allele is classified as a "risk allele"

Value

: The odds ratios and their corresponding genetic model(s)

Examples

```
rec.or.function(like=-0.57162, Case.Rate=0.3, P_AA=0.5625, P_AB=0.375,
  P_BB=0.0625, True.Model="Recessive", risk_allele=TRUE)
```

recessive.ll	<i>Function to Calculate Recessive Log Likelihood for a Logistic Regression Model</i>
--------------	---

Description

Calculates the log likelihood for a given set of logistic regression coefficients under a recessive genetic model.

Usage

```
recessive.ll(beta, t)
```

Arguments

beta	Vector of logistic regression coefficients.
t	A 2x3 table of joint probabilities of disease and genotype. Rows = case vs. control, columns=genotype.

Value

The log likelihood.

Examples

```
recessive.ll(c(-0.3793525, -1.1395417),
  rbind(c(0.2339079, 0.05665039, 0.009441731),
  c(0.3285921, 0.31834961, 0.053058269)))
```

recessive.ll.linear *Function to Calculate Recessive Log Likelihood for a Linear Regression Model*

Description

Calculates the log likelihood for a given set of linear regression coefficients under a recessive genetic model.

Usage

```
recessive.ll.linear(beta, m, es, sd_y_x_model, sd_y_x_truth)
```

Arguments

beta	Vector of linear regression coefficients.
m	Minor allele frequency.
es	Vector of effect sizes with two elements, (mean AB - mean AA) and (mean BB - mean AA).
sd_y_x_model	The standard deviation of Y (the outcome) given X (predictors/genotype) under the test model.
sd_y_x_truth	The standard deviation of Y given X (predictors/genotype) given genotype under the true model.

Value

The log likelihood.

Examples

```
recessive.ll.linear(beta = c(0, 3), m = 0.1, es = c(0,3),
  sd_y_x_model = 0.9544108, sd_y_x_truth = 0.9544108)
```

solve_a	<i>Binomial coefficient calculation</i>
---------	---

Description

Operates within add.or.function to solve for 'a' when 'b' is known in an additive model

Usage

```
solve_a(b, cr, P_AA, P_AB, P_BB)
```

Arguments

b	The "b" in the binomial function $ax^2 + bx + c$ that arises in solution for the additive OR functions
cr	proportion of cases in the sample (cases/(cases + controls)).
P_AA	Probability the allele is homozygous for the major allele
P_AB	Probability the allele is heterozygous
P_BB	Probability the allele is homozygous for the minor allele

Value

: The "a" in the binomial function $ax^2 + bx + c$ that arises in solution for the additive OR functions

Examples

```
solve_a(0.1493558, 0.3, 0.5625, 0.375, 0.062)
```

ss.calc	<i>Function to Calculate Sample Size</i>
---------	--

Description

Calculates the necessary sample size to achieve the specified level of power to detect an odds ratio, OR, with type 1 error rate, Alpha

Usage

```
ss.calc(
  power = 0.8,
  Case.Rate = NULL,
  k = NULL,
  MAF = NULL,
  OR = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

power	Vector of the desired power(s)
Case.Rate	Vector of the proportion(s) of cases in the sample (cases/(cases + controls)). Either k or Case.Rate must be specified.
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
MAF	Vector of minor allele frequencies
OR	Vector of odds ratios to detect
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the total number of subjects required for all combinations of the specified parameters (Case.Rate, OR, Power, etc)

Examples

```
ss <- ss.calc(power=0.8, Case.Rate=0.5, k=NULL,
  MAF=0.1, OR=3, Alpha=0.05,
  True.Model='All', Test.Model='All')
```

ss.calc.linear *Function to Calculate Sample Size in Linear Models*

Description

Calculates the necessary sample size to achieve the specified level of power to detect an effect size, ES or R2 value, with type 1 error rate, Alpha

Usage

```
ss.calc.linear(
  power = 0.8,
  MAF = NULL,
  ES = NULL,
  R2 = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

power	Vector of the desired power(s)
MAF	Vector of minor allele frequencies
ES	Vector of effect sizes (difference in means) to detect. Either ES or R2 must be specified.
R2	Vector of R-squared values to detect. Either ES or R2 must be specified.
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the total number of subjects required for all combinations of the specified parameters

Examples

```
ss <- ss.calc.linear(power=0.8,MAF=0.1,
  ES=3, R2=NULL, sd_y = 1,Alpha=0.05,
  True.Model='All', Test.Model='All')
```

 ss.plot

Function to Plot Sample Size Results

Description

Plot the sample size results by MAF, OR, Alpha or Power

Usage

```
ss.plot(
  data = NULL,
  x = "MAF",
  panel.by = "True.Model",
  y_limit = NULL,
  y_log = F,
  return_gg = F,
  linear.effect.measure = "ES",
  select.Alpha = NULL,
  select.OR = NULL,
  select.ES = NULL,
  select.Power = NULL,
  select.MAF = NULL,
  select.Case.Rate = NULL,
  select.SD = NULL,
  select.True.Model = NULL,
  select.Test.Model = NULL
)
```

Arguments

data	The data frame result from ss.calc
x	The desired variable on the y axis: "MAF", "OR", "ES", "Alpha", or "Power"
panel.by	A grouping variable to panel the graphs by: "True.Model", "MAF", "OR", "Alpha", or "Power"
y_limit	An object specifying the minimum and maximum of the y-axis (eg c(0,4)) default is NULL, which allows the limits to be picked automatically
y_log	Logical, specifying whether the y axis should be logarithmic. Default is F
return_gg	Logical, specifying whether to return the ggplot object instead of printing out the plot
linear.effect.measure	Should the graphs indicate ES values, or R2 values? (default ES)
select.Alpha	Only produce graphs for the specified Alpha level(s).
select.OR	Only produce graphs for the specified odds ratio(s).
select.ES	Only produce graphs for the specified effect size(s).

`select.Power` Only produce graphs for the specified power(s).
`select.MAF` Only produce graphs for the specified minor allele frequency(ies).
`select.Case.Rate`
 Only produce graphs for the specified case rate(s).
`select.SD` Only produce graphs for the specified standard deviation(s).
`select.True.Model`
 Only produce graphs for the specified true genetic model(s): "Additive", "Dominant", "Recessive".
`select.Test.Model`
 Only produce graphs for the specified testing model(s): "Additive", "Dominant", "Recessive", "2df".

Value

A series of plots with sample size on the Y axis.

Examples

```

ss <- ss.calc(power=0.8, Case.Rate=c(0.5), k=NULL,
             MAF=seq(0.01, 0.05, 0.01), OR=c(4), Alpha=c(0.05),
             True.Model='All', Test.Model='All')
ss.plot(data=ss, x='MAF', panel.by='OR')
  
```

ss_envir.calc	<i>Function to Calculate Power for Logistic Models with Environment Interaction</i>
---------------	---

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```

ss_envir.calc(
  power = 0.8,
  Case.Rate = NULL,
  k = NULL,
  MAF = NULL,
  OR_G = NULL,
  OR_E = NULL,
  OR_GE = NULL,
  P_e = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
  
```

Arguments

power	Vector of the desired power(s)
Case.Rate	proportion of cases in the sample (cases/(cases + controls)).
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
MAF	Vector of minor allele frequencies
OR_G	Vector of genetic odds ratios to detect
OR_E	Vector of environmental odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
P_e	Vector of proportions of the population with exposure to the environmental effect
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive1', 'Additive2', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
ssc <- ss_envir.calc(P_e = 0.2, MAF = 0.1, power = 0.6, Case.Rate = 0.5, Alpha = 0.05,
OR_G = 1.5, OR_E = 2, OR_GE = 1.8, Test.Model = "All", True.Model = "All")
```

```
ss_envir.calc.linear_outcome
```

Function to Calculate Power for Linear Models with logistic environment interaction

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```

ss_envir.calc.linear_outcome(
  pow = NULL,
  MAF = NULL,
  ES_G = NULL,
  ES_E = NULL,
  ES_GE = NULL,
  P_e = NULL,
  R2_G = NULL,
  R2_E = NULL,
  R2_GE = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)

```

Arguments

pow	Vector of the desired power(s)
MAF	Vector of minor allele frequencies
ES_G	Vector of genetic effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_E	Vector of environmental effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_GE	Vector of genetic/environment interaction effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
P_e	Vector of proportions of the population with exposure to the environmental effect
R2_G	Vector of genetic R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_E	Vector of environmental R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_GE	Vector of genetic/environment interaction R-squared values Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
ss_linear_envir.calc.linear_outcome(pow=0.8, ES_G = 1.2, ES_E = 1.3,
ES_GE = 2, Alpha = 0.05, MAF = 0.1, P_e = 0.2,
sd_y = 10, True.Model = "All", Test.Model = "All")
```

```
ss_linear_envir.calc.linear_outcome
```

Function to Calculate Power for Linear Models with linear environment interaction

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
ss_linear_envir.calc.linear_outcome(
  pow = NULL,
  MAF = NULL,
  ES_G = NULL,
  ES_E = NULL,
  ES_GE = NULL,
  sd_e = NULL,
  R2_G = NULL,
  R2_E = NULL,
  R2_GE = NULL,
  sd_y = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

pow	Vector of the desired power(s)
MAF	Vector of minor allele frequencies
ES_G	Vector of genetic effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
ES_E	Vector of environmental effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.

ES_GE	Vector of genetic/environment interaction effect sizes (difference in means) to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
sd_e	Standard deviation of the environmental variable
R2_G	Vector of genetic R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_E	Vector of environmental R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
R2_GE	Vector of genetic/environment interaction R-squared values to detect. Either ES_G, ES_E, and ES_EG or R2_G, R2_E, and R2_EG must be specified.
sd_y	Standard deviation of the outcome in the population (ignoring genotype). Either sd_y_x or sd_y must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
ss_linear_envir.calc.linear_outcome(pow = 0.8,
  ES_G=0.5, ES_E=1.6, ES_GE=1.4,
  sd_e = 1, MAF=0.28,
  sd_y = 5, Alpha=0.05,
  True.Model='All', Test.Model='All')
```

```
ss_linear_envir.calc.logistic_outcome
```

Function to Calculate Sample Size for Linear Models with logistic environment interaction

Description

Calculates the power to detect an difference in means/effect size/regression coefficient, at a given sample size, N, with type 1 error rate, Alpha

Usage

```
ss_linear_envir.calc.logistic_outcome(
  power = NULL,
  MAF = NULL,
  OR_G = NULL,
  OR_E = NULL,
  OR_GE = NULL,
  sd_e = NULL,
  Case.Rate = NULL,
  k = NULL,
  Alpha = 0.05,
  True.Model = "All",
  Test.Model = "All"
)
```

Arguments

power	Vector of the desired power(s)
MAF	Vector of minor allele frequencies
OR_G	Vector of genetic odds ratios to detect
OR_E	Vector of environmental odds ratios to detect
OR_GE	Vector of genetic/environmental interaction odds ratios to detect
sd_e	Standard deviation of the environmental variable
Case.Rate	Standard deviation of the outcome in the population (ignoring genotype). Either Case.Rate_x or Case.Rate must be specified.
k	Vector of the number of controls per case. Either k or Case.Rate must be specified.
Alpha	the desired type 1 error rate(s)
True.Model	A vector specifying the true underlying genetic model(s): 'Dominant', 'Additive', 'Recessive' or 'All'
Test.Model	A vector specifying the assumed genetic model(s) used in testing: 'Dominant', 'Additive', 'Recessive' or 'All'

Value

A data frame including the power for all combinations of the specified parameters (Case.Rate, ES, Power, etc)

Examples

```
ss <- ss_linear_envir.calc.logistic_outcome(power=0.8,
OR_G=1.1, OR_E=1.2, OR_GE=1.5,
sd_e = 1, MAF=0.2, Case.Rate = 0.2,
Alpha=0.05, True.Model="All", Test.Model="All")
```

X_mat_returner	<i>Function to output X matrices used in calculation of MLE's for linear outcome with logistic environment interaction</i>
----------------	--

Description

Returns X matrices used in calculation of MLE's for linear outcome with logistic environment interaction

Usage

```
X_mat_returner(mod, reduced = F)
```

Arguments

mod	type of model
reduced	logical, indicates whether the X matrix will be used for a reduced model

Value

A matrix to be used in MLE calculation for linear outcome with logistic environment interaction

Examples

```
X_mat_returner(mod = "Dominant")
```

X_mat_returner_lle	<i>Function to output X matrices used in calculation of MLE's for linear outcome with linear environment interaction</i>
--------------------	--

Description

Function to output X matrices used in calculation of MLE's for linear outcome with linear environment interaction

Usage

```
X_mat_returner_lle(mod)
```

Arguments

mod	type of model
-----	---------------

Value

A probability vector to be used in MLE calculation for linear outcome with linear environment interaction

Examples

```
X_mat_returner_1le("Dominant")
```

```
zero_finder_nleqslv    Zero finder
```

Description

Finds zeros of multinomial functions using the nleqslv package

Usage

```
zero_finder_nleqslv(
  afun,
  veclength,
  tol = 0.4,
  x.start.vals = NULL,
  upper.lim = Inf
)
```

Arguments

afun	The function to find zeros
veclength	The dimension of the system of equations
tol	The range within which to set start values for the function to use to find zeros
x.start.vals	Optional user defined start values
upper.lim	to be used if there is to be an upper limit to the solution

Value

Predicted zeros of the given equation

Examples

```
afun <- function(x) {
  y <- numeric(2)
  y[1] <- x[1]^2 + x[2]^2 - 1
  y[2] <- exp(x[1]-1) + x[2]^3 - 1.1
  y
}

zero_finder_nleqslv(afun, veclength = 2)
```


Index

add.fun.t, 3
add.or.function, 4
additive.ll, 5
additive.ll.linear, 5
as.numeric2, 6

calc.like, 7
calc.like.linear, 7
calc.like.linear.log.envir.interaction, 8

df2.ll, 9
df2.ll.linear, 10
dom.fun.t, 11
dom.or.function, 11
dominant.ll, 12
dominant.ll.linear, 13

es.calc.linear, 14
expected.linear.ll, 15
expected.linear.ll.lin.env, 15

find.prob.dom, 16
find.prob.rec, 17

genpwr.calc, 17

integrand_funct_case, 20
integrand_funct_control, 20

linear.mles, 21
linear.mles.lin.envir.interaction, 22
linear.mles.lin.envir.interaction_reduced, 23
linear.mles.log.envir.interaction, 24
linear.outcome.lin.envir.interaction.sds, 25
linear.outcome.lin.envir.interaction.sds_reduced, 26
linear.outcome.log.envir.interaction.sds, 27

linear.sds, 28
ll.ge.logistic, 28
ll.ge.logistic.lin.envir, 29
ll.linear.selector, 30
ll_zero_finder2, 31
logistic.mles, 32
logit, 32

ncp.search, 33
null.ll, 34
null.ll.linear, 34

odds_ratio_function, 35
or.function.2df, 36
or.plot, 37
or_calc, 38

p_vec_returner, 48
p_vec_returner_lin_env, 49
power.calc, 37, 39, 42
power.calc.linear, 40
power.plot, 41
power_envir.calc, 43
power_envir.calc.linear_outcome, 44
power_linear_envir.calc.linear_outcome, 45
power_linear_envir.calc.logistic_outcome, 47

quad_roots, 49

rec.fun.t, 50
rec.or.function, 51
recessive.ll, 51
recessive.ll.linear, 52

solve_a, 53
ss.calc, 33, 53, 56
ss.calc.linear, 55
ss.plot, 56
ss_envir.calc, 57

ss_envir.calc.linear_outcome, [58](#)
ss_linear_envir.calc.linear_outcome,
 [60](#)
ss_linear_envir.calc.logistic_outcome,
 [61](#)

X_mat_returner, [63](#)
X_mat_returner_lle, [63](#)

zero_finder_nleqslv, [64](#)