

Package ‘hybridEnsemble’

October 13, 2022

Type Package

Title Build, Deploy and Evaluate Hybrid Ensembles

Version 1.7.8

Date 2022-05-09

Imports randomForest, kernelFactory, ada, rpart, ROCR, nnet, e1071, NMOF, GenSA, Rmalschains, pso, AUC, soma, genalg, reportr, nnls, quadprog, tabuSearch, rotationForest, FNN, glmnet, foreach, doParallel, parallel

Author Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel

Maintainer Michel Ballings <Michel.Ballings@GMail.com>

Description Functions to build and deploy a hybrid ensemble consisting of different sub-ensembles such as bagged logistic regressions, random forest, stochastic boosting, kernel factory, bagged neural networks, bagged support vector machines, rotation forest, bagged k-nearest neighbors, and bagged naive Bayes. Functions to cross-validate the hybrid ensemble and plot and summarize the results are also provided. There is also a function to assess the importance of the predictors.

License GPL (>= 2)

Suggests testthat

RoxygenNote 7.1.2

Encoding UTF-8

NeedsCompilation no

Repository CRAN

Date/Publication 2022-05-10 17:40:05 UTC

R topics documented:

Credit	2
CVhybridEnsemble	3
hybridEnsemble	9
hybridEnsembleNews	16
importance.hybridEnsemble	17

plot.CVhybridEnsemble	18
predict.hybridEnsemble	20
summary.CVhybridEnsemble	21

Index	24
--------------	-----------

Credit	<i>Credit approval (Frank and Asuncion, 2010)</i>
--------	---

Description

Credit contains credit card applications. The dataset has a good mix of continuous and categorical features.

Usage

```
data(Credit)
```

Format

A data frame with 690 observations and 38 predictors, and a binary criterion variable called Response

Details

Missings are imputed and categorical variables are transformed to binary features.

Source

Frank, A. and Asuncion, A. (2010). UCI Machine Learning Repository [<http://archive.ics.uci.edu/ml>]. Irvine, CA: University of California, School of Information and Computer Science.

References

The original dataset can be downloaded at <http://archive.ics.uci.edu/ml/datasets/Credit+Approval>

Examples

```
data(Credit)
str(Credit)
table(Credit$Response)
```

CVhybridEnsemble	<i>Five times twofold cross-validation for the Hybrid Ensemble function</i>
------------------	---

Description

CVhybridEnsemble cross-validates (five times twofold) ([hybridEnsemble](#)) and computes performance statistics that can be plotted ([plot.CVhybridEnsemble](#)) and summarized ([summary.CVhybridEnsemble](#)).

Usage

```
CVhybridEnsemble(
  x = NULL,
  y = NULL,
  algorithms = c("LR", "RF", "AB", "KF", "NN", "SV", "RoF", "KN", "NB"),
  combine = NULL,
  eval.measure = "auc",
  diversity = FALSE,
  parallel = FALSE,
  verbose = FALSE,
  oversample = TRUE,
  calibrate = FALSE,
  filter = 0.03,
  LR.size = 10,
  RF.ntree = 500,
  AB.iter = 500,
  AB.maxdepth = 3,
  KF.cp = 1,
  KF.rp = round(log(nrow(x), 10)),
  KF.ntree = 500,
  NN.rang = 0.1,
  NN.maxit = 10000,
  NN.size = c(5, 10, 20),
  NN.decay = c(0, 0.001, 0.01, 0.1),
  NN.skip = c(TRUE, FALSE),
  NN.ens.size = 10,
  SV.gamma = 2^(-15:3),
  SV.cost = 2^(-5:13),
  SV.degree = c(2, 3),
  SV.kernel = c("radial", "sigmoid", "linear", "polynomial"),
  SV.size = 10,
  RoF.L = 10,
  KN.K = c(1:150),
  KN.size = 10,
  NB.size = 10,
  rbga.popSize = length(algorithms) * 14,
  rbga.iters = 500,
  rbga.mutationChance = 1/rbga.popSize,
```

```

rbga.elitism = max(1, round(rbga.popSize * 0.05)),
DEopt.nP = 20,
DEopt.nG = 500,
DEopt.F = 0.9314,
DEopt.CR = 0.6938,
GenSA.maxit = 500,
GenSA.temperature = 0.5,
GenSA.visiting.param = 2.7,
GenSA.acceptance.param = -5,
GenSA.max.call = 1e+07,
malschains.popsize = 60,
malschains.ls = "cmaes",
malschains.istep = 300,
malschains.effort = 0.5,
malschains.alpha = 0.5,
malschains.threshold = 1e-08,
malschains.maxEvals = 500,
psoptim.maxit = 500,
psoptim.maxf = Inf,
psoptim.abstol = -Inf,
psoptim.reltol = 0,
psoptim.s = 40,
psoptim.k = 3,
psoptim.p = 1 - (1 - 1/psoptim.s)^psoptim.k,
psoptim.w = 1/(2 * log(2)),
psoptim.c.p = 0.5 + log(2),
psoptim.c.g = 0.5 + log(2),
soma.pathLength = 3,
soma.stepLength = 0.11,
soma.perturbationChance = 0.1,
soma.minAbsoluteSep = 0,
soma.minRelativeSep = 0.001,
soma.nMigrations = 500,
soma.populationSize = 10,
tabu.iters = 500,
tabu.listSize = c(5:12)
)

```

Arguments

x	A data frame of predictors. Categorical variables need to be transformed to binary (dummy) factors.
y	A factor of observed class labels (responses) with the only allowed values {0,1}.,
algorithms	Which algorithms to use {"LR","RF","AB","KF","NN","SV","RoF","KN","NB"}. LR= Bagged Logistic Regression, RF=Random Forest, AB= AdaBoost, KF= Kernel Factory, NN= Bagged Neural Network, SV= Bagged Support Vector Machines, RoF= Rotation Forest, KN= Bagged K- Nearest Neighbors, NB= Bagged Naive Bayes.

combine	Additional methods for combining the sub-ensembles. The simple mean, authority-based weighting and the single best are automatically provided since they are very efficient. Possible additional methods: Genetic Algorithm: "rbga", Differential Evolutionary Algorithm: "DEopt", Generalized Simulated Annealing: "GenSA", Memetic Algorithm with Local Search Chains: "malschains", Particle Swarm Optimization: "psoptim", Self-Organising Migrating Algorithm: "soma", Tabu Search Algorithm: "tabu", Non-negative binomial likelihood: "NNloglik", Goldfarb-Idnani Non-negative least squares: "GINNLS", Lawson-Hanson Non-negative least squares: "LHNNLS".
eval.measure	Evaluation measure for the following combination methods: authority-based method, single best, "rbga", "DEopt", "GenSA", "malschains", "psoptim", "soma", "tabu". Default is the area under the receiver operator characteristic curve 'auc'. The area under the sensitivity curve ('sens') and the area under the specificity curve ('spec') are also supported.
diversity	TRUE or FALSE. Will set predict.all=TRUE in hybridEnsemble and compute diversity at the sub-ensemble and hybrid (i.e., meta)-ensemble level? Diversity is defined as 1 minus the absolute value of the mean of the pairwise correlations. The AUC will also be provided. For the AUC of the meta-ensemble the simple mean is used.
parallel	TRUE or FALSE. Should the cross-validation be executed in parallel. Will use all available cores.
verbose	TRUE or FALSE. Should information be printed to the screen while estimating the Hybrid Ensemble.
oversample	TRUE or FALSE. Should oversampling be used? Setting oversample to TRUE helps avoid computational problems related to the subsetting process.
calibrate	TRUE or FALSE. If FALSE percentile ranks of the prediction vectors will be used.
filter	either NULL (deactivate) or a percentage denoting the minimum class size of dummy predictors. This parameter is used to remove near constants. For example if nrow(xTRAIN)=100, and filter=0.01 then all dummy predictors with any class size equal to 1 will be removed. Set this higher (e.g., 0.05 or 0.10) in case of errors.
LR.size	Logistic Regression parameter. Ensemble size of the bagged logistic regression sub-ensemble.
RF.ntree	Random Forest parameter. Number of trees to grow.
AB.iter	Stochastic AdaBoost parameter. Number of boosting iterations to perform.
AB.maxdepth	Stochastic AdaBoost parameter. The maximum depth of any node of the final tree, with the root node counted as depth 0.
KF.cp	Kernel Factory parameter. The number of column partitions.
KF.rp	Kernel Factory parameter. The number of row partitions.
KF.ntree	Kernel Factory parameter. Number of trees to grow.
NN.rang	Neural Network parameter. Initial random weights on [-rang, rang].
NN.maxit	Neural Network parameter. Maximum number of iterations.

NN.size	Neural Network parameter. Number of units in the single hidden layer. Can be mutiple values that need to be optimized.
NN.decay	Neural Network parameter. Weight decay. Can be mutiple values that need to be optimized.
NN.skip	Neural Network parameter. Switch to add skip-layer connections from input to output. Can be boolean vector (TRUE and FALSE) for optimization.
NN.ens.size	Neural Network parameter. Ensemble size of the neural network sub-ensemble.
SV.gamma	Support Vector Machines parameter. Width of the Guassian for radial basis and sigmoid kernel. Can be mutiple values that need to be optimized.
SV.cost	Support Vector Machines parameter. Penalty (soft margin constant). Can be mutiple values that need to be optimized.
SV.degree	Support Vector Machines parameter. Degree of the polynomial kernel. Can be mutiple values that need to be optimized.
SV.kernel	Support Vector Machines parameter. Kernels to try. Can be one or more of: 'radial', 'sigmoid', 'linear', 'polynomial'. Can be mutiple values that need to be optimized.
SV.size	Support Vector Machines parameter. Ensemble size of the SVM sub-ensemble.
RoF.L	Rotation Forest parameter. Number of trees to grow.
KN.K	K-Nearest Neighbors parameter. Number of nearest neighbors to try. For example c(10,20,30). The optimal K will be selected. If larger than nrow(xTRAIN) the maximum K will be reset to 50% of nrow(xTRAIN). Can be mutiple values that need to be optimized.
KN.size	K-Nearest Neighbors parameter. Ensemble size of the K-nearest neighbor sub-ensemble.
NB.size	Naive Bayes parameter. Ensemble size of the bagged naive bayes sub-ensemble.
rbga.popSize	Genetic Algorithm parameter. Population size. Default is 14 times the number of variables.
rbga.iters	Genetic Algorithm parameter. Number of iterations.
rbga.mutationChance	Genetic Algorithm parameter. The chance that a gene in the chromosome mutates.
rbga.elitism	Genetic Algorithm parameter. Number of chromosomes that are kept into the next generation.
DEopt.nP	Differential Evolutionary Algorithm parameter. Population size.
DEopt.nG	Differential Evolutionary Algorithm parameter. Number of generations.
DEopt.F	Differential Evolutionary Algorithm parameter. Step size.
DEopt.CR	Differential Evolutionary Algorithm parameter. Probability of crossover.
GenSA.maxit	Generalized Simulated Annealing. Maximum number of iterations.
GenSA.temperature	Generalized Simulated Annealing. Initial value for temperature.
GenSA.visiting.param	Generalized Simulated Annealing. Parameter for visiting distribution.

GenSA.acceptance.param	Generalized Simulated Annealing. Parameter for acceptance distribution.
GenSA.max.call	Generalized Simulated Annealing. Maximum number of calls of the objective function.
malschains.popsiz	Memetic Algorithm with Local Search Chains parameter. Population size.
malschains.ls	Memetic Algorithm with Local Search Chains parameter. Local search method.
malschains.istep	Memetic Algorithm with Local Search Chains parameter. Number of iterations of the local search.
malschains.effort	Memetic Algorithm with Local Search Chains parameter. Value between 0 and 1. The ratio between the number of evaluations for the local search and for the evolutionary algorithm. A higher effort means more evaluations for the evolutionary algorithm.
malschains.alpha	Memetic Algorithm with Local Search Chains parameter. Crossover BLX-alpha. Lower values (<0.3) reduce diversity and a higher value increases diversity.
malschains.threshold	Memetic Algorithm with Local Search Chains parameter. Threshold that defines how much improvement in the local search is considered to be no improvement.
malschains.maxEvals	Memetic Algorithm with Local Search Chains parameter. Maximum number of evaluations.
psoptim.maxit	Particle Swarm Optimization parameter. Maximum number of iterations.
psoptim.maxf	Particle Swarm Optimization parameter. Maximum number of function evaluations.
psoptim.abstol	Particle Swarm Optimization parameter. Absolute convergence tolerance.
psoptim.reltol	Particle Swarm Optimization parameter. Tolerance for restarting.
psoptim.s	Particle Swarm Optimization parameter. Swarm size.
psoptim.k	Particle Swarm Optimization parameter. Exponent for calculating number of informants.
psoptim.p	Particle Swarm Optimization parameter. Average percentage of informants for each particle.
psoptim.w	Particle Swarm Optimization parameter. Exploitation constant.
psoptim.c.p	Particle Swarm Optimization parameter. Local exploration constant.
psoptim.c.g	Particle Swarm Optimization parameter. Global exploration constant.
soma.pathLength	Self-Organising Migrating Algorithm parameter. Distance (towards the leader) that individuals may migrate.
soma.stepLength	Self-Organising Migrating Algorithm parameter. Granularity at which potential steps are evaluated.

<code>soma.perturbationChance</code>	Self-Organising Migrating Algorithm parameter. Probability that individual parameters are changed on any given step.
<code>soma.minAbsoluteSep</code>	Self-Organising Migrating Algorithm parameter. Smallest absolute difference between maximum and minimum cost function values. Below this minimum the algorithm will terminate.
<code>soma.minRelativeSep</code>	Self-Organising Migrating Algorithm parameter. Smallest relative difference between maximum and minimum cost function values. Below this minimum the algorithm will terminate.
<code>soma.nMigrations</code>	Self-Organising Migrating Algorithm parameter. Maximum number of migrations to complete.
<code>soma.populationSize</code>	Self-Organising Migrating Algorithm parameter. Population size.
<code>tabu.iters</code>	Number of iterations in the preliminary search of the algorithm.
<code>tabu.listSize</code>	Tabu list size.

Value

A list of class CVhybridEnsemble containing the following elements:

MEAN	For the simple mean combination method: A list containing the median and inter quartile range of the performance evaluations, the performance evaluations on each fold, and the predictions and reponse vectors for each fold.
AUTHORITY	For the authority combination method: A list containing the median and inter quartile range of the performance evaluations, the performance evaluations on each fold, and the predictions and reponse vectors for each fold.
SB	For the single best: A list containing the median and inter quartile range of the performance evaluations, the performance evaluations on each fold, and the predictions and reponse vectors for each fold.

..and all the combination methods that are requested.

<code>eval.measure</code>	The performance measure that was used
<code>diversity</code>	Data frame containing the diversity (1 minus the absolute value of the mean of the pairwise correlations), and mean auc and accuracy(threshold=0.5) of the hybrid ensemble and the sub-ensembles.

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[hybridEnsemble](#), [predict.hybridEnsemble](#), [importance.hybridEnsemble](#), [plot.CVhybridEnsemble](#), [summary.CVhybridEnsemble](#)

Examples

```
data(Credit)

## Not run:
x <- Credit[1:200, names(Credit) != 'Response']
x <- x[, sapply(x, is.numeric)]
CVhE <- CVhybridEnsemble(x=x,
                        y=Credit$Response[1:200],
                        verbose=TRUE,
                        KF.rp=1,
                        RF.ntree=50,
                        AB.iter=50,
                        NN.size=5,
                        NN.decay=0,
                        SV.gamma = 2^-15,
                        SV.cost = 2^-5,
                        SV.degree=2,
                        SV.kernel='radial')

## End(Not run)
```

hybridEnsemble

Binary classification with Hybrid Ensemble

Description

hybridEnsemble can build an ensemble consisting of nine different sub-ensembles: Bagged Logistic Regressions, Random Forest, Stochastic AdaBoost, Kernel Factory, Bagged Neural Networks, Bagged Support Vector Machines, Rotation Forest, Bagged K-Nearest Neighbors, and Naive Bayes.

Usage

```
hybridEnsemble(
  x = NULL,
  y = NULL,
  algorithms = c("LR", "RF", "AB", "KF", "NN", "SV", "RoF", "KN", "NB"),
  combine = NULL,
  eval.measure = "auc",
  verbose = FALSE,
  oversample = TRUE,
  calibrate = FALSE,
  filter = 0.01,
```

```
LR.size = 10,
RF.ntree = 500,
AB.iter = 500,
AB.maxdepth = 3,
KF.cp = 1,
KF.rp = round(log(nrow(x), 10)),
KF.ntree = 500,
NN.rang = 0.1,
NN.maxit = 10000,
NN.size = c(5, 10, 20),
NN.decay = c(0, 0.001, 0.01, 0.1),
NN.skip = c(TRUE, FALSE),
NN.ens.size = 10,
SV.gamma = 2^(-15:3),
SV.cost = 2^(-5:13),
SV.degree = c(2, 3),
SV.kernel = c("radial", "sigmoid", "linear", "polynomial"),
SV.size = 10,
RoF.L = 10,
KN.K = c(1:150),
KN.size = 10,
NB.size = 10,
rbga.popSize = length(algorithms) * 14,
rbga.iters = 500,
rbga.mutationChance = 1/rbga.popSize,
rbga.elitism = max(1, round(rbga.popSize * 0.05)),
DEopt.nP = 20,
DEopt.nG = 300,
DEopt.F = 0.9314,
DEopt.CR = 0.6938,
GenSA.maxit = 300,
GenSA.temperature = 0.5,
GenSA.visiting.param = 2.7,
GenSA.acceptance.param = -5,
GenSA.max.call = 1e+07,
malschains.popsize = 60,
malschains.ls = "cmaes",
malschains.istep = 300,
malschains.effort = 0.5,
malschains.alpha = 0.5,
malschains.threshold = 1e-08,
malschains.maxEvals = 300,
psoptim.maxit = 300,
psoptim.maxf = Inf,
psoptim.abstol = -Inf,
psoptim.reltol = 0,
psoptim.s = 40,
psoptim.k = 3,
```

```

psoptim.p = 1 - (1 - 1/psoptim.s)^psoptim.k,
psoptim.w = 1/(2 * log(2)),
psoptim.c.p = 0.5 + log(2),
psoptim.c.g = 0.5 + log(2),
soma.pathLength = 3,
soma.stepLength = 0.11,
soma.perturbationChance = 0.1,
soma.minAbsoluteSep = 0,
soma.minRelativeSep = 0.001,
soma.nMigrations = 300,
soma.populationSize = 10,
tabu.iterers = 300,
tabu.listSize = c(5:12)
)

```

Arguments

x	A data frame of predictors. Categorical variables need to be transformed to binary (dummy) factors.
y	A factor of observed class labels (responses) with the only allowed values {0,1}.,
algorithms	Which algorithms to use {"LR", "RF", "AB", "KF", "NN", "SV", "RoF", "KN", "NB"}. LR= Bagged Logistic Regression, RF=Random Forest, AB= AdaBoost, KF= Kernel Factory, NN= Bagged Neural Network, SV= Bagged Support Vector Machines, RoF= Rotation Forest, KN= Bagged K- Nearest Neighbors, NB= Bagged Naive Bayes.
combine	Additional methods for combining the sub-ensembles. The simple mean, authority-based weighting and the single best are automatically provided since they are very efficient. Possible additional methods: Genetic Algorithm: "rbga", Differential Evolutionary Algorithm: "DEopt", Generalized Simulated Annealing: "GenSA", Memetic Algorithm with Local Search Chains: "malschains", Particle Swarm Optimization: "psoptim", Self-Organising Migrating Algorithm: "soma", Tabu Search Algorithm: "tabu", Non-negative binomial likelihood: "NNloglik", Goldfarb-Idnani Non-negative least squares: "GINNLS", Lawson-Hanson Non-negative least squares: "LHNNLS".
eval.measure	Evaluation measure for the following combination methods: authority-based method, single best, "rbga", "DEopt", "GenSA", "malschains", "psoptim", "soma", "tabu". Default is the area under the receiver operator characteristic curve 'auc'. The area under the sensitivity curve ('sens') and the area under the specificity curve ('spec') are also supported.
verbose	TRUE or FALSE. Should information be printed to the screen while estimating the Hybrid Ensemble.
oversample	TRUE or FALSE. Should oversampling be used? Setting oversample to TRUE helps avoid computational problems related to the subsetting process.
calibrate	TRUE or FALSE. If FALSE percentile ranks of the prediction vectors will be used.

filter	either NULL (deactivate) or a percentage denoting the minimum class size of dummy predictors. This parameter is used to remove near constants. For example if $nrow(xTRAIN)=100$, and $filter=0.01$ then all dummy predictors with any class size equal to 1 will be removed. Set this higher (e.g., 0.05 or 0.10) in case of errors.
LR.size	Logistic Regression parameter. Ensemble size of the bagged logistic regression sub-ensemble.
RF.ntree	Random Forest parameter. Number of trees to grow.
AB.iter	Stochastic AdaBoost parameter. Number of boosting iterations to perform.
AB.maxdepth	Stochastic AdaBoost parameter. The maximum depth of any node of the final tree, with the root node counted as depth 0.
KF.cp	Kernel Factory parameter. The number of column partitions.
KF.rp	Kernel Factory parameter. The number of row partitions.
KF.ntree	Kernel Factory parameter. Number of trees to grow.
NN.rang	Neural Network parameter. Initial random weights on [-rang, rang].
NN.maxit	Neural Network parameter. Maximum number of iterations.
NN.size	Neural Network parameter. Number of units in the single hidden layer. Can be mutiple values that need to be optimized.
NN.decay	Neural Network parameter. Weight decay. Can be mutiple values that need to be optimized.
NN.skip	Neural Network parameter. Switch to add skip-layer connections from input to output. Can be boolean vector (TRUE and FALSE) for optimization.
NN.ens.size	Neural Network parameter. Ensemble size of the neural network sub-ensemble.
SV.gamma	Support Vector Machines parameter. Width of the Guassian for radial basis and sigmoid kernel. Can be mutiple values that need to be optimized.
SV.cost	Support Vector Machines parameter. Penalty (soft margin constant). Can be mutiple values that need to be optimized.
SV.degree	Support Vector Machines parameter. Degree of the polynomial kernel. Can be mutiple values that need to be optimized.
SV.kernel	Support Vector Machines parameter. Kernels to try. Can be one or more of: 'radial', 'sigmoid', 'linear', 'polynomial'. Can be mutiple values that need to be optimized.
SV.size	Support Vector Machines parameter. Ensemble size of the SVM sub-ensemble.
RoF.L	Rotation Forest parameter. Number of trees to grow.
KN.K	K-Nearest Neighbors parameter. Number of nearest neighbors to try. For example c(10,20,30). The optimal K will be selected. If larger than $nrow(xTRAIN)$ the maximum K will be reset to 50% of $nrow(xTRAIN)$. Can be mutiple values that need to be optimized.
KN.size	K-Nearest Neighbors parameter. Ensemble size of the K-nearest neighbor sub-ensemble.
NB.size	Naive Bayes parameter. Ensemble size of the bagged naive bayes sub-ensemble.

<code>rbga.popSize</code>	Genetic Algorithm parameter. Population size. Default is 14 times the number of variables.
<code>rbga.itors</code>	Genetic Algorithm parameter. Number of iterations.
<code>rbga.mutationChance</code>	Genetic Algorithm parameter. The chance that a gene in the chromosome mutates.
<code>rbga.elitism</code>	Genetic Algorithm parameter. Number of chromosomes that are kept into the next generation.
<code>DEopt.nP</code>	Differential Evolutionary Algorithm parameter. Population size.
<code>DEopt.nG</code>	Differential Evolutionary Algorithm parameter. Number of generations.
<code>DEopt.F</code>	Differential Evolutionary Algorithm parameter. Step size.
<code>DEopt.CR</code>	Differential Evolutionary Algorithm parameter. Probability of crossover.
<code>GenSA.maxit</code>	Generalized Simulated Annealing. Maximum number of iterations.
<code>GenSA.temperature</code>	Generalized Simulated Annealing. Initial value for temperature.
<code>GenSA.visiting.param</code>	Generalized Simulated Annealing. Parameter for visiting distribution.
<code>GenSA.acceptance.param</code>	Generalized Simulated Annealing. Parameter for acceptance distribution.
<code>GenSA.max.call</code>	Generalized Simulated Annealing. Maximum number of calls of the objective function.
<code>malschains.popsiz</code>	Memetic Algorithm with Local Search Chains parameter. Population size.
<code>malschains.ls</code>	Memetic Algorithm with Local Search Chains parameter. Local search method.
<code>malschains.istep</code>	Memetic Algorithm with Local Search Chains parameter. Number of iterations of the local search.
<code>malschains.effort</code>	Memetic Algorithm with Local Search Chains parameter. Value between 0 and 1. The ratio between the number of evaluations for the local search and for the evolutionary algorithm. A higher effort means more evaluations for the evolutionary algorithm.
<code>malschains.alpha</code>	Memetic Algorithm with Local Search Chains parameter. Crossover BLX-alpha. Lower values (<0.3) reduce diversity and a higher value increases diversity.
<code>malschains.threshold</code>	Memetic Algorithm with Local Search Chains parameter. Threshold that defines how much improvement in the local search is considered to be no improvement.
<code>malschains.maxEvals</code>	Memetic Algorithm with Local Search Chains parameter. Maximum number of evaluations.
<code>psoptim.maxit</code>	Particle Swarm Optimization parameter. Maximum number of iterations.
<code>psoptim.maxf</code>	Particle Swarm Optimization parameter. Maximum number of function evaluations.

<code>psoptim.abstol</code>	Particle Swarm Optimization parameter. Absolute convergence tolerance.
<code>psoptim.reltol</code>	Particle Swarm Optimization parameter. Tolerance for restarting.
<code>psoptim.s</code>	Particle Swarm Optimization parameter. Swarm size.
<code>psoptim.k</code>	Particle Swarm Optimization parameter. Exponent for calculating number of informants.
<code>psoptim.p</code>	Particle Swarm Optimization parameter. Average percentage of informants for each particle.
<code>psoptim.w</code>	Particle Swarm Optimization parameter. Exploitation constant.
<code>psoptim.c.p</code>	Particle Swarm Optimization parameter. Local exploration constant.
<code>psoptim.c.g</code>	Particle Swarm Optimization parameter. Global exploration constant.
<code>soma.pathLength</code>	Self-Organising Migrating Algorithm parameter. Distance (towards the leader) that individuals may migrate.
<code>soma.stepLength</code>	Self-Organising Migrating Algorithm parameter. Granularity at which potential steps are evaluated.
<code>soma.perturbationChance</code>	Self-Organising Migrating Algorithm parameter. Probability that individual parameters are changed on any given step.
<code>soma.minAbsoluteSep</code>	Self-Organising Migrating Algorithm parameter. Smallest absolute difference between maximum and minimum cost function values. Below this minimum the algorithm will terminate.
<code>soma.minRelativeSep</code>	Self-Organising Migrating Algorithm parameter. Smallest relative difference between maximum and minimum cost function values. Below this minimum the algorithm will terminate.
<code>soma.nMigrations</code>	Self-Organising Migrating Algorithm parameter. Maximum number of migrations to complete.
<code>soma.populationSize</code>	Self-Organising Migrating Algorithm parameter. Population size.
<code>tabu.iters</code>	Number of iterations in the preliminary search of the algorithm.
<code>tabu.listSize</code>	Tabu list size.

Value

A list of class `hybridEnsemble` containing the following elements:

LR	Bagged Logistic Regression model
LR.lambda	Shrinkage parameter
RF	Random Forest model
AB	Stochastic AdaBoost model
KF	Kernel Factory model

NN	Bagged Neural Network model
SV	Bagged Support Vector Machines model
RoF	Rotation Forest
NB	Bagged Naive Bayes
SB	A label denoting which sub-ensemble was the single best
KN.K	Optimal number of nearest neighbors
x_KN	The full data set for finding the nearest neighbors in the deployment phase
y_KN	The full response vector to compute the response of the nearest neighbors
KN.size	Size of the nearest neighbor sub-ensemble
weightsAUTHORITY	The weights for the authority-based weighting method
combine	Combination methods used
constants	A vector denoting which predictors are constants
minima	Minimum values of the predictors required for preprocessing the data for the Neural Network
maxima	Maximum values of the predictors required for preprocessing the data for the Neural Network
minimaKN	Minimum values of the predictors required for preprocessing the data for the Nearest Neighbors and Naive Bayes
maximaKN	Maximum values of the predictors required for preprocessing the data for the Nearest Neighbors and Naive Bayes
calibratorLR	The calibrator for the Bagged Logistic Regression model
calibratorRF	The calibrator for the Random Forest model
calibratorAB	The calibrator for the Stochastic AdaBoost model
calibratorKF	The calibrator for the Kernel Factory model
calibratorNN	The calibrator for the Neural Network model
calibratorSV	The calibrator for the Bagged Support Vector Machines model
calibratorRoF	The calibrator for the Rotation Forest model
calibratorKN	The calibrator for the Bagged Nearest Neighbors
calibratorNB	The calibrator for the Bagged Naive Bayes model
xVALIDATE	Predictors of the validation sample
predictions	The separate predictions by the sub-ensembles
yVALIDATE	Response variable of the validation sample
eval.measure	The evaluation measure that was used

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[predict.hybridEnsemble](#), [importance.hybridEnsemble](#), [CVhybridEnsemble](#), [plot.CVhybridEnsemble](#), [summary.CVhybridEnsemble](#)

Examples

```
data(Credit)

## Not run:
hE <-hybridEnsemble(x=Credit[1:100,names(Credit) != 'Response'],
                    y=Credit$Response[1:100],
                    RF.ntree=50,
                    AB.iter=50,
                    NN.size=5,
                    NN.decay=0,
                    SV.gamma = 2^-15,
                    SV.cost = 2^-5,
                    SV.degree=2,
                    SV.kernel='radial')

## End(Not run)
```

hybridEnsembleNews *Display the NEWS file*

Description

hybridEnsembleNews shows the NEWS file of the hybridEnsemble package.

Usage

```
hybridEnsembleNews()
```

Value

None.

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[hybridEnsemble](#), [predict.hybridEnsemble](#), [importance.hybridEnsemble](#), [CVhybridEnsemble](#), [plot.CVhybridEnsemble](#), [summary.CVhybridEnsemble](#)

Examples

```
hybridEnsembleNews()
```

```
importance.hybridEnsemble
```

Importance method for hybridEnsemble objects

Description

Assess the importance of new data using a hybridEnsemble model. The importance is computed as follows. For each variable, compute the AUC of the model before permuting that variable and after. Next, subtract the latter from the former. This is called the decrease in AUC. If CV is greater than one, the mean is taken from all runs.

Usage

```
## S3 method for class 'hybridEnsemble'
importance(
  x = NULL,
  xdata = NULL,
  ydata = NULL,
  method = "MEAN",
  CV = 1,
  sort = TRUE
)
```

Arguments

x	An object of class hybridEnsemble created by the function hybridEnsemble
xdata	A test data frame with the same predictors as in the training data
ydata	A test factor of observed class labels (responses) with the only allowed values {0,1}.
method	One of 'RBGA' (Genetic Algorithm), 'DEOPT' (Differential Evolution), 'GENSA' (Generalized Simulated Annealing), 'MALSCHAINS' (Memetic Algorithm), 'PSOPTIM' (Particle Swarm), 'SOMA' (Self Organizing Migrating Algorithm), 'TABU' (Tabu Search), 'LHNNLS' (Lawson-Hanson Non-negative least squares), 'GINNLS' (Goldfarb-Idnani Non-negative least squares), 'NNloglik' (Non-negative binomial likelihood), 'MEAN' (Simple Mean), 'SB' (Single Best), 'AUTHORITY' (Authority Based method)
CV	An integer indicating the number of cross-validation runs
sort	TRUE or FALSE. Should the predictors be sorted with the most important ones on top?

Value

A data frame with two columns: the variable name and the importance of the variable.

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[hybridEnsemble](#), [predict.hybridEnsemble](#), [CVhybridEnsemble](#), [plot.CVhybridEnsemble](#)

Examples

```
data(Credit)

## Not run:
hE <-hybridEnsemble(x=Credit[1:100,names(Credit) != 'Response'],
                   y=Credit$Response[1:100],
                   RF.ntree=50,
                   AB.iter=50,
                   NN.size=5,
                   NN.decay=0,
                   SV.gamma = 2^-15,
                   SV.cost = 2^-5,
                   SV.degree=2,
                   SV.kernel='radial')

importance(hE,
           xdata=Credit[1:100,names(Credit) != 'Response'],
           ydata=Credit$Response[1:100])

## End(Not run)
```

plot.CVhybridEnsemble *Plot the performance of the cross-validated Hybrid Ensemble*

Description

This function plots the averaged ROC curve per combination method or the median predictive performance (Area under the ROC, sensitivity or specificity curve depending on what was used in the CVhybridEnsemble function).

Usage

```
## S3 method for class 'CVhybridEnsemble'
plot(x, y = NULL, ROCcurve = FALSE, averaging = "threshold", ...)
```

Arguments

x	An object of class CVhybridEnsemble
y	Not used
ROCcurve	TRUE or FALSE. Should the ROC curve be plotted or the median predictive performances?
averaging	For the ROC curve: "threshold" averaging, "horizontal" averaging, or "vertical" averaging.
...	Not used

Details

In the output: 'RBGA' (Genetic Algorithm), 'DEOPT' (Differential Evolution), 'GENSA' (Generalized Simulated Annealing), 'MALSCHAINS' (Memetic Algorithm), 'PSOPTIM' (Particle Swarm), 'SOMA' (Self Organizing Migrating Algorithm), 'TABU' (Tabue Search), 'LHNNLS' (Lawson-Hanson Non-negative least squares), 'GINNLS' (Goldfarb-Idnani Non-negative least squares), 'NNloglik' (Non-negative binomial likelihood), 'MEAN' (Simple Mean), 'SB' (Single Best), 'AUTHORITY' (Authority Based method). SB names denote the single best for all cross-validation runs: RF= Random Forest, SV= Bagged Support Vector Machines, KF= Kernel Factory, AB=AdaBoost, LR=Bagged Logistic Regression, NN=Bagged Neural Networks, RoF= Rotation Forest, KN= K-Nearest Neighbors.

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[hybridEnsemble](#), [predict.hybridEnsemble](#), [importance.hybridEnsemble](#), [CVhybridEnsemble](#), [summary.CVhybridEnsemble](#)

Examples

```
data(Credit)

## Not run:
CVhE <- CVhybridEnsemble(x=Credit[1:200,names(Credit) != 'Response'],
                        y=Credit$Response[1:200],
                        verbose=TRUE,
```

```

RF.ntree=50,
KF.rp=1,
AB.iter=50,
NN.size=5,
NN.decay=0,
SV.gamma = 2^-15,
SV.cost = 2^-5,
SV.degree=2,
SV.kernel='radial')

plot(x=CVhE,ROCcurve= FALSE)
plot(x=CVhE,ROCcurve= TRUE)

## End(Not run)

```

predict.hybridEnsemble

Predict method for hybridEnsemble objects

Description

Prediction of new data using a hybridEnsemble model.

Usage

```

## S3 method for class 'hybridEnsemble'
predict(object, newdata, verbose = FALSE, predict.all = FALSE, ...)

```

Arguments

object	An object of class hybridEnsemble created by the function hybridEnsemble
newdata	A data frame with the same predictors as in the training data
verbose	TRUE or FALSE. Should information be printed to the screen
predict.all	TRUE or FALSE. Should the predictions of all the members be returned?
...	Not currently used

Value

A list containing the following vectors:

predMEAN	Predictions combined by the simple mean
SB	A label denoting the single best algorithm: RF=Random Forest, LR= Bagged Logistic Regression, AB= AdaBoost, SV=Bagged Support Vector Machines, NN=Bagged Neural Networks, KF=Kernel Factory
predSB	Predictions by the single best
predAUTHORITY	Predictions combined by authority

..and all the combination methods that are requested in the [hybridEnsemble](#) function.

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[hybridEnsemble](#), [CVhybridEnsemble](#), [importance.hybridEnsemble](#), [plot.CVhybridEnsemble](#), [summary.CVhybridEnsemble](#)

Examples

```
data(Credit)

## Not run:
hE <-hybridEnsemble(x=Credit[1:100,names(Credit) != 'Response'],
                   y=Credit$Response[1:100],
                   RF.ntree=50,
                   AB.iter=50,
                   NN.size=5,
                   NN.decay=0,
                   SV.gamma = 2^-15,
                   SV.cost = 2^-5,
                   SV.degree=2,
                   SV.kernel='radial')

predictions <- predict(hE, newdata=Credit[1:100,names(Credit) != 'Response'])

## End(Not run)
```

```
summary.CVhybridEnsemble
```

Summarize the performance of the cross-validated Hybrid Ensemble

Description

This function produces summary results per combination method.

Usage

```
## S3 method for class 'CVhybridEnsemble'
summary(
  object,
  name = "",
```

```

    stat = "median",
    LaTeX = FALSE,
    toppart = FALSE,
    bottompart = FALSE,
    all = TRUE,
    ...
)

```

Arguments

object	An object of class CVhybridEnsemble
name	Name of the dataset. Default is blank.
stat	'median' or 'IQR' (inter quartile range) of the performance measure used in the CVhybridEnsemble object
LaTeX	TRUE or FALSE. If true LaTeX code is printed to the screen. Otherwise a data frame.
toppart	TRUE or FALSE. For the LaTeX table. Should the top part of the table be printed. Useful for concatenating multiple runs of the summary function (see examples).
bottompart	TRUE or FALSE. For the LaTeX table. Should the bottom part of the table be printed. Useful for concatenating multiple runs of the summary function (see examples). The all parameter will not have effect when setting this to TRUE.
all	TRUE or FALSE. Should the results of the predict.all be printed along with the main results? Works only when predict.all=TRUE in the call to CVhybridEnsemble.
...	Not used

Details

In the output: 'RBGA' (Genetic Algorithm), 'DEOPT' (Differential Evolution), 'GENSA' (Generalized Simulated Annealing), 'MALSCHAINS' (Memetic Algorithm), 'PSOPTIM' (Particle Swarm), 'SOMA' (Self Organizing Migrating Algorithm), 'TABU' (Tabue Search), 'LHNNLS' (Lawson-Hanson Non-negative least squares), 'GINNLS' (Goldfarb-Idnani Non-negative least squares), 'NNloglik' (Non-negative binomial likelihood), 'MEAN' (Simple Mean), 'SB' (Single Best), 'AUTHORITY' (Authority Based method). SB names denote the single best for all cross-validation runs: RF= Random Forest, SV= Bagged Support Vector Machines, KF= Kernel Factory, AB=AdaBoost, LR=Bagged Logistic Regression, NN=Bagged Neural Networks, RoF= Rotation Forest, KN= K-Nearest Neighbors.

Author(s)

Michel Ballings, Dauwe Vercamer, Matthias Bogaert, and Dirk Van den Poel, Maintainer: <Michel.Ballings@GMail.com>

References

Ballings, M., Vercamer, D., Bogaert, M., Van den Poel, D.

See Also

[hybridEnsemble](#), [predict.hybridEnsemble](#), [importance.hybridEnsemble](#), [CVhybridEnsemble](#), [plot.CVhybridEnsemble](#)

Index

* datasets

Credit, [2](#)

Credit, [2](#)

CVhybridEnsemble, [3](#), [16–19](#), [21](#), [22](#)

hybridEnsemble, [3](#), [9](#), [9](#), [17–22](#)

hybridEnsembleNews, [16](#)

importance.hybridEnsemble, [9](#), [16](#), [17](#), [17](#),
[19](#), [21](#), [22](#)

plot.CVhybridEnsemble, [3](#), [9](#), [16–18](#), [18](#), [21](#),
[22](#)

predict.hybridEnsemble, [9](#), [16–19](#), [20](#), [22](#)

summary.CVhybridEnsemble, [3](#), [9](#), [16](#), [17](#), [19](#),
[21](#), [21](#)