

# Package ‘iNZightPlots’

February 11, 2021

**Type** Package

**Title** Graphical Tools for Exploring Data with 'iNZight'

**Version** 2.12.6

**Description** Simple plotting function(s) for exploratory data analysis with flexible options allowing for easy plot customisation. The goal is to make it easy for beginners to start exploring a dataset through simple R function calls, as well as provide a similar interface to summary statistics and inference information. Includes functionality to generate interactive HTML-driven graphs. Used by 'iNZight', a graphical user interface providing easy exploration and visualisation of data for students of statistics, available in both desktop and online versions.

**BugReports** <https://github.com/iNZightVIT/iNZightPlots/issues>

**Contact** [inzight\\_support@stat.auckland.ac.nz](mailto:inzight_support@stat.auckland.ac.nz)

**URL** [inzight.nz](http://inzight.nz)

**Depends** R(>= 3.2)

**Imports** grDevices, stats, utils, grid, boot, s20x, survey, quantreg, hexbin, colorspace, dichromat, chron, scales, iNZightMR (>= 2.2.5), iNZightTools (>= 1.9), rlang, magrittr, lubridate

**Suggests** hextri, viridis, RColorBrewer, gridSVG (>= 1.7-2), knitr, jsonlite, testthat, covr, ggplot2, dplyr, tidyr, forcats, ggmosaic, waffle, ggthemes, ggbeeswarm, ggridges, plotly

**License** GPL-3

**Encoding** UTF-8

**Language** en-GB

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Tom Elliott [aut, cre] (<<https://orcid.org/0000-0002-7815-6318>>),  
Yu Han Soh [aut],  
Daniel Barnett [aut]

**Maintainer** Tom Elliott <[tom.elliott@auckland.ac.nz](mailto:tom.elliott@auckland.ac.nz)>

**Repository** CRAN

**Date/Publication** 2021-02-11 07:10:02 UTC

## R topics documented:

can.interact	2
construct_call	3
const_palette_names	4
convert.to.factor	4
create	5
emphasize_pal_colour	6
exploreAllPlots	6
exploreAllSummaries	7
exportHTML	8
exportSVG	10
getPlotSummary	11
iNZightPlot	13
inzpalette	16
inzpar	17
inzsummary	20
mend_call	22
print.inzHTML	22
<b>Index</b>	<b>24</b>

---

can.interact	<i>Identify if a plot can be interactive</i>
--------------	--

---

### Description

Several iNZightPlots graphs have been enabled with custom interaction, while others make use of the automatic output of 'plotly'. This function returns 'TRUE' if the provided plot has interaction (as determined by iNZight), and 'FALSE' otherwise.

### Usage

```
can.interact(x)

## Default S3 method:
can.interact(x)

## S3 method for class 'inzplotoutput'
can.interact(x)

## S3 method for class 'ggplot'
can.interact(x)
```

### Arguments

x a plot object returned from a plotting function

**Details**

Not that, while most 'ggplot2' graphs can be passed to 'plotly', and even though we are using plot.ly directly for some of our ggplot2 graphs, we still only return 'TRUE' if the graph was created by one of the packages in the iNZight collection.

**Value**

Logical to identify if there is an interactive version

**Methods (by class)**

- `default`: Default interaction helper (always returns 'FALSE')
- `inzplotoutput`: Graphs from 'iNZightPlot()', many of which have interaction enabled, but some do not (for example, hex plots)
- `ggplot`: Those 'iNZight\*' plotting functions which return a 'ggplot2' object and have been tested to work with plotly will be tagged as such; this is just a helper to check for the necessary attribute.

**Author(s)**

Tom Elliott, Yu Han Soh

**Examples**

```
can.interact(iNZightPlot(Sepal.Length, data = iris))
```

---

construct_call	<i>Construct plot call from settings list</i>
----------------	---

---

**Description**

Construct plot call from settings list

**Usage**

```
construct_call(  
  settings,  
  vartypes,  
  data = quote(.dataset),  
  design = quote(.design),  
  what = c("plot", "summary", "inference")  
)
```

**Arguments**

settings	a list of plot settings, similar to <code>inzpar()</code>
vartypes	a list of variables types (numeric, factor)
data	a data set to pass to the call
design	a survey design (can be NULL)
what	the type of call to produce

**Value**

a plot/summary/inference call

---

`const_palette_names`     *An incorrectly spelled function - deprecated*

---

**Description**

This function was misspelled in earlier versions and has been corrected to `cont_palette_names`, which should be used instead.

**Usage**

```
const_palette_names()
```

**Value**

a list of continuous colour palettes

**See Also**

[cont\\_palette\\_names](#)

---

`convert.to.factor`     *Convert to Factor*

---

**Description**

Convert a numeric variable in to a factor with four levels.

**Usage**

```
convert.to.factor(x)
```

**Arguments**

x	a numeric vector
---	------------------

**Value**

a factor variable

**Author(s)**

Tom Elliott

**Examples**

```
f <- convert.to.factor(runif(100, 0, 10))
levels(f)
```

---

create

*Create plots for iNZight*

---

**Description**

Create a Plot Object

**Usage**

```
create(obj)
```

**Arguments**

obj            an object

**Details**

This create method is to be used by packages extending 'iNZightPlots', and should not be used by users. The resulting object should have an associated plot method.

**Value**

an iNZight plot object with class determined by data type

**Author(s)**

Tom Elliott

emphasize\_pal\_colour *Emphasize a level or interval of a colour palette*

---

**Description**

Emphasize a level or interval of a colour palette

**Usage**

```
emphasize_pal_colour(n, k, cat = TRUE, ncat = 5, fn)
```

**Arguments**

n	the number of colours to draw from the palette
k	the index of the colour to emphasize
cat	logical indicator if palette is categorical or numeric
ncat	the number of intervals to use for continuous palettes
fn	the colour palette function to use

**Value**

a colour palette, with one level emphasized (or range for numeric)

**Author(s)**

Tom Elliott

**Examples**

```
pal <- inzpalette("bright")  
plot(1:5, pch = 19, col = emphasize_pal_colour(5, 2, fn = pal))
```

---

exploreAllPlots *Explore all Univariate Plots*

---

**Description**

Allows easy viewing of every variable in the data set. The user will be prompted to see the next variable.

**Usage**

```
exploreAllPlots(data)
```

### Arguments

data            a data frame

### Author(s)

Tom Elliott

### Examples

```
if (interactive())  
  exploreAllPlots(iris)
```

---

exploreAllSummaries    *Explore all Univariate Summaries*

---

### Description

Allows easy access to a summary for every variable in the data set.

### Usage

```
exploreAllSummaries(data, ...)  
  
## S3 method for class 'allSummaries'  
print(x, ...)
```

### Arguments

data            a data set  
...            additional arguments passed to getPlotSummary()  
x              an allSummaries object

### Value

allSummaries object, a concatenation of summaries from all variables

### Methods (by generic)

- print: print method for allSummaries object

### Author(s)

Tom Elliott

### Examples

```
exploreAllSummaries(iris)
```

---

 exportHTML

*ExportHTML*


---

### Description

exportHTML is designed to export the iNZight plot as a dynamic, interactive HTML page. Currently only handles single panel plots. Coloured hex plots are currently not available yet.

### Usage

```

exportHTML(
  x,
  file = file.path(assets_dir, "index.html"),
  data,
  local = FALSE,
  assets_dir = tempdir(),
  extra.vars,
  ...
)

## S3 method for class ``function``
exportHTML(
  x,
  file = file.path(assets_dir, "index.html"),
  data = NULL,
  local = FALSE,
  assets_dir = tempdir(),
  extra.vars = NULL,
  width = dev.size()[1],
  height = dev.size()[2],
  ...
)

## S3 method for class 'ggplot'
exportHTML(
  x,
  file = file.path(assets_dir, "index.html"),
  data = NULL,
  local = FALSE,
  assets_dir = tempdir(),
  extra.vars = NULL,
  mapObj,
  ...
)

## S3 method for class 'inzplotoutput'
exportHTML(

```



```

    x,
    file = file.path(assets_dir, "index.html"),
    data = NULL,
    local = FALSE,
    assets_dir = tempdir(),
    extra.vars = NULL,
    ...
  )

```

### Arguments

x	An iNZight plot object that captures iNZight environment
file	Name of temporary HTML file generated (defaults to 'index.html' in a temporary directory, or other as specified using 'assets_dir')
data	dataset/dataframe that you wish to investigate and export more variables from
local	Logical for creating local files for offline use (default to false)
assets_dir	Directory to store results (defaults to 'tempdir()')
extra.vars	extra variables specified by the user to be exported
...	extra arguments
width	the desired width of the SVG plot
height	the desired height of the SVG plot
mapObj	iNZightMap object (from iNZightMaps)

### Value

an `inzHTML` object consisting of a link to an HTML rendering of `x` with filename `file`, which can be loaded in the browser (for example using `browseURL`, or calling the `print()` method of the returned object).

### Methods (by class)

- `function`: method for an `iNZightPlot`-generating function
- `ggplot`: method for `iNZightMaps` or other supported `ggplot` graphs
- `inzplotoutput`: method for output from `iNZightPlot`

### Author(s)

Yu Han Soh

### Examples

```

x <- iNZightPlot(Petal.Width, Petal.Length, data = iris, colby = Species)
exportHTML(x, "index.html")

#to export more variables for scatterplots:
exportHTML(x, "index.html", data = iris, extra.vars = c("Sepal.Length", "Sepal.Width"))

```

---

`exportSVG`*Export iNZightPlots as an SVG*

---

### Description

`exportSVG` is designed to export the `iNZight` plot as a temporary SVG that is opened in a web browser. The `iNZightPlot` must be drawn to a graphics device before exporting can occur.

### Usage

```
exportSVG(x, file = tempfile(fileext = ".svg"), ...)
```

```
## S3 method for class 'function'
exportSVG(
  x,
  file = tempfile(fileext = ".svg"),
  width = dev.size()[1],
  height = dev.size()[2],
  ...
)
```

```
## S3 method for class 'inzplotoutput'
exportSVG(x, file = tempfile(fileext = ".svg"), ...)
```

### Arguments

<code>x</code>	<code>iNZight</code> plot object or function that captures <code>iNZight</code> environment
<code>file</code>	Name of temporary <code>svg</code> file generated (by default: <code>'inzightplot.svg'</code> )
<code>...</code>	additional arguments
<code>width</code>	the width of the plot device
<code>height</code>	the height of the plot device

### Value

Opens up an SVG file of `x` with filename `file` in a web browser

### Methods (by class)

- `function`: method for functions
- `inzplotoutput`: method for an existing plot object

### Author(s)

Yu Han Soh

---

getPlotSummary      *iNZight Plot Summary and Inference*

---

### Description

Generate summary or inference information for an iNZight plot

### Usage

```
getPlotSummary(  
  x,  
  y = NULL,  
  g1 = NULL,  
  g1.level = NULL,  
  g2 = NULL,  
  g2.level = NULL,  
  varnames = list(),  
  colby = NULL,  
  sizeby = NULL,  
  data = NULL,  
  design = NULL,  
  freq = NULL,  
  missing.info = TRUE,  
  inzpars = inzpar(),  
  summary.type = "summary",  
  hypothesis.value = 0,  
  hypothesis.alt = c("two.sided", "less", "greater"),  
  hypothesis.var.equal = FALSE,  
  hypothesis.use.exact = FALSE,  
  hypothesis.test = c("default", "t.test", "anova", "chi2", "proportion"),  
  hypothesis.simulated.p.value = FALSE,  
  hypothesis = list(value = hypothesis.value, alternative = match.arg(hypothesis.alt),  
    var.equal = hypothesis.var.equal, use.exact = hypothesis.use.exact, test =  
    match.arg(hypothesis.test), simulated.p.value = hypothesis.simulated.p.value),  
  survey.options = list(),  
  width = 100,  
  epi.out = FALSE,  
  ...,  
  env = parent.frame()  
)
```

### Arguments

x	a vector (numeric or factor), or the name of a column in the supplied data or design object
y	a vector (numeric or factor), or the name of a column in the supplied data or design object

<code>g1</code>	a vector (numeric or factor), or the name of a column in the supplied data or design object. This variable acts as a subsetting variable.
<code>g1.level</code>	the name (or numeric position) of the level of <code>g1</code> that will be used instead of the entire data set
<code>g2</code>	a vector (numeric or factor), or the name of a column in the supplied data or design object. This variable acts as a subsetting variable, similar to <code>g1</code>
<code>g2.level</code>	same as <code>g1.level</code> , however takes the additional value <code>"_MULTI"</code> , which produces a matrix of <code>g1</code> by <code>g2</code>
<code>varnames</code>	a list of variable names, with the list named using the appropriate arguments (i.e., <code>list(x = "height", g1 = "gender")</code> )
<code>colby</code>	the name of a variable (numeric or factor) to colour points by. In the case of a numeric variable, a continuous colour scale is used, otherwise each level of the factor is assigned a colour
<code>sizeby</code>	the name of a (numeric) variable, which controls the size of points
<code>data</code>	the name of a data set
<code>design</code>	the name of a survey object, obtained from the survey package
<code>freq</code>	the name of a frequency variable if the data are frequencies
<code>missing.info</code>	logical, if TRUE, information regarding missingness is displayed in the plot
<code>inzpars</code>	allows specification of <code>iNZight</code> plotting parameters over multiple plots
<code>summary.type</code>	one of <code>"summary"</code> or <code>"inference"</code>
<code>hypothesis.value</code>	H0 value for hypothesis test
<code>hypothesis.alt</code>	alternative hypothesis ( <code>!=</code> , <code>&lt;</code> , <code>&gt;</code> )
<code>hypothesis.var.equal</code>	use equal variance assumption for t-test?
<code>hypothesis.use.exact</code>	logical, if TRUE the exact p-value will be calculated (if applicable)
<code>hypothesis.test</code>	in some cases (currently just two-samples) can perform multiple tests (t-test or ANOVA)
<code>hypothesis.simulated.p.value</code>	also calculate (where available) the simulated p-value
<code>hypothesis</code>	either <code>NULL</code> for no test, or <code>missing</code> (in which case above arguments are used)
<code>survey.options</code>	additional options passed to survey methods
<code>width</code>	width for the output, default is 100 characters
<code>epi.out</code>	logical, if TRUE, then odds/rate ratios and rate differences are printed when appropriate (y with 2 levels)
<code>...</code>	additional arguments, see <code>inzpar</code>
<code>env</code>	compatibility argument

## Details

Works much the same as `iNZightPlot`

**Value**

an `inzight.plotssummary` object with a `print` method

**Author(s)**

Tom Elliott

**Examples**

```
getPlotSummary(Species, data = iris)
getPlotSummary(Species, data = iris,
  summary.type = "inference", inference.type = "conf")

# perform hypothesis testing
getPlotSummary(Sepal.Length, data = iris,
  summary.type = "inference", inference.type = "conf",
  hypothesis.value = 5)

# if you prefer a formula interface
inzsummary(Sepal.Length ~ Species, data = iris)
inzinference(Sepal.Length ~ Species, data = iris)
```

---

iNZightPlot

*iNZight Plot*

---

**Description**

A general plotting function that automatically detects variable type and draws the appropriate plot. It also provides facilities to add inference information to plots, colour- and size-by variables, and can handle survey data.

**Usage**

```
inzightPlot(
  x,
  y = NULL,
  g1 = NULL,
  g1.level = NULL,
  g2 = NULL,
  g2.level = NULL,
  varnames = list(),
  colby = NULL,
  sizeby = NULL,
  symbolby = NULL,
  extra.vars,
  locate = NULL,
  locate.id = NULL,
  locate.col = NULL,
```

```

locate.extreme = NULL,
locate.same.level = NULL,
highlight = NULL,
data = NULL,
design = NULL,
freq = NULL,
missing.info = TRUE,
xlab = varnames$x,
ylab = varnames$y,
new = TRUE,
inzpars = inzpar(),
layout.only = FALSE,
plot = TRUE,
xaxis = TRUE,
yaxis = TRUE,
xlim = NULL,
ylim = NULL,
zoombars = NULL,
hide.legend = FALSE,
df,
env = parent.frame(),
...
)

```

### Arguments

x	a vector (numeric or factor), or the name of a column in the supplied data or design object
y	a vector (numeric or factor), or the name of a column in the supplied data or design object
g1	a vector (numeric or factor), or the name of a column in the supplied data or design object. This variable acts as a subsetting variable.
g1.level	the name (or numeric position) of the level of g1 that will be used instead of the entire data set
g2	a vector (numeric or factor), or the name of a column in the supplied data or design object. This variable acts as a subsetting variable, similar to g1
g2.level	same as g1.level, however takes the additional value "_MULTI", which produces a matrix of g1 by g2
varnames	a list of variable names, with the list named using the appropriate arguments (i.e., <code>list(x = "height", g1 = "gender")</code> )
colby	the name of a variable (numeric or factor) to colour points by. In the case of a numeric variable, a continuous colour scale is used, otherwise each level of the factor is assigned a colour
sizeby	the name of a (numeric) variable, which controls the size of points
symbolby	the name of a factor variable to code point symbols

<code>extra.vars</code>	the names of any additional variables to be passed through the internal functions to the create and plot methods.
<code>locate</code>	variable to label points
<code>locate.id</code>	id of points (row numbers) to label, or an expression that evaluates as a logical vector (e.g., $x > 5$ )
<code>locate.col</code>	the colour to locate points if a variable is not specified
<code>locate.extreme</code>	numeric, the number of extreme points to label (using Mahalanobis' distance)
<code>locate.same.level</code>	name of a variable to label points with same level of as those specified with 'locate.id'
<code>highlight</code>	numeric vector consisting of the row numbers/IDs of points to highlight
<code>data</code>	the name of a data set
<code>design</code>	the name of a survey object, obtained from the survey package
<code>freq</code>	the name of a frequency variable if the data are frequencies
<code>missing.info</code>	logical, if TRUE, information regarding missingness is displayed in the plot
<code>xlab</code>	the text for the x-label
<code>ylab</code>	the text for the y-label
<code>new</code>	logical, used for compatibility
<code>inzpars</code>	allows specification of iNZight plotting parameters over multiple plots
<code>layout.only</code>	logical, if TRUE, only the layout is drawn (useful if a custom plot is to be drawn)
<code>plot</code>	logical, if FALSE, the plot is not drawn (used by summary)
<code>xaxis</code>	logical, whether or not to draw the x-axis
<code>yaxis</code>	logical, whether or not to draw the y-axis
<code>xlim</code>	specify the x limits of the plot
<code>ylim</code>	specify the y limits of the plot
<code>zoombars</code>	numeric, length 2; when drawing a bar plot, if the number of bars is too large, the user can specify a subset. The first value is the starting point (1 is the first bar, etc), while the second number is the number of bars to show.
<code>hide.legend</code>	logical, if TRUE, the legend will not be drawn
<code>df</code>	compatibility argument
<code>env</code>	compatibility argument
<code>...</code>	additional arguments, see <code>inzpar</code>

## Details

The main goal of 'iNZightPlots' is to make it easy to beginners to explore a dataset graphically, using a suite of simple arguments to add features to their graph.

The second use of this function is within the companion software 'iNZight', providing a single function call with arguments controlled by the user through a GUI.

**Value**

An `inzightplotoutput` object, which contains the information displayed in the plot

**Author(s)**

Tom Elliott

**Examples**

```

iNZightPlot(Species, data = iris)
iNZightPlot(Petal.Width, g1 = Species, data = iris)

iNZightPlot(Sepal.Length, Sepal.Width, data = iris,
  colby = Species)
iNZightPlot(Sepal.Length, Sepal.Width, data = iris,
  colby = Species, trend = c("linear", "quadratic"),
  trend.by = TRUE, trend.parallel = FALSE)

# add inference information
iNZightPlot(Petal.Width, data = iris,
  inference.type = "conf", inference.par = "mean")
iNZightPlot(Petal.Width, data = iris,
  inference.type = "conf", inference.par = "mean",
  bootstrap = TRUE)

# alternatively, use the formula interface
inzplot(Sepal.Length ~ Sepal.Width | Species, data = iris)

```

---

inzpalette

*iNZight colour palette*

---

**Description**

Used to obtain a colour palette of a given name. A list of available palettes can be obtained by `'cat_palette_names()'` and `'cont_palette_names()'`.

**Usage**

```

inzpalette(palette)

cat_palette_names()

cont_palette_names()

```

**Arguments**

`palette`            the name of a palette



**Value**

a colour palette function with single argument 'n'

**Functions**

- `cat_palette_names`: List of categorical colour palettes
- `cont_palette_names`: List of continuous colour palettes

**Author(s)**

Tom Elliott

**Examples**

```
plot(1:5, pch = 19, col = inzpalette("bright")(5))

# for a list of palette names
cat_palette_names()
cont_palette_names()
```

---

 inzpar

*iNZight Plotting Parameters*


---

**Description**

Plotting parameters for iNZight Plots

**Usage**

```
inzpar(..., .viridis = requireNamespace("viridis", quietly = TRUE))
```

**Arguments**

...	If arguments are supplied, then these values are set. If left empty, then
<code>.viridis</code>	checks if the <code>viridis</code> package is installed; or can be turned off the default list is returned.

**Details**

A whole suite of parameters that can be used to fine-tune plots obtained from the `iNZightPlot` function. The parameters include both plot type, style, and appearance.

'**pch**' the plotting symbol to be used; default is '21' (circle with fill)

'**col.pt**' the colour of points. this can either be a single value, or a vector of colours if `colby` is specified

'**col.fun**' a function to use for colouring points, etc., or the name of a palette, see `inzpalette`

- '**col.emph**', '**col.emphn**' emphasize the chosen level of a colour by variable. For numeric colour by, `col.emphn` specifies the number of quantiles to use.
- '**emph.on.top**' if TRUE, emphasised points will be positioned on top
- '**col.default**' the default colour functions, containing a list with entries for 'cat' and 'cont' variables
- '**col.missing**' the colour for missing values; default is a light grey
- '**reverse.palette**' logical, if TRUE the palette will be reversed
- '**col.method**' the method to use for colouring by a variable, one of 'linear' or 'rank'
- '**cex**' the overall scaling for the entire plot; values less than 1 will make the text and points smaller, while values larger than 1 will magnify everything
- '**cex.pt**' the scaling value for points
- '**cex.dotpt**' the scaling value for points in a dotplot. Note, this is not multiplicative with 'cex.pt'
- '**cex.lab**' the scaling value for the plot labels
- '**cex.axis**' the scaling value for the axis labels
- '**cex.main**' the scaling value for the main plot title
- '**cex.text**' the scaling value for text on the plot
- '**resize.method**' one of 'proportional' (default) or 'emphasize'
- '**alpha**' transparency setting for points; default is 1, 0 is fully transparent
- '**bg**' the background colour for the plot
- '**grid.lines**' logical to control drawing of axis grid lines
- '**col.grid**' if 'grid.lines' is TRUE, this controls the colour of them. The default is 'default', which will choose a colour based on the value of 'bg')
- '**fill.pt**' the fill colour for points; default is "transparent"
- '**lwd**' the line width of lines (for joining points)
- '**lty**' the line type of lines (for joining points)
- '**lwd.pt**' the line width used for points; default is 2
- '**col.line**' the colour of lines used to join points
- '**col.sub**' vector of up to two colours for the background of subplot labels. If only one specified, it is used for both.
- '**locate.col.def**' the default colour for locating points
- '**highlight.col**' colour to use for highlighting points
- '**jitter**' the axes to add jitter to. Takes values "x", "y", or "xy" (default is an empty string, "")
- '**rugs**' the axes to add rugs to. Takes same values as jitter
- '**trend**' a vector containing the trend lines to add to the plot. Possible values are `c("linear", "quadratic", "cubic")`
- '**smooth**' the smoothing (lowess) for the points. Takes a value between 0 and 1 (the default, 0, draws no smoother)
- '**smoothby.lty**' the line type used for smoothers if `trend.by = TRUE`
- '**quant.smooth**' if quantile smoothers are desired, they can be specified here as either the quantiles to smooth over (e.g., `c(0.25, 0.5, 0.75)`), or "default", which uses the sample size to decide on an appropriate set of quantile smoothers

- '**LOE**' logical, if TRUE, then a 1-1 line of equality is drawn
- '**join**' logical, if TRUE, then points are joined by lines
- '**lines.by**' logical, if join = TRUE and colby is specified, points are joined by the specified variable
- '**col.trend**' a named list of colours to be used for drawing the lines. The default is `list(linear = "blue", quadratic = "red", cubic = "green4")`
- '**lty.trend**' a named list of line types for various types of trend lines. The default is `list(linear = 1, quadratic = 2, cubic = 3)`
- '**trend.by**' logical, if TRUE, then trend lines are drawn separately for each group specified by colby
- '**trend.parallel**' logical, if TRUE, the trend lines by group are given the same slope; otherwise they are fit independently
- '**col.smooth**' the colour of the smoother
- '**col.LOE**' the colour of the line of equality
- '**lty.LOE**' the line type of the line of equality
- '**boxplot**' logical, if TRUE, a boxplot is drawn with dotplots and histograms
- '**box.lwd**', '**box.col**', '**box.fill**' the line width, colour, and fill colour for the box plot drawn
- '**bar.lwd**', '**bar.col**', '**bar.fill**' the line width, colour, and fill colour of bars in a bar plot
- '**bar.counts**' logical, if TRUE bar graphs will display counts instead of percentages (the default)
- '**full.height**' may no longer be necessary ...
- '**inf.lwd.comp**', '**inf.lwd.conf**' the line width of comparison and confidence intervals, respectively
- '**inf.col.comp**', '**inf.col.conf**' the colour of comparison and confidence intervals, respectively. These take a length 2 vector, where the first element is used for normal inference, while the second is used for bootstrap intervals
- '**inference.type**' the type of inference added to the plot. Possible values are `c("comp", "conf")`
- '**inference.par**' the parameter which we obtain intervals for. For a dotplot or histogram, this can be either "mean" or "median"; for bar plots it can be "proportion"
- '**bs.inference**' logical, if TRUE, then nonparametric bootstrap simulation is used to obtain the intervals
- '**min.count**' the min count for barplots inference; counts less than this are ignored
- '**n.boot**' the number of bootstrap simulations to perform
- '**large.sample.size**' sample sizes over this value will use a large-sample plot variant (i.e., scatter plots will become hex plots, dot plots become histograms)
- '**largesample**' logical, if TRUE, then the large-sample plot variance is used
- '**scatter.grid.bins**' the number, N, of bins to use for the scatter-grid plot, producing an N x N matrix
- '**hex.bins**' the number of bins to use for hexagonal binning
- '**hex.style**' the style of the hexagons, one of "size" or "alpha"
- '**hex.diffuse**' logical, Pass on rounding error to nearest not-yet-drawn hexes so that rare classes get represented
- '**hist.bins**' the number of bins to use for the histogram (The default NULL uses point size to approximate dot plot)

- '**quant.cutoff**' if `quant.smooth = "default"`, these sample size values are used to determine which quantiles are drawn
- '**plottype**' used to override the default plot type. Possible values, depending on data type, include `c("scatter"|"grid"|"hex"|"dot"|"hist")`
- '**matchplots**' logical, if TRUE, then the type of plot is kept consistent between different subsets
- '**match.limits**' a vector of two values used to decide whether to use all small-sample or all large-sample plots
- '**xlim**' a vector defining the x axis limits (default NULL will use the data)
- '**ylim**' a vector defining the y axis limits (default NULL will use the data)
- '**transform**' a list of variable transformations (e.g., `list(x = 'log')`)
- '**plot.features**' a list containing any additional features for new plots (e.g., `maptype`)

### Value

an object of class `inzpar.list`

### Examples

```
# arguments can be passed directly to \code{iNZightPlot}
iNZightPlot(Sepal.Length, data = iris, col.pt = "red",
            box.col = "blue", box.fill = "green")

# or stored and passed to it (only pars relevant to the current
# plot are used)
mypar <- inzpar(col.pt = "red", box.col = "blue", box.fill = "green",
               trend = "linear", trend.by = TRUE)
inzplot(Sepal.Length ~ Species, data = iris, inzpar = mypar)
iNZightPlot(Sepal.Length, Sepal.Width, data = iris, inzpar = mypar,
            colby = Species)
```

---

inzsummary

*iNZight Plot Method*

---

### Description

A generic function used to plot objects within the iNZight ecosystem.

### Usage

```
inzsummary(x, data = NULL, design = NULL, ..., env = parent.frame())

inzinference(
  x,
  data = NULL,
  design = NULL,
  type = c("conf", "comp"),
```

```

    ...,
    env = parent.frame()
)

inzplot(x, ..., env = parent.frame())

## S3 method for class 'formula'
inzplot(x, data = NULL, design = NULL, ..., env = parent.frame())

```

### Arguments

<code>x</code>	A formula in the form of $y \sim x \mid g$ . See Details.
<code>data</code>	Dataset to plot
<code>design</code>	A survey design to use
<code>...</code>	Any arguments to pass to <a href="#">iNZightPlot</a>
<code>env</code>	the parent environment to pass to the plot function
<code>type</code>	Type type of inference to obtain, one of 'conf' or 'comp' for confidence intervals and comparison intervals, respectively (currently ignored).

### Details

`inzplot` is a simple wrapper around the [iNZightPlot](#) function.

There are four options for the formula passed in:

$y$  will produce a plot of the single variable  $y$ .

$y \sim x$  will produce a plot of  $y$  against  $x$ .

$y \sim x \mid g1$  will produce a plot of  $y$  against  $x$  subset by  $g1$ .

$y \sim x \mid g1 + g2$  will produce a plot of  $y$  against  $x$  subset by  $g1$  and  $g2$ .

### Value

The output depends on the type of input, but is usually called for the side-effect of producing a plot.

An `inzightplotoutput` object, which contains the information displayed in the plot

### Functions

- `inzsummary`: Wrapper for `getPlotSummary` to obtain summary information about a plot
- `inzinference`: Wrapper for `getPlotSummary` to obtain inference information about a plot

### See Also

[iNZightPlot](#)

**Examples**

```

data("C02")
inzplot(~uptake, data = C02)
inzplot(uptake ~ Treatment, data = C02)
inzplot(uptake ~ Treatment | Type, data = C02)
inzplot(uptake ~ Treatment | Type,
data = C02, g1.level = "Quebec")

```

---

mend_call	<i>Mend a plot call based on valid parameters</i>
-----------	---

---

**Description**

Mend a plot call based on valid parameters

**Usage**

```
mend_call(call, data, design_name, plot)
```

**Arguments**

call	a plot call string, or expression
data	the dataset
design_name	name of the design, if any
plot	the result of <code>inzplot</code> , <code>inzsummary</code> , or <code>inzinference</code>

**Value**

a plot call with extraneous arguments removed

---

print.inzHTML	<i>Print method for 'inzHTML' object</i>
---------------	--

---

**Description**

The default action is for the URL to be 'printed' (opened) in the browser, unless 'viewer' is specified as something else. If 'viewer = NULL', then the URL is printed as a character string.

**Usage**

```

## S3 method for class 'inzHTML'
print(x, viewer = getOption("viewer", utils::browseURL), ...)

```

**Arguments**

x	a URL that will be printed
viewer	the viewing function to use to display the URL
...	additional arguments

**Value**

NULL (it's a print function, after all)

# Index

can.interact, [2](#)  
cat\_palette\_names (inzpalette), [16](#)  
const\_palette\_names, [4](#)  
construct\_call, [3](#)  
cont\_palette\_names, [4](#)  
cont\_palette\_names (inzpalette), [16](#)  
convert.to.factor, [4](#)  
create, [5](#)

emphasize\_pal\_colour, [6](#)  
exploreAllPlots, [6](#)  
exploreAllSummaries, [7](#)  
exporthTML, [8](#)  
exportSVG, [10](#)

getPlotSummary, [11](#)

iNZightPlot, [13](#), [21](#)  
inzinference (inzsummary), [20](#)  
inzpalette, [16](#)  
inzpar, [17](#)  
inzplot (inzsummary), [20](#)  
inzsummary, [20](#)

mend\_call, [22](#)

print.allSummaries  
    (exploreAllSummaries), [7](#)  
print.inzHTML, [22](#)