

Package ‘matrixcalc’

February 20, 2015

Version 1.0-3

Date 2012-09-12

Title Collection of functions for matrix calculations

Author Frederick Novomestky <fnovomes@poly.edu>

Maintainer Frederick Novomestky <fnovomes@poly.edu>

Depends R (>= 2.0.1)

Description A collection of functions to support matrix calculations for probability, econometric and numerical analysis. There are additional functions that are comparable to APL functions which are useful for actuarial models such as pension mathematics. This package is used for teaching and research purposes at the Department of Finance and Risk Engineering, New York University, Polytechnic Institute, Brooklyn, NY 11201.

License GPL (>= 2)

Repository CRAN

Date/Publication 2012-09-15 14:22:14

NeedsCompilation no

R topics documented:

commutation.matrix	3
creation.matrix	4
D.matrix	5
direct.prod	6
direct.sum	7
duplication.matrix	8
E.matrices	9
elimination.matrix	10
entrywise.norm	11
fibonacci.matrix	12
frobenius.matrix	13
frobenius.norm	14

frobenius.prod	15
H.matrices	16
hadamard.prod	17
hankel.matrix	18
hilbert.matrix	19
hilbert.schmidt.norm	20
inf.norm	21
is.diagonal.matrix	22
is.idempotent.matrix	23
is.indefinite	24
is.negative.definite	26
is.negative.semi.definite	27
is.non.singular.matrix	29
is.positive.definite	30
is.positive.semi.definite	31
is.singular.matrix	33
is.skew.symmetric.matrix	34
is.square.matrix	35
is.symmetric.matrix	36
K.matrix	37
L.matrix	38
lower.triangle	39
lu.decomposition	40
matrix.inverse	41
matrix.power	42
matrix.rank	43
matrix.trace	44
maximum.norm	45
N.matrix	46
one.norm	47
pascal.matrix	48
set.submatrix	49
shift.down	50
shift.left	51
shift.right	52
shift.up	53
spectral.norm	54
stirling.matrix	55
svd.inverse	56
symmetric.pascal.matrix	57
T.matrices	58
toeplitz.matrix	59
u.vectors	60
upper.triangle	61
vandermonde.matrix	62
vec	63
vech	63
%s%	64

commutation.matrix	<i>Commutation matrix for r by c numeric matrices</i>
--------------------	---

Description

This function returns a square matrix of order $p = r * c$ that, for an r by c matrix A , transforms $\text{vec}(A)$ to $\text{vec}(A')$ where prime denotes transpose.

Usage

```
commutation.matrix(r, c=r)
```

Arguments

r	a positive integer integer row dimension
c	a positive integer integer column dimension

Details

This function is a wrapper function that uses the function `K.matrix` to do the actual work. The $r \times c$ matrices $\mathbf{H}_{i,j}$ constructed by the function `H.matrices` are combined using direct product to generate the commutation product with the following formula $\mathbf{K}_{r,c} = \sum_{i=1}^r \sum_{j=1}^c (\mathbf{H}_{i,j} \otimes \mathbf{H}'_{i,j})$

Value

An order $(r \ c)$ matrix.

Note

If either argument is less than 2, then the function stops and displays an appropriate error message. If either argument is not an integer, then the function stops and displays an appropriate error message

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1979). The commutation matrix: some properties and applications, *The Annals of Statistics*, 7(2), 381-394.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[H.matrices](#), [K.matrix](#)

Examples

```

K <- commutation.matrix( 3, 4 )
A <- matrix( seq( 1, 12, 1 ), nrow=3, byrow=TRUE )
vecA <- vec( A )
vecAt <- vec( t( A ) )
print( K %*% vecA )
print( vecAt )

```

creation.matrix	<i>Creation Matrix</i>
-----------------	------------------------

Description

This function returns the order n creation matrix, a square matrix with the sequence 1, 2, ..., $n - 1$ on the sub-diagonal below the principal diagonal.

Usage

```
creation.matrix(n)
```

Arguments

n a positive integer greater than 1

Details

The order n creation matrix is also called the derivation matrix and is used in numerical mathematics and physics. It arises in the solution of linear dynamical systems. The form of the matrix is

$$\begin{bmatrix} 0 & 0 & 0 & \cdots & 0 & 0 \\ 1 & 0 & 0 & \cdots & 0 & 0 \\ 0 & 2 & 0 & \cdots & 0 & 0 \\ 0 & 0 & 3 & \ddots & 0 & 0 \\ \vdots & \vdots & \vdots & \ddots & \ddots & \\ 0 & 0 & 0 & \cdots & n-1 & 0 \end{bmatrix}.$$

Value

An order n matrix.

Note

If the argument n is not an integer that is greater than 1, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

- Aceto, L. and D. Trigiante (2001). Matrices of Pascal and Other Greats, *American Mathematical Monthly*, March 2001, 108(3), 232-245.
- Weinberg, S. (1995). *The Quantum Theory of Fields*, Cambridge University Press.

Examples

```
H <- creation.matrix( 10 )
print( H )
```

D.matrix

*Duplication matrix***Description**

This function constructs the linear transformation D that maps $\text{vech}(A)$ to $\text{vec}(A)$ when A is a symmetric matrix

Usage

```
D.matrix(n)
```

Arguments

n a positive integer value for the order of the underlying matrix

Details

Let $\mathbf{T}_{i,j}$ be an $n \times n$ matrix with 1 in its (i,j) element $1 \leq i, j \leq n$. and zeroes elsewhere. These matrices are constructed by the function `T.matrices`. The formula for the transpose of matrix \mathbf{D} is $\mathbf{D}' = \sum_{j=1}^n \sum_{i=j}^n \mathbf{u}_{i,j} (\text{vec } \mathbf{T}_{i,j})'$ where $\mathbf{u}_{i,j}$ is the column vector in the order $\frac{1}{2}n(n+1)$ identity matrix for column $k = (j-1)n + i - \frac{1}{2}j(j-1)$. The function `u.vectors` generates these vectors.

Value

It returns an $n^2 \times \frac{1}{2}n(n+1)$ matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

- Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.
- Magnus, J. R. and H. Neudecker (1999). *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[T.matrices](#), [u.vectors](#)

Examples

```
D <- D.matrix( 3 )
A <- matrix( c( 1, 2, 3,
               2, 3, 4,
               3, 4, 5), nrow=3, byrow=TRUE )
vecA <- vec( A )
vechA <- vech( A )
y <- D %*% vechA
print( y )
print( vecA )
```

direct.prod

Direct prod of two arrays

Description

This function computes the direct product of two arrays. The arrays can be numerical vectors or matrices. The result is a matrix.

Usage

```
direct.prod( x, y )
```

Arguments

x a numeric matrix or vector
y a numeric matrix or vector

Details

If either **x** or **y** is a vector, it is converted to a matrix. Suppose that **x** is an $m \times n$ matrix and **y** is

an $p \times q$ matrix. Then, the function returns the matrix

$$\begin{bmatrix} x_{1,1} \mathbf{Y} & x_{1,2} \mathbf{Y} & \cdots & x_{1,n} \mathbf{Y} \\ x_{2,1} \mathbf{Y} & x_{2,2} \mathbf{Y} & \cdots & x_{2,n} \mathbf{Y} \\ \cdots & \cdots & \cdots & \cdots \\ x_{m,1} \mathbf{Y} & x_{m,2} \mathbf{Y} & \cdots & x_{m,n} \mathbf{Y} \end{bmatrix}.$$
Value

A numeric matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>, Kurt Hornik <Kurt.Hornik@wu-wien.ac.at>

References

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

Examples

```
x <- matrix( seq( 1, 4 ) )
y <- matrix( seq( 5, 8 ) )
print( direct.prod( x, y ) )
```

direct.sum	<i>Direct sum of two arrays</i>
------------	---------------------------------

Description

This function computes the direct sum of two arrays. The arrays can be numerical vectors or matrices. The result is the block diagonal matrix.

Usage

```
direct.sum( x, y )
```

Arguments

x	a numeric matrix or vector
y	a numeric matrix or vector

Details

If either x or y is a vector, it is converted to a matrix. The result is a block diagonal matrix $\begin{bmatrix} x & \mathbf{0} \\ \mathbf{0} & y \end{bmatrix}$.

Value

A numeric matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>, Kurt Hornik <Kurt.Hornik@wu-wien.ac.at>

References

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

Examples

```
x <- matrix( seq( 1, 4 ) )
y <- matrix( seq( 5, 8 ) )
print( direct.sum( x, y ) )
```

duplication.matrix *Duplication matrix for n by n matrices*

Description

This function returns a matrix with $n * n$ rows and $n * (n + 1) / 2$ columns that transforms $\text{vech}(A)$ to $\text{vec}(A)$ where A is a symmetric n by n matrix.

Usage

```
duplication.matrix(n=1)
```

Arguments

`n` Row and column dimension

Details

This function is a wrapper function for the function `D.matrix`. Let $\mathbf{T}_{i,j}$ be an $n \times n$ matrix with 1 in its (i, j) element $1 \leq i, j \leq n$. and zeroes elsewhere. These matrices are constructed by the function `T.matrices`. The formula for the transpose of matrix \mathbf{D} is $\mathbf{D}' = \sum_{j=1}^n \sum_{i=j}^n \mathbf{u}_{i,j} (\text{vec } \mathbf{T}_{i,j})'$ where $\mathbf{u}_{i,j}$ is the column vector in the order $\frac{1}{2}n(n+1)$ identity matrix for column $k = (j-1)n + i - \frac{1}{2}j(j-1)$. The function `u.vectors` generates these vectors.

Value

It returns an $n^2 \times \frac{1}{2}n(n+1)$ matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>, Kurt Hornik <Kurt.Hornik@wu-wien.ac.at>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[D.matrix](#), [vec](#), [vech](#)

Examples

```

D <- duplication.matrix( 3 )
A <- matrix( c( 1, 2, 3,
               2, 3, 4,
               3, 4, 5), nrow=3, byrow=TRUE )
vecA <- vec( A )
vechA <- vech( A )
y <- D %*% vechA
print( y )
print( vecA )

```

E.matrices

*List of E Matrices***Description**

This function constructs and returns a list of lists. The component of each sublist is a square matrix derived from the column vectors of an order n identity matrix.

Usage

```
E.matrices(n)
```

Arguments

n a positive integer for the order of the identity matrix

Details

Let $\mathbf{I}_n = [\mathbf{e}_1 \ \mathbf{e}_2 \ \cdots \ \mathbf{e}_n]$ be the order n identity matrix with corresponding unit vectors \mathbf{e}_i with one in its i th position and zeros elsewhere. The $n \times n$ matrix $\mathbf{E}_{i,j}$ is computed from the unit vectors \mathbf{e}_i and \mathbf{e}_j as $\mathbf{E}_{i,j} = \mathbf{e}_i \mathbf{e}'_j$. These matrices are stored as components in a list of lists.

Value

A list with n components

1 A sublist of n components

2 A sublist of n components

...

n A sublist of n components

Each component j of sublist i is a matrix $\mathbf{E}_{i,j}$

Note

The argument n must be an integer value greater than or equal to 2.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999). *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

Examples

```
E <- E.matrices( 3 )
```

elimination.matrix	<i>Elimination matrix for lower triangular matrices</i>
--------------------	---

Description

This function returns a matrix with $n * (n + 1) / 2$ rows and $N * n$ columns which for any lower triangular matrix A transforms $\text{vec}(A)$ into $\text{vech}(A)$

Usage

```
elimination.matrix(n)
```

Arguments

`n` row or column dimension

Details

This function is a wrapper function to the function `L.matrix`. The formula used to compute the L matrix which is also called the elimination matrix is $\mathbf{L} = \sum_{j=1}^n \sum_{i=j}^n \mathbf{u}_{i,j} (\text{vec } \mathbf{E}_{i,j})' \mathbf{u}_{i,j}$ are the order $n(n+1)/2$ vectors constructed by the function `u.vectors`. $\mathbf{E}_{i,j}$ are the $n \times n$ matrices constructed by the function `E.matrices`.

Value

An $[\frac{1}{2}n(n+1)] \times n^2$ matrix.

Note

If the argument is not an integer, the function displays an error message and stops. If the argument is less than two, the function displays an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[E.matrices](#), [L.matrix](#), [u.vectors](#)

Examples

```
L <- elimination.matrix( 4 )
A <- lower.triangle( matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE ) )
vecA <- vec( A )
vechA <- vech( A )
y <- L %*% vecA
print( y )
print( vechA )
```

entrywise.norm

Compute the entrywise norm of a matrix

Description

This function returns the $\|\mathbf{x}\|_p$ norm of the matrix \mathbf{x} .

Usage

```
entrywise.norm(x,p)
```

Arguments

\mathbf{x} a numeric vector or matrix
 p a real value for the power

Details

Let \mathbf{x} be an $m \times n$ numeric matrix. The formula used to compute the norm is $\|\mathbf{x}\|_p = \left(\sum_{i=1}^m \sum_{j=1}^n |x_{i,j}|^p \right)^{1/p}$.

Value

A numeric value.

Note

If argument x is not numeric, the function displays an error message and terminates. If argument x is neither a matrix nor a vector, the function displays an error message and terminates. If argument p is zero, the function displays an error message and terminates.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

See Also

[one.norm](#), [inf.norm](#)

Examples

```
A <- matrix( c( 3, 5, 7, 2, 6, 4, 0, 2, 8 ), nrow=3, ncol=3, byrow=TRUE )
print( entrywise.norm( A, 2 ) )
```

fibonacci.matrix

Fibonacci Matrix

Description

This function constructs the order $n + 1$ square Fibonacci matrix which is derived from a Fibonacci sequence.

Usage

```
fibonacci.matrix(n)
```

Arguments

n a positive integer value

Details

Let $\{f_0, f_1, \dots, f_n\}$ be the set of $n + 1$ Fibonacci numbers where $f_0 = f_1 = 1$ and $f_j = f_{j-1} + f_{j-2}$, $2 \leq j \leq n$. The order $n + 1$ Fibonacci matrix \mathbf{F} has as typical element $F_{i,j} =$

$$\begin{cases} f_{i-j+1} & i - j + 1 \geq 0 \\ 0 & i - j + 1 < 0 \end{cases}.$$

Value

An order $n + 1$ matrix

Note

If the argument n is not a positive integer, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Zhang, Z. and J. Wang (2006). Bernoulli matrix and its algebraic properties, *Discrete Applied Mathematics*, 154, 1622-1632.

Examples

```
F <- fibonacci.matrix( 10 )
print( F )
```

frobenius.matrix	<i>Frobenius Matrix</i>
------------------	-------------------------

Description

This function returns an order n Frobenius matrix that is useful in numerical mathematics.

Usage

```
frobenius.matrix(n)
```

Arguments

n a positive integer value greater than 1

Details

The Frobenius matrix is also called the companion matrix. It arises in the solution of systems of linear first order differential equations. The formula for the order n Frobenius matrix is $\mathbf{F} =$

$$\begin{bmatrix} 0 & 0 & \cdots & 0 & (-1)^{n-1} \binom{n}{0} \\ 1 & 0 & \cdots & 0 & (-1)^{n-2} \binom{n}{1} \\ 0 & 1 & \ddots & 0 & (-1)^{n-3} \binom{n}{2} \\ \vdots & \vdots & \ddots & \vdots & \vdots \\ 0 & 0 & \cdots & 1 & (-1)^0 \binom{n}{n-1} \end{bmatrix}.$$

Value

An order n matrix

Note

If the argument n is not a positive integer that is greater than 1, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Aceto, L. and D. Trigiante (2001). Matrices of Pascal and Other Greats, *American Mathematical Monthly*, March 2001, 108(3), 232-245.

Examples

```
F <- frobenius.matrix( 10 )  
print( F )
```

frobenius.norm

Compute the Frobenius norm of a matrix

Description

This function returns the Frobenius norm of the matrix x .

Usage

```
frobenius.norm(x)
```

Arguments

x a numeric vector or matrix

Details

The formula used to compute the norm is $\|x\|_2$. Note that this is the entrywise norm with exponent 2.

Value

A numeric value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

See Also

[entrywise.norm](#)

Examples

```
A <- matrix( c( 3, 5, 7, 2, 6, 4, 0, 2, 8 ), nrow=3, ncol=3, byrow=TRUE )
print( frobenius.norm( A ) )
```

frobenius.prod

Frobenius inner product of matrices

Description

This function returns the Frobenius inner product of two matrices, x and y , with the same row and column dimensions.

Usage

```
frobenius.prod(x, y)
```

Arguments

x a numeric matrix or vector object
 y a numeric matrix or vector object

Details

The Frobenius inner product is the element-by-element sum of the Hadamard or Shur product of two numeric matrices. Let x and y be two $m \times n$ matrices. Then Frobenius inner product is computed as $\sum_{i=1}^m \sum_{j=1}^n x_{i,j} y_{i,j}$.

Value

A numeric value.

Note

The function converts vectors to matrices if necessary. The function stops running if x or y is not numeric and an error message is displayed. The function also stops running if x and y do not have the same row and column dimensions and an error message is displayed.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Styan, G. P. H. (1973). Hadamard Products and Multivariate Statistical Analysis, *Linear Algebra and Its Applications*, Elsevier, 6, 217-240.

See Also

[hadamard.prod](#)

Examples

```
x <- matrix( c( 1, 2, 3, 4 ), nrow=2, byrow=TRUE )
y <- matrix( c( 2, 4, 6, 8 ), nrow=2, byrow=TRUE )
z <- frobenius.prod( x, y )
print( z )
```

H.matrices

List of H Matrices

Description

This function constructs and returns a list of lists. The component of each sublist is derived from column vectors in an order r and order c identity matrix.

Usage

```
H.matrices(r, c = r)
```

Arguments

r a positive integer value for an order r identity matrix
c a positive integer value for an order c identify matrix

Details

Let $\mathbf{I}_r = [\mathbf{a}_1 \ \mathbf{a}_2 \ \cdots \ \mathbf{a}_r]$ be the order r identity matrix with corresponding unit vectors \mathbf{a}_i with one in its i th position and zeros elsewhere. Let $\mathbf{I}_c = [\mathbf{b}_1 \ \mathbf{b}_2 \ \cdots \ \mathbf{b}_c]$ be the order c identity matrix with corresponding unit vectors \mathbf{b}_i with one in its i th position and zeros elsewhere. The $r \times c$ matrix $\mathbf{H}_{i,j} = \mathbf{a}_i \mathbf{b}'_j$ is used in the computation of the commutation matrix.

Value

A list with r components

1 A sublist of c components

2 A sublist of c components

...

r A sublist of c components

Each component j of sublist i is a matrix $\mathbf{H}_{i,j}$

Note

The argument n must be an integer value greater than or equal to two.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1979). The commutation matrix: some properties and applications, *The Annals of Statistics*, 7(2), 381-394.

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Examples

```
H.2.3 <- H.matrices( 2, 3 )
H.3 <- H.matrices( 3 )
```

hadamard.prod

Hadamard product of two matrices

Description

This function returns the Hadamard or Shur product of two matrices, x and y , that have the same row and column dimensions.

Usage

```
hadamard.prod(x, y)
```

Arguments

x a numeric matrix or vector object

y a numeric matrix or vector object

Details

The Hadamard product is an element-by-element product of the two matrices. Let \mathbf{x} and \mathbf{y} be two $m \times n$ numeric matrices. The Hadamard product is $\mathbf{x} \circ \mathbf{y} =$

$$\begin{bmatrix} x_{1,1} y_{1,1} & x_{1,2} y_{1,2} & \cdots & x_{1,n} y_{1,n} \\ x_{2,1} y_{2,1} & x_{2,2} y_{2,2} & \cdots & x_{2,n} y_{2,n} \\ \cdots & \cdots & \cdots & \cdots \\ x_{m,1} y_{m,1} & x_{m,2} y_{m,2} & \cdots & x_{m,n} y_{m,n} \end{bmatrix}.$$

It uses the * operation in R.

Value

A matrix.

Note

The function converts vectors to matrices if necessary. The function stops running if \mathbf{x} or \mathbf{y} is not numeric and an error message is displayed. The function also stops running if \mathbf{x} and \mathbf{y} do not have the same row and column dimensions and an error message is displayed.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Hadamard, J (1983). Resolution d'une question relative aux determinants, *Bulletin des Sciences Mathematiques*, 17, 240-246.

Styan, G. P. H. (1973). Hadamard Products and Multivariate Statistical Analysis, *Linear Algebra and Its Applications*, Elsevier, 6, 217-240.

Examples

```
x <- matrix( c( 1, 2, 3, 4 ), nrow=2, byrow=TRUE )
y <- matrix( c( 2, 4, 6, 8 ), nrow=2, byrow=TRUE )
z <- hadamard.prod( x, y )
print( z )
```

hankel.matrix

Hankel Matrix

Description

This function constructs an order n Hankel matrix from the values in the order n vector \mathbf{x} . Each row of the matrix is a circular shift of the values in the previous row.

Usage

```
hankel.matrix(n, x)
```

Arguments

n a positive integer value for order of matrix greater than 1
x a vector of values used to construct the matrix

Details

A Hankel matrix is a square matrix with constant skew diagonals. The determinant of a Hankel matrix is called a catalecticant. Hankel matrices are formed when the hidden Mark model is sought from a given sequence of data.

Value

An order n matrix.

Note

If the argument n is not a positive integer, the function presents an error message and stops. If the length of x is less than n , the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Power, S. C. (1982). *Hankel Operators on Hilbert Spaces*, Research notes in mathematics, Series 64, Pitman Publishing.

Examples

```
H <- hankel.matrix( 4, seq( 1, 7 ) )  
print( H )
```

hilbert.matrix *Hilbert matrices*

Description

This function returns an n by n Hilbert matrix.

Usage

```
hilbert.matrix(n)
```

Arguments

n Order of the Hilbert matrix

Details

A Hilbert matrix is an order n square matrix of unit fractions with elements defined as $H_{i,j} = 1/(i + j - 1)$.

Value

A matrix.

Note

If the argument is less than or equal to zero, the function displays an error message and stops. If the argument is not an integer, the function displays an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Hilbert, David (1894). Ein Beitrag zur Theorie des Legendre schen Polynoms, *Acta Mathematica*, Springer, Netherlands, 18, 155-159.

Examples

```
H <- hilbert.matrix( 4 )
print( H )
```

hilbert.schmidt.norm *Compute the Hilbert-Schmidt norm of a matrix*

Description

This function returns the Hilbert-Schmidt norm of the matrix \mathbf{x} .

Usage

```
hilbert.schmidt.norm(x)
```

Arguments

\mathbf{x} a numeric vector or matrix

Details

The formula used to compute the norm is $\|\mathbf{x}\|_2$. This is merely the entrywise norm with exponent 2.

Value

A numeric value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

See Also

[entrywise.norm](#)

Examples

```
A <- matrix( c( 3, 5, 7, 2, 6, 4, 0, 2, 8 ), nrow=3, ncol=3, byrow=TRUE )
print( hilbert.schmidt.norm( A ) )
```

 inf.norm

Compute the infinity norm of a matrix

Description

This function returns the $\|\mathbf{x}\|_{\infty}$ norm of the matrix \mathbf{x} .

Usage

```
inf.norm(x)
```

Arguments

x a numeric vector or matrix

Details

Let \mathbf{x} be an $m \times n$ numeric matrix. The formula used to compute the norm is $\|\mathbf{x}\|_{\infty} = \max_{1 \leq i \leq m} \sum_{j=1}^n |x_{i,j}|$.

This is merely the maximum absolute row sum of the $m \times n$ matrix.

Value

A numeric value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

See Also

[one.norm](#)

Examples

```
A <- matrix( c( 3, 5, 7, 2, 6, 4, 0, 2, 8 ), nrow=3, ncol=3, byrow=TRUE )
print( inf.norm( A ) )
```

is.diagonal.matrix *Test for diagonal square matrix*

Description

This function returns TRUE if the given matrix argument x is a square numeric matrix and that the off-diagonal elements are close to zero in absolute value to within the given tolerance level. Otherwise, a FALSE value is returned.

Usage

```
is.diagonal.matrix(x, tol = 1e-08)
```

Arguments

x	a numeric square matrix
tol	a numeric tolerance level usually left out

Value

A TRUE or FALSE value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Horn, R. A. and C. R. Johnson (1990). *Matrix Analysis*, Cambridge University Press.

Examples

```
A <- diag( 1, 3 )
is.diagonal.matrix( A )
B <- matrix( c( 1, 2, 3, 4 ), nrow=2, byrow=TRUE )
is.diagonal.matrix( B )
C <- matrix( c( 1, 0, 0, 0 ), nrow=2, byrow=TRUE )
is.diagonal.matrix( C )
```

is.idempotent.matrix *Test for idempotent square matrix*

Description

This function returns a TRUE value if the square matrix argument x is idempotent, that is, the product of the matrix with itself is the matrix. The equality test is performed to within the specified tolerance level. If the matrix is not idempotent, then a FALSE value is returned.

Usage

```
is.idempotent.matrix(x, tol = 1e-08)
```

Arguments

x	a numeric square matrix
tol	a numeric tolerance level usually left out

Details

Idempotent matrices are used in econometric analysis. Consider the problem of estimating the regression parameters of a standard linear model $\mathbf{y} = \mathbf{X} \beta + \mathbf{e}$ using the method of least squares. \mathbf{y} is an order m random vector of dependent variables. \mathbf{X} is an $m \times n$ matrix whose columns are columns of observations on one of the $n - 1$ independent variables. The first column contains m ones. \mathbf{e} is an order m random vector of zero mean residual values. β is the order n vector of regression parameters. The objective function that is minimized in the method of least squares is $(\mathbf{y} - \mathbf{X} \beta)' (\mathbf{y} - \mathbf{X} \beta)$. The solution to this quadratic programming problem is $\hat{\beta} = [(\mathbf{X}' \mathbf{X})^{-1} \mathbf{X}'] \mathbf{y}$. The corresponding estimator for the residual vector is $\hat{\mathbf{e}} = \mathbf{y} - \mathbf{X} \hat{\beta} = [\mathbf{I} - \mathbf{X} (\mathbf{X}' \mathbf{X})^{-1} \mathbf{X}'] \mathbf{y} = \mathbf{M} \mathbf{y}$. \mathbf{M} and $\mathbf{X} (\mathbf{X}' \mathbf{X})^{-1} \mathbf{X}'$ are idempotent. Idempotency of \mathbf{M} enters into the estimation of the variance of the estimator.

Value

A TRUE or FALSE value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Chang, A. C., (1984). *Fundamental Methods of Mathematical Economics*, Third edition, McGraw-Hill.

Green, W. H. (2003). *Econometric Analysis*, Fifth edition, Prentice-Hall.

Horn, R. A. and C. R. Johnson (1990). *Matrix Analysis*, Cambridge University Press.

Examples

```
A <- diag( 1, 3 )
is.idempotent.matrix( A )
B <- matrix( c( 1, 2, 3, 4 ), nrow=2, byrow=TRUE )
is.idempotent.matrix( B )
C <- matrix( c( 1, 0, 0, 0 ), nrow=2, byrow=TRUE )
is.idempotent.matrix( C )
```

is.indefinite

Test matrix for positive indefiniteness

Description

This function returns TRUE if the argument, a square symmetric real matrix x , is indefinite. That is, the matrix has both positive and negative eigenvalues.

Usage

```
is.indefinite(x, tol=1e-8)
```

Arguments

x	a matrix
tol	a numeric tolerance level

Details

For an indefinite matrix, the matrix should positive and negative eigenvalues. The R function `eigen` is used to compute the eigenvalues. If any of the eigenvalues is absolute value is less than the given tolerance, that eigenvalue is replaced with zero. If the matrix has both positive and negative eigenvalues, it is declared to be indefinite.

Value

TRUE or FALSE.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.positive.definite](#), [is.positive.semi.definite](#), [is.negative.definite](#), [is.negative.semi.definite](#)

Examples

```
###
### identity matrix is always positive definite
###
I <- diag( 1, 3 )
is.indefinite( I )
###
### positive definite matrix
### eigenvalues are 3.4142136 2.0000000 0.585786
###
A <- matrix( c( 2, -1, 0, -1, 2, -1, 0, -1, 2 ), nrow=3, byrow=TRUE )
is.indefinite( A )
###
### positive semi-definite matrix
### eigenvalues are 4.732051 1.267949 8.881784e-16
###
B <- matrix( c( 2, -1, 2, -1, 2, -1, 2, -1, 2 ), nrow=3, byrow=TRUE )
is.indefinite( B )
###
### negative definite matrix
### eigenvalues are -0.5857864 -2.0000000 -3.4142136
###
C <- matrix( c( -2, 1, 0, 1, -2, 1, 0, 1, -2 ), nrow=3, byrow=TRUE )
is.indefinite( C )
###
### negative semi-definite matrix
### eigenvalues are 1.894210e-16 -1.267949 -4.732051
###
D <- matrix( c( -2, 1, -2, 1, -2, 1, -2, 1, -2 ), nrow=3, byrow=TRUE )
is.indefinite( D )
###
### indefinite matrix
### eigenvalues are 3.828427 1.000000 -1.828427
###
E <- matrix( c( 1, 2, 0, 2, 1, 2, 0, 2, 1 ), nrow=3, byrow=TRUE )
```

```
is.indefinite( E )
```

```
is.negative.definite Test matrix for negative definiteness
```

Description

This function returns TRUE if the argument, a square symmetric real matrix x , is negative definite.

Usage

```
is.negative.definite(x, tol=1e-8)
```

Arguments

<code>x</code>	a matrix
<code>tol</code>	a numeric tolerance level

Details

For a negative definite matrix, the eigenvalues should be negative. The R function `eigen` is used to compute the eigenvalues. If any of the eigenvalues in absolute value is less than the given tolerance, that eigenvalue is replaced with zero. If any of the eigenvalues is greater than or equal to zero, then the matrix is not negative definite. Otherwise, the matrix is declared to be negative definite.

Value

TRUE or FALSE.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.positive.definite](#), [is.positive.semi.definite](#), [is.negative.semi.definite](#), [is.indefinite](#)

Examples

```

###
### identity matrix is always positive definite
I <- diag( 1, 3 )
is.negative.definite( I )
###
### positive definite matrix
### eigenvalues are 3.4142136 2.0000000 0.585786
###
A <- matrix( c( 2, -1, 0, -1, 2, -1, 0, -1, 2 ), nrow=3, byrow=TRUE )
is.negative.definite( A )
###
### positive semi-definite matrix
### eigenvalues are 4.732051 1.267949 8.881784e-16
###
B <- matrix( c( 2, -1, 2, -1, 2, -1, 2, -1, 2 ), nrow=3, byrow=TRUE )
is.negative.definite( B )
###
### negative definite matrix
### eigenvalues are -0.5857864 -2.0000000 -3.4142136
###
C <- matrix( c( -2, 1, 0, 1, -2, 1, 0, 1, -2 ), nrow=3, byrow=TRUE )
is.negative.definite( C )
###
### negative semi-definite matrix
### eigenvalues are 1.894210e-16 -1.267949 -4.732051
###
D <- matrix( c( -2, 1, -2, 1, -2, 1, -2, 1, -2 ), nrow=3, byrow=TRUE )
is.negative.definite( D )
###
### indefinite matrix
### eigenvalues are 3.828427 1.000000 -1.828427
###
E <- matrix( c( 1, 2, 0, 2, 1, 2, 0, 2, 1 ), nrow=3, byrow=TRUE )
is.negative.definite( E )

```

```
is.negative.semi.definite
```

Test matrix for negative semi definiteness

Description

This function returns TRUE if the argument, a square symmetric real matrix x, is negative semi-negative.

Usage

```
is.negative.semi.definite(x, tol=1e-8)
```

Arguments

x a matrix
tol a numeric tolerance level

Details

For a negative semi-definite matrix, the eigenvalues should be non-positive. The R function `eigen` is used to compute the eigenvalues. If any of the eigenvalues in absolute value is less than the given tolerance, that eigenvalue is replaced with zero. Then, if any of the eigenvalues is greater than zero, the matrix is not negative semi-definite. Otherwise, the matrix is declared to be negative semi-definite.

Value

TRUE or FALSE.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.positive.definite](#), [is.positive.semi.definite](#), [is.negative.definite](#), [is.indefinite](#)

Examples

```
###
### identity matrix is always positive definite
I <- diag( 1, 3 )
is.negative.semi.definite( I )
###
### positive definite matrix
### eigenvalues are 3.4142136 2.0000000 0.585786
###
A <- matrix( c( 2, -1, 0, -1, 2, -1, 0, -1, 2 ), nrow=3, byrow=TRUE )
is.negative.semi.definite( A )
###
### positive semi-definite matrix
### eigenvalues are 4.732051 1.267949 8.881784e-16
###
B <- matrix( c( 2, -1, 2, -1, 2, -1, 2, -1, 2 ), nrow=3, byrow=TRUE )
is.negative.semi.definite( B )
###
### negative definite matrix
### eigenvalues are -0.5857864 -2.0000000 -3.4142136
###
```

```
C <- matrix( c( -2, 1, 0, 1, -2, 1, 0, 1, -2 ), nrow=3, byrow=TRUE )
is.negative.semi.definite( C )
###
### negative semi-definite matrix
### eigenvalues are 1.894210e-16 -1.267949 -4.732051
###
D <- matrix( c( -2, 1, -2, 1, -2, 1, -2, 1, -2 ), nrow=3, byrow=TRUE )
is.negative.semi.definite( D )
###
### indefinite matrix
### eigenvalues are 3.828427 1.000000 -1.828427
###
E <- matrix( c( 1, 2, 0, 2, 1, 2, 0, 2, 1 ), nrow=3, byrow=TRUE )
is.negative.semi.definite( E )
```

is.non.singular.matrix

Test if matrix is non-singular

Description

This function returns TRUE if the matrix argument is non-singular and FALSE otherwise.

Usage

```
is.non.singular.matrix(x, tol = 1e-08)
```

Arguments

x	a numeric square matrix
tol	a numeric tolerance level usually left out

Details

The determinant of the matrix x is first computed. If the absolute value of the determinant is greater than or equal to the given tolerance level, then a TRUE value is returned. Otherwise, a FALSE value is returned.

Value

TRUE or FALSE value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Horn, R. A. and C. R. Johnson (1990). *Matrix Analysis*, Cambridge University Press.

See Also

[is.singular.matrix](#)

Examples

```
A <- diag( 1, 3 )
is.non.singular.matrix( A )
B <- matrix( c( 0, 0, 3, 4 ), nrow=2, byrow=TRUE )
is.non.singular.matrix( B )
```

is.positive.definite *Test matrix for positive definiteness*

Description

This function returns TRUE if the argument, a square symmetric real matrix *x*, is positive definite.

Usage

```
is.positive.definite(x, tol=1e-8)
```

Arguments

<i>x</i>	a matrix
<i>tol</i>	a numeric tolerance level

Details

For a positive definite matrix, the eigenvalues should be positive. The R function `eigen` is used to compute the eigenvalues. If any of the eigenvalues in absolute value is less than the given tolerance, that eigenvalue is replaced with zero. If any of the eigenvalues is less than or equal to zero, then the matrix is not positive definite. Otherwise, the matrix is declared to be positive definite.

Value

TRUE or FALSE.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.positive.semi.definite](#), [is.negative.definite](#), [is.negative.semi.definite](#), [is.indefinite](#)

Examples

```
###
### identity matrix is always positive definite
I <- diag( 1, 3 )
is.positive.definite( I )
###
### positive definite matrix
### eigenvalues are 3.4142136 2.0000000 0.585786
###
A <- matrix( c( 2, -1, 0, -1, 2, -1, 0, -1, 2 ), nrow=3, byrow=TRUE )
is.positive.definite( A )
###
### positive semi-definite matrix
### eigenvalues are 4.732051 1.267949 8.881784e-16
###
B <- matrix( c( 2, -1, 2, -1, 2, -1, 2, -1, 2 ), nrow=3, byrow=TRUE )
is.positive.definite( B )
###
### negative definite matrix
### eigenvalues are -0.5857864 -2.0000000 -3.4142136
###
C <- matrix( c( -2, 1, 0, 1, -2, 1, 0, 1, -2 ), nrow=3, byrow=TRUE )
is.positive.definite( C )
###
### negative semi-definite matrix
### eigenvalues are 1.894210e-16 -1.267949 -4.732051
###
D <- matrix( c( -2, 1, -2, 1, -2, 1, -2, 1, -2 ), nrow=3, byrow=TRUE )
is.positive.definite( D )
###
### indefinite matrix
### eigenvalues are 3.828427 1.000000 -1.828427
###
E <- matrix( c( 1, 2, 0, 2, 1, 2, 0, 2, 1 ), nrow=3, byrow=TRUE )
is.positive.definite( E )
```

is.positive.semi.definite

Test matrix for positive semi-definiteness

Description

This function returns TRUE if the argument, a square symmetric real matrix *x*, is positive semi-definite.

Usage

```
is.positive.semi.definite(x, tol=1e-8)
```

Arguments

<i>x</i>	a matrix
<i>tol</i>	a numeric tolerance level

Details

For a positive semi-definite matrix, the eigenvalues should be non-negative. The R function `eigen` is used to compute the eigenvalues. If any of the eigenvalues is less than zero, then the matrix is not positive semi-definite. Otherwise, the matrix is declared to be positive semi-definite.

Value

TRUE or FALSE.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.positive.definite](#), [is.negative.definite](#), [is.negative.semi.definite](#), [is.indefinite](#)

Examples

```
###
### identity matrix is always positive definite
I <- diag( 1, 3 )
is.positive.semi.definite( I )
###
### positive definite matrix
### eigenvalues are 3.4142136 2.0000000 0.585786
###
A <- matrix( c( 2, -1, 0, -1, 2, -1, 0, -1, 2 ), nrow=3, byrow=TRUE )
is.positive.semi.definite( A )
###
### positive semi-definite matrix
```



```

### eigenvalues are 4.732051 1.267949 8.881784e-16
###
B <- matrix( c( 2, -1, 2, -1, 2, -1, 2, -1, 2 ), nrow=3, byrow=TRUE )
is.positive.semi.definite( B )
###
### negative definite matrix
### eigenvalues are -0.5857864 -2.0000000 -3.4142136
###
C <- matrix( c( -2, 1, 0, 1, -2, 1, 0, 1, -2 ), nrow=3, byrow=TRUE )
is.positive.semi.definite( C )
###
### negative semi-definite matrix
### eigenvalues are 1.894210e-16 -1.267949 -4.732051
###
D <- matrix( c( -2, 1, -2, 1, -2, 1, -2, 1, -2 ), nrow=3, byrow=TRUE )
is.positive.semi.definite( D )
###
### indefinite matrix
### eigenvalues are 3.828427 1.000000 -1.828427
###
E <- matrix( c( 1, 2, 0, 2, 1, 2, 0, 2, 1 ), nrow=3, byrow=TRUE )
is.positive.semi.definite( E )

```

is.singular.matrix *Test for singular square matrix*

Description

This function returns TRUE if the matrix argument is singular and FALSE otherwise.

Usage

```
is.singular.matrix(x, tol = 1e-08)
```

Arguments

x	a numeric square matrix
tol	a numeric tolerance level usually left out

Details

The determinant of the matrix x is first computed. If the absolute value of the determinant is less than the given tolerance level, then a TRUE value is returned. Otherwise, a FALSE value is returned.

Value

A TRUE or FALSE value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Horn, R. A. and C. R. Johnson (1990). *Matrix Analysis*, Cambridge University Press.

See Also

[is.non.singular.matrix](#)

Examples

```
A <- diag( 1, 3 )
is.singular.matrix( A )
B <- matrix( c( 0, 0, 3, 4 ), nrow=2, byrow=TRUE )
is.singular.matrix( B )
```

is.skew.symmetric.matrix

Test for a skew-symmetric matrix

Description

This function returns TRUE if the matrix argument x is a skew symmetric matrix, i.e., the transpose of the matrix is the negative of the matrix. Otherwise, FALSE is returned.

Usage

```
is.skew.symmetric.matrix(x, tol = 1e-08)
```

Arguments

<code>x</code>	a numeric square matrix
<code>tol</code>	a numeric tolerance level usually left out

Details

Let x be an order n matrix. If every element of the matrix $x + x'$ in absolute value is less than the given tolerance, then the matrix argument is declared to be skew symmetric.

Value

A TRUE or FALSE value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Horn, R. A. and C. R. Johnson (1990). *Matrix Analysis*, Cambridge University Press.

Examples

```
A <- diag( 1, 3 )
is.skew.symmetric.matrix( A )
B <- matrix( c( 0, -2, -1, -2, 0, -4, 1, 4, 0 ), nrow=3, byrow=TRUE )
is.skew.symmetric.matrix( B )
C <- matrix( c( 0, 2, 1, 2, 0, 4, 1, 4, 0 ), nrow=3, byrow=TRUE )
is.skew.symmetric.matrix( C )
```

is.square.matrix *Test for square matrix*

Description

The function returns TRUE if the argument is a square matrix and FALSE otherwise.

Usage

```
is.square.matrix(x)
```

Arguments

x a matrix

Value

TRUE or FALSE

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Examples

```
A <- matrix( seq( 1, 12, 1 ), nrow=3, byrow=TRUE )
is.square.matrix( A )
B <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
is.square.matrix( B )
```

is.symmetric.matrix *Test for symmetric numeric matrix*

Description

This function returns TRUE if the argument is a numeric symmetric square matrix and FALSE otherwise.

Usage

```
is.symmetric.matrix(x)
```

Arguments

x an R object

Value

TRUE or FALSE.

Note

If the argument is not a numeric matrix, the function displays an error message and stops. If the argument is not a square matrix, the function displays an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.square.matrix](#)

Examples

```
A <- matrix( c( 1, 2, 3, 4 ), nrow=2, byrow=TRUE )
is.symmetric.matrix( A )
B <- matrix( c( 1, 2, 2, 1 ), nrow=2, byrow=TRUE )
is.symmetric.matrix( B )
```

K.matrix

*K Matrix***Description**

This function returns a square matrix of order $p = r * c$ that, for an r by c matrix A , transforms $\text{vec}(A)$ to $\text{vec}(A')$ where prime denotes transpose.

Usage

```
K.matrix(r, c = r)
```

Arguments

r a positive integer row dimension
 c a positive integer column dimension

Details

The $r \times c$ matrices $\mathbf{H}_{i,j}$ constructed by the function `H.matrices` are combined using direct product to generate the commutation product with the formula $\mathbf{K}_{r,c} = \sum_{i=1}^r \sum_{j=1}^c (\mathbf{H}_{i,j} \otimes \mathbf{H}'_{i,j})$

Value

An order $(r * c)$ matrix.

Note

If either argument is less than 2, then the function stops and displays an appropriate error message. If either argument is not an integer, then the function stops and displays an appropriate error message

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1979). The commutation matrix: some properties and applications, *The Annals of Statistics*, 7(2), 381-394.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[H.matrices](#)

Examples

```

K <- K.matrix( 3, 4 )
A <- matrix( seq( 1, 12, 1 ), nrow=3, byrow=TRUE )
vecA <- vec( A )
vecAt <- vec( t( A ) )
y <- K %*% vecA
print( y )
print( vecAt )

```

L.matrix

*Construct L Matrix***Description**

This function returns a matrix with $n * (n + 1) / 2$ rows and $N * n$ columns which for any lower triangular matrix A transforms $\text{vec}(A)$ into $\text{vech}(A)$

Usage

```
L.matrix(n)
```

Arguments

n a positive integer order for the associated matrix A

Details

The formula used to compute the L matrix which is also called the elimination matrix is $\mathbf{L} = \sum_{j=1}^n \sum_{i=j}^n \mathbf{u}_{i,j} (\text{vec } \mathbf{E}_{i,j})' \mathbf{u}_{i,j}$ are the $n \times 1$ vectors constructed by the function `u.vectors`. $\mathbf{E}_{i,j}$ are the $n \times n$ matrices constructed by the function `E.matrices`.

Value

An $\left[\frac{1}{2}n(n+1)\right] \times n^2$ matrix.

Note

If the argument is not an integer, the function displays an error message and stops. If the argument is less than two, the function displays an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[elimination.matrix](#), [E.matrices](#), [u.vectors](#),

Examples

```
L <- L.matrix( 4 )
A <- lower.triangle( matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE ) )
vecA <- vec( A )
vechA <- vech( A )
y <- L %*% vecA
print( y )
print( vechA )
```

lower.triangle

Lower triangle portion of a matrix

Description

Returns the lower triangle including the diagonal of a square numeric matrix.

Usage

```
lower.triangle(x)
```

Arguments

x a matrix

Value

A matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.square.matrix](#)

Examples

```
B <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
lower.triangle( B )
```

lu.decomposition	<i>LU Decomposition of Square Matrix</i>
------------------	--

Description

This function performs an LU decomposition of the given square matrix argument the results are returned in a list of named components. The Doolittle decomposition method is used to obtain the lower and upper triangular matrices

Usage

```
lu.decomposition(x)
```

Arguments

x a numeric square matrix

Details

The Doolittle decomposition without row exchanges is performed generating the lower and upper triangular matrices separately rather than in one matrix.

Value

A list with two named components.

L The numeric lower triangular matrix

U The number upper triangular matrix

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, John Hopkins University Press

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

Examples

```
A <- matrix( c ( 1, 2, 2, 1 ), nrow=2, byrow=TRUE)
luA <- lu.decomposition( A )
L <- luA$L
U <- luA$U
print( L )
print( U )
print( L %*% U )
print( A )
B <- matrix( c( 2, -1, -2, -4, 6, 3, -4, -2, 8 ), nrow=3, byrow=TRUE )
luB <- lu.decomposition( B )
L <- luB$L
U <- luB$U
print( L )
print( U )
print( L %*% U )
print( B )
```

matrix.inverse	<i>Inverse of a square matrix</i>
----------------	-----------------------------------

Description

This function returns the inverse of a square matrix computed using the R function solve.

Usage

```
matrix.inverse(x)
```

Arguments

x a square numeric matrix

Value

A matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Examples

```
A <- matrix( c ( 1, 2, 2, 1 ), nrow=2, byrow=TRUE)
print( A )
invA <- matrix.inverse( A )
print( invA )
print( A %*% invA )
print( invA %*% A )
```

matrix.power

Matrix Raised to a Power

Description

This function computes the k -th power of order n square matrix x . If k is zero, the order n identity matrix is returned. argument k must be an integer.

Usage

```
matrix.power(x, k)
```

Arguments

x	a numeric square matrix
k	a numeric exponent

Details

The matrix power is computed by successive matrix multiplications. If the exponent is zero, the order n identity matrix is returned. If the exponent is negative, the inverse of the matrix is raised to the given power.

Value

An order n matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Examples

```
A <- matrix( c ( 1, 2, 2, 1 ), nrow=2, byrow=TRUE)
matrix.power( A, -2 )
matrix.power( A, -1 )
matrix.power( A, 0 )
matrix.power( A, 1 )
matrix.power( A, 2 )
```

matrix.rank	<i>Rank of a square matrix</i>
-------------	--------------------------------

Description

This function returns the rank of a square numeric matrix based on the selected method.

Usage

```
matrix.rank(x, method = c("qr", "chol"))
```

Arguments

x	a matrix
method	a character string that specifies the method to be used

Details

If the user specifies "qr" as the method, then the QR decomposition function is used to obtain the rank. If the user specifies "chol" as the method, the rank is obtained from the attributes of the value returned.

Value

An integer.

Note

If the argument is not a square numeric matrix, then the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also[is.square.matrix](#)**Examples**

```
A <- diag( seq( 1, 4, 1 ) )
matrix.rank( A )
B <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
matrix.rank( B )
```

matrix.trace	<i>The trace of a matrix</i>
--------------	------------------------------

Description

This function returns the trace of a given square numeric matrix.

Usage

```
matrix.trace(x)
```

Arguments

x a matrix

Value

A numeric value which is the sum of the values on the diagonal.

Note

If the argument x is not numeric, the function presents an error message and terminates. If the argument x is not a square matrix, the function presents an error message and terminates.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Examples

```
A <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
matrix.trace( A )
```

`maximum.norm`*Maximum norm of matrix*

Description

This function returns the max norm of a real matrix.

Usage

```
maximum.norm(x)
```

Arguments

`x` a numeric matrix or vector

Details

Let \mathbf{x} be an $m \times n$ real matrix. The max norm returned is $\|\mathbf{x}\|_{\max} = \max_{i,j} |x_{i,j}|$.

Value

A numeric value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

See Also

[inf.norm](#), [one.norm](#)

Examples

```
A <- matrix( c( 3, 5, 7, 2, 6, 4, 0, 2, 8 ), nrow=3, ncol=3, byrow=TRUE )
maximum.norm( A )
```

N.matrix

Construct N Matrix

Description

This function returns the order n square matrix that is the sum of an implicit commutation matrix and the order n identity matrix quantity divided by two

Usage

```
N.matrix(n)
```

Arguments

`n` A positive integer matrix order

Details

Let \mathbf{K}_n be the order n implicit commutation matrix (i.e., $\mathbf{K}_{n,n}$), and \mathbf{I}_n the order n identity matrix. The formula for the matrix is $\mathbf{N} = \frac{1}{2} (\mathbf{K}_n + \mathbf{I}_n)$.

Value

An order n matrix.

Note

If the argument is not an integer, the function displays an error message and stops. If the argument is less than two, the function displays an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[K.matrix](#)

Examples

```
N <- N.matrix( 3 )  
print( N )
```

`one.norm`*Compute the one norm of a matrix*

Description

This function returns the $\|\mathbf{x}\|_1$ norm of the matrix \mathbf{x} .

Usage

```
one.norm(x)
```

Arguments

`x` a numeric vector or matrix

Details

Let \mathbf{x} be an $m \times n$ matrix. The formula used to compute the norm is $\|\mathbf{x}\|_1 = \max_{1 \leq j \leq n} \sum_{i=1}^m |x_{i,j}|$. This is merely the maximum absolute column sum of the $m \times n$ matrix.

Value

A numeric value.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.

Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

See Also

[inf.norm](#)

Examples

```
A <- matrix( c( 3, 5, 7, 2, 6, 4, 0, 2, 8 ), nrow=3, ncol=3, byrow=TRUE )
one.norm( A )
```

pascal.matrix

Pascal matrix

Description

This function returns an n by n Pascal matrix.

Usage

```
pascal.matrix(n)
```

Arguments

n Order of the matrix

Details

In mathematics, particularly matrix theory and combinatorics, the Pascal matrix is a lower triangular matrix with binomial coefficients in the rows. It is easily obtained by performing an LU decomposition on the symmetric Pascal matrix of the same order and returning the lower triangular matrix.

Value

An order n matrix.

Note

If the argument n is not a positive integer, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Aceto, L. and D. Trigiante, (2001). Matrices of Pascal and Other Greats, *American Mathematical Monthly*, March 2001, 232-245.

Call, G. S. and D. J. Velleman, (1993). Pascal's matrices, *American Mathematical Monthly*, April 1993, 100, 372-376.

Edelman, A. and G. Strang, (2004). Pascal Matrices, *American Mathematical Monthly*, 111(3), 361-385.

See Also

[lu.decomposition](#), [symmetric.pascal.matrix](#)

Examples

```
P <- pascal.matrix( 4 )
print( P )
```

set.submatrix	<i>Store matrix inside another matrix</i>
---------------	---

Description

This function returns a matrix which is a copy of matrix x into which the contents of matrix y have been inserted at the given row and column.

Usage

```
set.submatrix(x, y, row, col)
```

Arguments

x	a matrix
y	a matrix
row	an integer row number
col	an integer column number

Value

A matrix.

Note

If the argument x is not a numeric matrix, then the function presents an error message and stops. If the argument y is not a numeric matrix, then the function presents an error message and stops. If the argument row is not a positive integer, then the function presents an error message and stops. If the argument col is not a positive integer, then the function presents an error message and stops. If the target row range does not overlap with the row range of argument x, then the function presents an error message and stops. If the target col range does not overlap with the col range of argument x, then the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

Examples

```
x <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
y <- matrix( seq( 1, 4, 1 ), nrow=2, byrow=TRUE )
z <- set.submatrix( x, y, 3, 3 )
```

`shift.down`*Shift matrix m rows down*

Description

This function returns a matrix that has had its rows shifted downwards filling the above rows with the given fill value.

Usage

```
shift.down(A, rows = 1, fill = 0)
```

Arguments

<code>A</code>	a matrix
<code>rows</code>	the number of rows to be shifted
<code>fill</code>	the fill value which as a default is zero

Value

A matrix.

Note

If the argument `A` is not a numeric matrix, then the function presents an error message and stops. If the argument `rows` is not a positive integer, then the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

Examples

```
A <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
shift.down( A, 1 )
shift.down( A, 3 )
```

shift.left	<i>Shift a matrix n columns to the left</i>
------------	---

Description

This function returns a matrix that has been shifted n columns to the left filling the subsequent columns with the given fill value

Usage

```
shift.left(A, cols = 1, fill = 0)
```

Arguments

A	a matrix
cols	integer number of columns to be shifted to the left
fill	the fill value which as as a default zero

Value

A matrix.

Note

If the argument A is not a numeric matrix, then the function presents an error message and stops. If the argument cols is not a positive integer, then the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

Examples

```
A <- matrix( seq( 1, 12, 1 ), nrow=3, byrow=TRUE )
shift.left( A, 1 )
shift.left( A, 2 )
```

shift.right	<i>Shift matrix n columns to the right</i>
-------------	--

Description

This function returns a matrix that has been shifted to the right n columns filling the previous columns with the given fill value.

Usage

```
shift.right(A, cols = 1, fill = 0)
```

Arguments

A	a matrix
cols	integer number of columns to be shifted to the right
fill	the fill which as default value zero

Value

A matrix.

Note

If the argument A is not a numeric matrix, then the function presents an error message and stops. If the argument rows is not a positive integer, then the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

Examples

```
A <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
shift.right( A, 1 )
shift.right( A, 2 )
```

`shift.up`*Shift matrix m rows up*

Description

This function returns a matrix where the argument as been shifted up the given number of rows filling the bottom rows with the given fill value.

Usage

```
shift.up(A, rows = 1, fill = 0)
```

Arguments

A	a matrix
rows	integer number of rows
fill	fill value which as the default value of zero

Value

A matrix.

Note

If the argument A is not a numeric matrix, then the function presents an error message and stops. If the argument rows is not a positive integer, then the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

Examples

```
A <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
shift.up( A, 1 )
shift.up( A, 3 )
```

`spectral.norm`*Spectral norm of matrix*

Description

This function returns the spectral norm of a real matrix.

Usage

```
spectral.norm(x)
```

Arguments

`x` a numeric matrix or vector

Details

Let \mathbf{x} be an $m \times n$ real matrix. The function computes the order n square matrix $\mathbf{A} = \mathbf{x}' \mathbf{x}$. The R function `eigen` is applied to this matrix to obtain the vector of eigenvalues $\lambda = [\lambda_1 \ \lambda_2 \ \dots \ \lambda_n]$. By construction the eigenvalues are in descending order of value so that the largest eigenvalue is λ_1 . Then the spectral norm is $\|\mathbf{x}\|_2 = \sqrt{\lambda_1}$. If \mathbf{x} is a vector, then $\mathbf{L}_2 = \sqrt{\mathbf{A}}$ is returned.

Value

A numeric value.

Note

If the argument `x` is not numeric, an error message is displayed and the function terminates. If the argument is neither a matrix nor a vector, an error message is displayed and the function terminates. If the product matrix $\mathbf{x}' \mathbf{x}$ is negative definite, an error message displayed and the function terminates.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

- Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.
- Golub, G. H. and C. F. Van Loan (1996). *Matrix Computations*, Third Edition, The John Hopkins University Press.
- Horn, R. A. and C. R. Johnson (1985). *Matrix Analysis*, Cambridge University Press.

Examples

```
x <- matrix( c( 2, 4, 2, 1, 3, 1, 5, 2, 1, 2, 3, 3 ), nrow=4, ncol=4, byrow=TRUE )
spectral.norm( x )
```

stirling.matrix	<i>Stirling Matrix</i>
-----------------	------------------------

Description

This function constructs and returns a Stirling matrix which is a lower triangular matrix containing the Stirling numbers of the second kind.

Usage

```
stirling.matrix(n)
```

Arguments

n A positive integer value

Details

The Stirling numbers of the second kind, S_i^j , are used in combinatorics to compute the number of ways a set of i objects can be partitioned into j non-empty subsets $j \leq i$. The numbers are also denoted by $\left\{ \begin{matrix} i \\ j \end{matrix} \right\}$. Stirling numbers of the second kind can be computed recursively with the equation $S_j^{i+1} = S_{j-1}^i + j S_j^i$, $1 \leq i \leq n-1$, $1 \leq j \leq i$. The initial conditions for the recursion are $S_i^i = 1$, $0 \leq i \leq n$ and $S_j^0 = S_0^j = 0$, $0 \leq j \leq n$. The resultant numbers are organized in

an order $n + 1$ matrix $\begin{bmatrix} S_0^0 & 0 & 0 & \cdots & 0 \\ 0 & S_1^1 & 0 & \cdots & 0 \\ 0 & S_1^2 & S_2^2 & \cdots & 0 \\ \cdots & \cdots & \cdots & \cdots & \cdots \\ 0 & S_1^n & S_2^n & \cdots & S_n^n \end{bmatrix}$.

Value

An order $n + 1$ lower triangular matrix.

Note

If the argument n is not a positive integer, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Aceto, L. and D. Trigiante (2001). Matrices of Pascal and Other Greats, *American Mathematical Monthly*, March 2001, 108(3), 232-245.

Examples

```
S <- stirling.matrix( 10 )
print( S )
```

svd.inverse

SVD Inverse of a square matrix

Description

This function returns the inverse of a matrix using singular value decomposition. If the matrix is a square matrix, this should be equivalent to using the solve function. If the matrix is not a square matrix, then the result is the Moore-Penrose pseudo inverse.

Usage

```
svd.inverse(x)
```

Arguments

x a numeric matrix

Value

A matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

Examples

```
A <- matrix( c( 1, 2, 2, 1 ), nrow=2, byrow=TRUE)
invA <- svd.inverse( A )
print( A )
print( invA )
print( A %*% invA )
B <- matrix( c( -1, 2, 2 ), nrow=1, byrow=TRUE )
invB <- svd.inverse( B )
print( B )
```



```
print( invB )  
print( B %*% invB )
```

```
symmetric.pascal.matrix  
Symmetric Pascal matrix
```

Description

This function returns an n by n symmetric Pascal matrix.

Usage

```
symmetric.pascal.matrix(n)
```

Arguments

n Order of the matrix

Details

In mathematics, particularly matrix theory and combinatorics, the symmetric Pascal matrix is a square matrix from which you can derive binomial coefficients. The matrix is an order n symmetric matrix with typical element given by $S_{i,j} = n!/[r! (n-r)!]$ where $n = i + j - 2$ and $r = i - 1$. The binomial coefficients are elegantly recovered from the symmetric Pascal matrix by performing an LU decomposition as $\mathbf{S} = \mathbf{L} \mathbf{U}$.

Value

An order n matrix.

Note

If the argument n is not a positive integer, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

- Call, G. S. and D. J. Velleman, (1993). Pascal's matrices, *American Mathematical Monthly*, April 1993, 100, 372-376.
- Edelman, A. and G. Strang, (2004). Pascal Matrices, *American Mathematical Monthly*, 111(3), 361-385.

Examples

```
S <- symmetric.pascal.matrix( 4 )  
print( S )
```

T.matrices

*List of T Matrices***Description**

This function constructs a list of lists. The number of components in the high level list is n . Each of the n components is also a list. Each sub-list has n components each of which is an order n square matrix.

Usage

T.matrices(n)

Arguments

n a positive integer value for the order of the matrices

Details

Let $\mathbf{E}_{i,j}$ $i = 1, \dots, n$; $j = 1, \dots, n$ be a representative order n matrix created with function E.matrices. The order n matrix $\mathbf{T}_{i,j}$ is defined as follows
$$\mathbf{T}_{i,j} = \begin{cases} \mathbf{E}_{i,j} & i = j \\ \mathbf{E}_{i,j} + \mathbf{E}_{j,i} & i \neq j \end{cases}$$

Value

A list of n components.

1 A list of n components

2 A list of n components

...

n A list of n components

Each component j of sublist i is a matrix $\mathbf{T}_{i,j}$

Note

The argument n must be an integer value greater than or equal to 2.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also[E.matrices](#)**Examples**

```
T <- T.matrices( 3 )
```

toeplitz.matrix	<i>Toeplitz Matrix</i>
-----------------	------------------------

Description

This function constructs an order n Toeplitz matrix from the values in the order $2 * n - 1$ vector x .

Usage

```
toeplitz.matrix(n, x)
```

Arguments

n	a positive integer value for order of matrix greater than 1
x	a vector of values used to construct the matrix

Details

The element $T[i, j]$ in the Toeplitz matrix is $x[i-j+n]$.

Value

An order n matrix.

Note

If the argument n is not a positive integer, the function presents an error message and stops. If the length of x is not equal to $2 * n - 1$, the function presents an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Monahan, J. F. (2011). *Numerical Methods of Statistics*, Cambridge University Press.

Examples

```
T <- toeplitz.matrix( 4, seq( 1, 7 ) )
print( T )
```

u.vectors

u vectors of an identity matrix

Description

This function constructs an order $n * (n + 1) / 2$ identity matrix and an order matrix u that maps the ordered pair of indices (i,j) $i=j, \dots, n; j=1, \dots, n$ to a column in this identity matrix.

Usage

```
u.vectors(n)
```

Arguments

n a positive integer value for the order of underlying matrices

Details

The function firsts constructs an identity matrix of order $\frac{1}{2}n(n+1)$. $\mathbf{u}_{i,j}$ is the column vector in the order $\frac{1}{2}n(n+1)$ identity matrix for column $k = (j-1)n + i - \frac{1}{2}j(j-1)$.

Value

A list with two named components

k order n square matrix that maps each ordered pair (i,j) to a column in the identity matrix

I order $\frac{1}{2}n(n+1)$ identity matrix

Note

If the argument is not an integer, the function displays an error message and stops. If the argument is less than two, the function displays an error message and stops.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1980). The elimination matrix, some lemmas and applications, *SIAM Journal on Algebraic Discrete Methods*, 1(4), December 1980, 422-449.

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

Examples

```
u <- u.vectors( 3 )
```

upper.triangle	<i>Upper triangle portion of a matrix</i>
----------------	---

Description

Returns the lower triangle including the diagonal of a square numeric matrix.

Usage

```
upper.triangle(x)
```

Arguments

x a matrix

Value

A matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Bellman, R. (1987). *Matrix Analysis*, Second edition, Classics in Applied Mathematics, Society for Industrial and Applied Mathematics.

See Also

[is.square.matrix](#)

Examples

```
A <- matrix( seq( 1, 9, 1 ), nrow=3, byrow=TRUE )
upper.triangle( A )
```

vandermonde.matrix *Vandermonde matrix*

Description

This function returns an m by n matrix of the powers of the alpha vector

Usage

```
vandermonde.matrix(alpha, n)
```

Arguments

alpha A numerical vector of values
n The column dimension of the Vandermonde matrix

Details

In linear algebra, a Vandermonde matrix is an $m \times n$ matrix with terms of a geometric progression of

an $m \times 1$ parameter vector $\alpha = [\alpha_1 \ \alpha_2 \ \dots \ \alpha_m]'$ such that $V(\alpha) = \begin{bmatrix} 1 & \alpha_1 & \alpha_1^2 & \dots & \alpha_1^{n-1} \\ 1 & \alpha_2 & \alpha_2^2 & \dots & \alpha_2^{n-1} \\ 1 & \alpha_3 & \alpha_3^2 & \dots & \alpha_3^{n-1} \\ \dots & \dots & \dots & \dots & \dots \\ 1 & \alpha_m & \alpha_m^2 & \dots & \alpha_m^{n-1} \end{bmatrix}$.

Value

A matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Horn, R. A. and C. R. Johnson (1991). *Topics in matrix analysis*, Cambridge University Press.

Examples

```
alpha <- c(.1, .2, .3, .4)
V <- vandermonde.matrix(alpha, 4)
print(V)
```

vec	<i>Vectorize a matrix</i>
-----	---------------------------

Description

This function returns a column vector that is a stack of the columns of x , an m by n matrix.

Usage

```
vec(x)
```

Arguments

x a matrix

Value

A matrix with m n rows and one column.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

Examples

```
x <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
print( x )
vecx <- vec( x )
print( vecx )
```

vech	<i>Vectorize a matrix</i>
------	---------------------------

Description

This function returns a stack of the lower triangular matrix of a square matrix as a matrix with 1 column and $n * (n + 1) / 2$ rows

Usage

```
vech(x)
```

Arguments

x a matrix

Value

A matrix with $\frac{1}{2}n(n+1)$ rows and one column.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

See Also

[is.square.matrix](#)

Examples

```
x <- matrix( seq( 1, 16, 1 ), nrow=4, byrow=TRUE )
print( x )
y <- vech( x )
print( y )
```

%s%

Direct sum of two arrays

Description

This function computes the direct sum of two arrays. The arrays can be numerical vectors or matrices. The result is the block diagonal matrix.

Usage

x%s%y

Arguments

x a numeric matrix or vector
y a numeric matrix or vector

Details

If either **x** or **y** is a vector, it is converted to a matrix. The result is a block diagonal matrix

$$\begin{bmatrix} \mathbf{x} & \mathbf{0} \\ \mathbf{0} & \mathbf{y} \end{bmatrix}.$$

Value

A numeric matrix.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>, Kurt Hornik <Kurt.Hornik@wu-wien.ac.at>

References

Magnus, J. R. and H. Neudecker (1999) *Matrix Differential Calculus with Applications in Statistics and Econometrics*, Second Edition, John Wiley.

Examples

```
x <- matrix( seq( 1, 4 ) )  
y <- matrix( seq( 5, 8 ) )  
print( x %s% y )
```

Index

*Topic **math**

`%s%`, 64

`commutation.matrix`, 3

`creation.matrix`, 4

`D.matrix`, 5

`direct.prod`, 6

`direct.sum`, 7

`duplication.matrix`, 8

`E.matrices`, 9

`elimination.matrix`, 10

`entrywise.norm`, 11

`fibonacci.matrix`, 12

`frobenius.matrix`, 13

`frobenius.norm`, 14

`frobenius.prod`, 15

`H.matrices`, 16

`hadamard.prod`, 17

`hankel.matrix`, 18

`hilbert.matrix`, 19

`hilbert.schmidt.norm`, 20

`inf.norm`, 21

`is.diagonal.matrix`, 22

`is.idempotent.matrix`, 23

`is.indefinite`, 24

`is.negative.definite`, 26

`is.negative.semi.definite`, 27

`is.non.singular.matrix`, 29

`is.positive.definite`, 30

`is.positive.semi.definite`, 31

`is.singular.matrix`, 33

`is.skew.symmetric.matrix`, 34

`is.square.matrix`, 35

`is.symmetric.matrix`, 36

`K.matrix`, 37

`L.matrix`, 38

`lower.triangle`, 39

`lu.decomposition`, 40

`matrix.inverse`, 41

`matrix.power`, 42

`matrix.rank`, 43

`matrix.trace`, 44

`maximum.norm`, 45

`N.matrix`, 46

`one.norm`, 47

`pascal.matrix`, 48

`set.submatrix`, 49

`shift.down`, 50

`shift.left`, 51

`shift.right`, 52

`shift.up`, 53

`spectral.norm`, 54

`stirling.matrix`, 55

`svd.inverse`, 56

`symmetric.pascal.matrix`, 57

`T.matrices`, 58

`toeplitz.matrix`, 59

`u.vectors`, 60

`upper.triangle`, 61

`vandermonde.matrix`, 62

`vec`, 63

`vech`, 63

`%s%`, 64

`commutation.matrix`, 3

`creation.matrix`, 4

`D.matrix`, 5, 8

`direct.prod`, 6

`direct.sum`, 7

`duplication.matrix`, 8

`E.matrices`, 9, 11, 39, 59

`elimination.matrix`, 10, 39

`entrywise.norm`, 11, 15, 21

`fibonacci.matrix`, 12

`frobenius.matrix`, 13

`frobenius.norm`, 14

`frobenius.prod`, 15

H.matrices, 3, 16, 37
hadamard.prod, 16, 17
hankel.matrix, 18
hilbert.matrix, 19
hilbert.schmidt.norm, 20

inf.norm, 12, 21, 45, 47
is.diagonal.matrix, 22
is.idempotent.matrix, 23
is.indefinite, 24, 26, 28, 31, 32
is.negative.definite, 25, 26, 28, 31, 32
is.negative.semi.definite, 25, 26, 27, 31, 32
is.non.singular.matrix, 29, 34
is.positive.definite, 25, 26, 28, 30, 32
is.positive.semi.definite, 25, 26, 28, 31, 31
is.singular.matrix, 30, 33
is.skew.symmetric.matrix, 34
is.square.matrix, 35, 36, 40, 44, 61, 64
is.symmetric.matrix, 36

K.matrix, 3, 37, 46

L.matrix, 11, 38
lower.triangle, 39
lu.decomposition, 40, 48

matrix.inverse, 41
matrix.power, 42
matrix.rank, 43
matrix.trace, 44
maximum.norm, 45

N.matrix, 46

one.norm, 12, 22, 45, 47

pascal.matrix, 48

set.submatrix, 49
shift.down, 50
shift.left, 51
shift.right, 52
shift.up, 53
spectral.norm, 54
stirling.matrix, 55
svd.inverse, 56
symmetric.pascal.matrix, 48, 57

T.matrices, 6, 58

toeplitz.matrix, 59

u.vectors, 6, 11, 39, 60
upper.triangle, 61

vandermonde.matrix, 62
vec, 8, 63
vech, 8, 63