

Package ‘mully’

October 14, 2021

Type Package

Title Create, Modify and Visualize Multi-Layered Networks

Version 2.1.34

Author Zaynab Hammoud

Maintainer Zaynab Hammoud <zaynabhassanhammoud@gmail.com>

Description Allows the user to create graph with multiple layers. The user can also modify the layers, the nodes, and the edges. The graph can also be visualized.

Zaynab Hammoud and Frank Kramer (2018) <[doi:10.3390/genes9110519](https://doi.org/10.3390/genes9110519)>.

More about multilayered graphs and their usage can be found in our review paper:

Zaynab Hammoud and Frank Kramer (2020) <[doi:10.1186/s41044-020-00046-0](https://doi.org/10.1186/s41044-020-00046-0)>.

URL <https://github.com/frankkramer-lab/mully>

BugReports <https://github.com/frankkramer-lab/mully/issues>

License GPL (>= 2)

Encoding UTF-8

RoxygenNote 7.1.1

Imports igraph, rgl, randomcoloR, shape

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2021-10-14 15:30:01 UTC

R topics documented:

| | |
|-------------------------|---|
| mully-package | 2 |
| addEdge | 3 |
| addLayer | 4 |
| addNode | 4 |
| demo | 5 |
| exportCSV | 5 |

| | |
|-----------------------------|----|
| getEdgeAttributes | 6 |
| getIDEdge | 6 |
| getIDNode | 7 |
| getLayer | 7 |
| getLayersCount | 8 |
| getNode | 9 |
| getNodeAttributes | 9 |
| importEdgesCSV | 10 |
| importGraphCSV | 10 |
| importLayersCSV | 11 |
| importNodesCSV | 11 |
| is.mully | 12 |
| isLayer | 12 |
| merge | 13 |
| mully | 13 |
| plot.mully | 14 |
| plot3d | 14 |
| print.mully | 15 |
| removeEdge | 16 |
| removeLayer | 16 |
| removeNode | 17 |

Index 18

| | |
|---------------|--------------------------|
| mully-package | <i>The mully package</i> |
|---------------|--------------------------|

Description

R package to create, modify and visualize graphs with multiple layers.

Introduction

Network theory has been used for many years in the modeling and analysis of complex systems, as epidemiology, biology and biomedicine . As the data evolves and becomes more heterogeneous and complex, monoplex networks become an oversimplification of the corresponding systems. This imposes a need to go beyond traditional networks into a richer framework capable of hosting objects and relations of different scales, called Multilayered Network **Mully**, **mul**t**a**y** networks, is an R package that provides a multilayer network framework. Using this package, the user can create, modify and visualize graphs with multiple layers. This package is an extension to the [igraph package](<https://github.com/igraph/rigraph>) that provides a monolayer graph framework. The package is implemented as a part of [the Multipath Project](<https://www.sys-med.de/en/junior-research-groups/multipath/>) directed by [Dr. Frank Kramer](<https://www.uni-augsburg.de/de/fakultaet/fai/i>) .

Creating graphs

[mully](#), [addLayer](#), [addNode](#), [addEdge](#), [removeLayer](#), [removeNode](#), [removeEdge](#), [getNodeAttributes](#), [getEdgeAttributes](#)

Visualization

[plot.mully](#), [plot3d](#)

Further information

More information and references can be found in the mully paper:

<https://www.mdpi.com/2073-4425/9/11/519>

| | |
|---------|--------------------|
| addEdge | <i>Add an edge</i> |
|---------|--------------------|

Description

Add an edge

Usage

```
addEdge(g, nodeStart, nodeDest, attributes)
```

Arguments

| | |
|-------------------------|--------------------------------------|
| <code>g</code> | The input graph |
| <code>nodeStart</code> | The first endpoint of the edge |
| <code>nodeDest</code> | The second endpoint of the edge |
| <code>attributes</code> | The attributes to assign to the edge |

Value

The graph, with the added edge

Examples

```
g=mully::demo()  
addEdge(g,"dr3","g2",attributes=list(name="newEdge"))
```

addLayer *Add a layer or a set of layers to a graph*

Description

Add a layer or a set of layers to a graph

Usage

```
addLayer(g, nameLayer)
```

Arguments

| | |
|-----------|--|
| g | The input graph. |
| nameLayer | The name or the list of the names of the layers to be added. The layer names must be unique. |

Value

The graph, with the layers added.

Examples

```
g = mully("MyFirstMully", direct = FALSE)
g = addLayer(g, c("Gene", "Drug", "Disease"))
```

addNode *Add a node with assigned layer and attributes to a graph*

Description

Add a node with assigned layer and attributes to a graph

Usage

```
addNode(g, nodeName, layerName, attributes = NA)
```

Arguments

| | |
|------------|--|
| g | The input graph. |
| nodeName | The name of the node to add. |
| layerName | The name of the layer to be assigned to the node. |
| attributes | The attributes of the node to add. This argument must be a named list. |

Value

The graph, with the new node.

Examples

```
g=mully::demo()
attributes=list("specie"="Homo Sapiens")
addNode(g = g,nodeName = "g3",layerName = "Gene",attributes = attributes)
```

demo

A demo function to test the package

Description

A demo function to test the package

Usage

```
demo()
```

Value

A mully graph

exportCSV

Export mully into CSV files

Description

Export mully into CSV files

Usage

```
exportCSV(g, target)
```

Arguments

| | |
|--------|--|
| g | The input graph |
| target | The target file in which the files will be generated. By default the WD. |

Examples

```
## Not run:
g=mully::demo()
exportCSV(g)

## End(Not run)
```

getEdgeAttributes *Get the attributes of the edges connecting two nodes*

Description

Get the attributes of the edges connecting two nodes

Usage

```
getEdgeAttributes(g, nodeStart, nodeDest)
```

Arguments

| | |
|-----------|---------------------------------|
| g | The input graph |
| nodeStart | The first endpoint of the edge |
| nodeDest | The second endpoint of the edge |

Value

A dataframe containing the edges with their attributes. If both nodes' arguments are missing, it returns all the edges with their attributes.

Examples

```
g=mully::demo()
#Print all Edges
getEdgeAttributes(g)
#Get a Single Edge
getEdgeAttributes(g,"d2","g1")
```

getIDEdge *Get the ids of the edges connecting two nodes*

Description

Get the ids of the edges connecting two nodes

Usage

```
getIDEdge(g, nodeStart, nodeDest)
```

Arguments

| | |
|-----------|---------------------------------|
| g | The input graph |
| nodeStart | The first endpoint of the edge |
| nodeDest | The second endpoint of the edge |

Value

A list containing the ids of the edges connecting the nodes

Examples

```
g=mully::demo()  
getIDEdge(g,"d2","dr1")
```

| | |
|-----------|-----------------------------|
| getIDNode | <i>Get the id of a node</i> |
|-----------|-----------------------------|

Description

Get the id of a node

Usage

```
getIDNode(g, nameNode)
```

Arguments

- g The input graph
- nameNode The name of the node

Value

The id of the specified node

Examples

```
g=mully::demo()  
getIDNode(g,"g1")
```

| | |
|----------|--|
| getLayer | <i>Get the nodes on a layer in a graph</i> |
|----------|--|

Description

Get the nodes on a layer in a graph

Usage

```
getLayer(g, nameLayer)
```

Arguments

g The input graph.
nameLayer The name of the layer.

Value

A List of the nodes on the given layer.

Examples

```
g = mully::demo()
getLayer(g, "gene")
```

| | |
|----------------|--|
| getLayersCount | <i>Get the number of layers in a graph</i> |
|----------------|--|

Description

Get the number of layers in a graph

Usage

```
getLayersCount(g)
```

Arguments

g The input graph.

Value

The count of the layers.

Examples

```
g = mully("MyFirstMully", direct = FALSE)
g = addLayer(g, c("Gene", "Drug", "Disease"))
getLayersCount(g)
```

| | |
|---------|--------------------------------|
| getNode | <i>Get a node from a graph</i> |
|---------|--------------------------------|

Description

Get a node from a graph

Usage

```
getNode(g, nodeName)
```

Arguments

| | |
|----------|-----------------------|
| g | The input graph. |
| nodeName | The name of the node. |

Value

The node as `igraph.vs`

Examples

```
g=mully::demo()
getNode(g,"g1")
```

| | |
|-------------------|-------------------------------------|
| getNodeAttributes | <i>Get the attributes of a node</i> |
|-------------------|-------------------------------------|

Description

Get the attributes of a node

Usage

```
getNodeAttributes(g, nodeName, layerByName = FALSE)
```

Arguments

| | |
|-------------|--|
| g | The input graph |
| nodeName | The name of the node |
| layerByName | A boolean to specify whether to export the layers by name or by ID |

Value

A dataframe containing the attributes of the specified node

Examples

```
g=mully::demo()
getNodeAttributes(g,layerByName = TRUE)
```

| | |
|----------------|--|
| importEdgesCSV | <i>Import Edges to a mully graph from a CSV file</i> |
|----------------|--|

Description

Import Edges to a mully graph from a CSV file

Usage

```
importEdgesCSV(g, file)
```

Arguments

| | |
|------|---|
| g | The mully graph to which the nodes will be added. The graph should already have the layers and the nodes. |
| file | The path to the CSV file containing the edges' information |

Value

The mully graph with the added edges

| | |
|----------------|--|
| importGraphCSV | <i>Import a mully graph from CSV files</i> |
|----------------|--|

Description

Import a mully graph from CSV files

Usage

```
importGraphCSV(name = NA, direct = FALSE, layers, nodes, edges)
```

Arguments

| | |
|--------|---|
| name | The name of the graph |
| direct | A boolean to indicate if the graph is directed or not |
| layers | The path to the CSV file containing the layers' information |
| nodes | The path to the CSV file containing the nodes' information |
| edges | The path to the CSV file containing the edges' information |

Value

A new mully graph

| | |
|-----------------|---|
| importLayersCSV | <i>Import Layers to a mully graph from a CSV file</i> |
|-----------------|---|

Description

Import Layers to a mully graph from a CSV file

Usage

```
importLayersCSV(g, file)
```

Arguments

| | |
|------|---|
| g | The mully graph to which the layers will be added. If missing, a new mully graph is created |
| file | The path to the CSV file containing the layers' information |

Value

The mully graph with the added layers

| | |
|----------------|--|
| importNodesCSV | <i>Import Nodes to a mully graph from a CSV file</i> |
|----------------|--|

Description

Import Nodes to a mully graph from a CSV file

Usage

```
importNodesCSV(g, file, name = "name")
```

Arguments

| | |
|------|---|
| g | The mully graph to which the nodes will be added. The graph should already have the layers. |
| file | The path to the CSV file containing the nodes' information |
| name | The name of the column containing the names of the nodes |

Value

The mully graph with the added nodes

| | |
|----------|-------------------------------|
| is.mully | <i>Is this a mully graph?</i> |
|----------|-------------------------------|

Description

Is this a mully graph?

Usage

```
is.mully(g)
```

Arguments

| | |
|---|-----------------|
| g | The input graph |
|---|-----------------|

Value

A boolean whether the graph is or not a mully object

| | |
|---------|--|
| isLayer | <i>Verify if the layer exists in a graph</i> |
|---------|--|

Description

Verify if the layer exists in a graph

Usage

```
isLayer(g, name)
```

Arguments

| | |
|------|------------------------|
| g | The input graph. |
| name | The name of the layer. |

Value

A boolean value.

Examples

```
g = mully("MyFirstMully", direct = FALSE)
g = addLayer(g, c("Gene", "Drug", "Disease"))
isLayer(g, "Drug")
```

| | |
|-------|----------------------------------|
| merge | <i>Merge or unite two graphs</i> |
|-------|----------------------------------|

Description

Merge or unite two graphs

Usage

```
merge(g1, g2)
```

Arguments

| | |
|----|--|
| g1 | The first graph to merge. This is the base of the merge. |
| g2 | The second graph to merge. All of its elements are added to the first graph. |

Value

The merge of the two graphs. The merge is based on the first given graph

| | |
|-------|---|
| mully | <i>Create an empty multilayered graph</i> |
|-------|---|

Description

Create an empty multilayered graph

Usage

```
mully(name = NA, direct = TRUE)
```

Arguments

| | |
|--------|--|
| name | The name to be assigned to the graph. |
| direct | A boolean value, if the graph is directed or not. By default TRUE. |

Value

The created multilayered graph.

Examples

```
g = mully("MyFirstMully", direct = FALSE)
```

plot.mully

Plot the graph in 2D

Description

Plot the graph in 2D

Usage

```
## S3 method for class 'mully'  
plot(x, layout, ...)
```

Arguments

| | |
|--------|---|
| x | The input graph |
| layout | The layout. Can either be random or scaled |
| ... | Other arguments to be passed to plot.igraph |

Examples

```
g=mully::demo()  
plot(g,"Scaled")
```

plot3d

Plot the graph in 3D using rgl

Description

Plot the graph in 3D using rgl

Usage

```
plot3d(  
  g,  
  layers = TRUE,  
  vertex.label = NA,  
  vertex.label.color = NA,  
  vertex.plac = "circle",  
  edge.color = NA,  
  edge.width = 5,  
  edge.arrow.size = 10,  
  edge.arrow.width = 1  
)
```

Arguments

| | |
|---------------------------------|--|
| <code>g</code> | The input graph |
| <code>layers</code> | A boolean whether to add the layers or not |
| <code>vertex.label</code> | The vertices' labels |
| <code>vertex.label.color</code> | The vertices' colors. If not specified, the colors will be chosen randomly |
| <code>vertex.plac</code> | The placement form of the vertices on the layer. Can either be "circle" which will place them on a circle, or "disc" which will place them randomly on a disc. The default is "circle" |
| <code>edge.color</code> | The edges' colors. If not specified, inter-edges are black, and intra-edges have the same color as the nodes on the layer |
| <code>edge.width</code> | The edge width. Default set to 5. |
| <code>edge.arrow.size</code> | The edges' arrow size. Default set to 10 |
| <code>edge.arrow.width</code> | The edges' arrow width. Default set to 1 |

Note

This function can take the following arguments supported and not ignored by [rglplot](#): `vertex.label`, `vertex.label.color`, `edge.color`, `edge.width`, `edge.arrow.size`, `edge.arrow.width`.

Examples

```
g=mully::demo()
labels=getNodeAttributes(g)$name
plot3d(g, layers=TRUE, vertex.label=labels,edge.width=6)
```

| | |
|-------------|-----------------------|
| print.mully | <i>Print function</i> |
|-------------|-----------------------|

Description

Print function

Usage

```
## S3 method for class 'mully'
print(x, ...)
```

Arguments

| | |
|------------------|---------------------------------------|
| <code>x</code> | The input graph |
| <code>...</code> | Other arguments to be passed to print |

Examples

```
g=mully::demo()
print(g)
```

| | |
|------------|-----------------------|
| removeEdge | <i>Delete an edge</i> |
|------------|-----------------------|

Description

Delete an edge

Usage

```
removeEdge(g, nodeStart, nodeDest, attributes = NA, multi = FALSE)
```

Arguments

| | |
|-------------------------|---|
| <code>g</code> | The input graph |
| <code>nodeStart</code> | The first endpoint of the edge |
| <code>nodeDest</code> | The second endpoint of the edge |
| <code>attributes</code> | The attributes of the edge to delete. Required if the nodes are multi-connected |
| <code>multi</code> | A boolean. Specifies whether to delete multiple edges or not, in case they exist. |

Value

The graph with the deleted edges

Examples

```
g=mully::demo()
removeEdge(g, "dr1", "d2", multi=TRUE)
```

| | |
|-------------|---|
| removeLayer | <i>Delete a layer or a set of layers from a graph</i> |
|-------------|---|

Description

Delete a layer or a set of layers from a graph

Usage

```
removeLayer(g, name, trans = FALSE)
```


Arguments

| | |
|-------|--|
| g | The input graph. |
| name | The name or the list of the names of the layers to be deleted. |
| trans | A boolean whether to insert transitive edges or not |

Value

The graph, with the given layer and its corresponding nodes and edges removed.

Examples

```
g = mully::demo()
removeLayer(g,"gene",trans=TRUE)
```

| | |
|------------|---|
| removeNode | <i>Delete a node or a set of nodes from a graph</i> |
|------------|---|

Description

Delete a node or a set of nodes from a graph

Usage

```
removeNode(g, name, trans = FALSE)
```

Arguments

| | |
|-------|---|
| g | The input graph. |
| name | The name or the list of names of the nodes to be deleted. |
| trans | A boolean whether to insert transitive edges or not |

Value

The graph, with the nodes deleted.

Examples

```
g=mully::demo()
removeNode(g,"dr1",trans=TRUE)
```

Index

addEdge, [2, 3](#)
addLayer, [2, 4](#)
addNode, [2, 4](#)

demo, [5](#)

exportCSV, [5](#)

getEdgeAttributes, [2, 6](#)
getIDEdge, [6](#)
getIDNode, [7](#)
getLayer, [7](#)
getLayersCount, [8](#)
getNode, [9](#)
getNodeAttributes, [2, 9](#)

importEdgesCSV, [10](#)
importGraphCSV, [10](#)
importLayersCSV, [11](#)
importNodesCSV, [11](#)
is.mully, [12](#)
isLayer, [12](#)

merge, [13](#)
mully, [2, 13](#)
mully-package, [2](#)

plot.igraph, [14](#)
plot.mully, [3, 14](#)
plot3d, [3, 14](#)
print.mully, [15](#)

removeEdge, [2, 16](#)
removeLayer, [2, 16](#)
removeNode, [2, 17](#)
rglplot, [15](#)