

Package ‘norris’

January 18, 2019

Title All of Your Chuck Norris Needs

Version 0.1.1

Description Utility functions for the lovely 'ICNDB' API, <<http://www.icndb.com/api/>>, which allows users to retrieve Chuck Norris jokes either randomly or by joke number.

Depends R (>= 3.3.3), httr, jsonlite, stringr, dplyr

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

NeedsCompilation no

Author Chris Cardillo [aut, cre]

Maintainer Chris Cardillo <CFCardillo23@gmail.com>

Repository CRAN

Date/Publication 2019-01-18 17:10:03 UTC

R topics documented:

get_joke_categories	2
get_joke_count	2
get_multiple_randos	3
get_numbered_joke	3
get_random_joke	4

Index	5
--------------	----------

get_joke_categories *Get all available joke categories from ICNDB*

Description

Get all available joke categories from ICNDB

Usage

```
get_joke_categories()
```

Value

A vector of available joke categories

Examples

```
get_joke_categories()
```

get_joke_count *Get number of available jokes in ICNDB*

Description

Get number of available jokes in ICNDB

Usage

```
get_joke_count()
```

Value

A single integer of available jokes in ICNDB

Examples

```
get_joke_count()
```

`get_multiple_randos` *Get a bunch of random Chuck Norris jokes.*

Description

Get a bunch of random Chuck Norris jokes.

Usage

```
get_multiple_randos(jokes = 5)
```

Arguments

`jokes` The number of jokes to fetch.

Value

A tibble of jokes

Examples

```
get_multiple_randos(10)
```

`get_numbered_joke` *Get a specific joke by number*

Description

Get a specific joke by number

Usage

```
get_numbered_joke(joke_number)
```

Arguments

`joke_number` A single integer

Value

A single joke

Examples

```
get_numbered_joke(17)
```

<code>get_random_joke</code>	<i>Get a random Chuck Norris joke</i>
------------------------------	---------------------------------------

Description

Get a random Chuck Norris joke

Usage

```
get_random_joke()
```

Value

A single joke

Examples

```
get_random_joke()
```

Index

`get_joke_categories`, [2](#)
`get_joke_count`, [2](#)
`get_multiple_randos`, [3](#)
`get_numbered_joke`, [3](#)
`get_random_joke`, [4](#)