

# Package ‘npROCRegression’

April 23, 2017

**Type** Package

**Title** Kernel-Based Nonparametric ROC Regression Modelling

**Version** 1.0-5

**Date** 2017-04-21

**Imports** lattice, graphics, stats

**Suggests** knitr, rmarkdown

**Description** Implements several nonparametric regression approaches for the inclusion of covariate information on the receiver operating characteristic (ROC) framework.

**VignetteBuilder** knitr

**NeedsCompilation** yes

**License** GPL

**LazyLoad** yes

**Author** Maria Xose Rodriguez-Alvarez [aut, cre],  
Javier Roca-Pardinas [aut]

**Maintainer** Maria Xose Rodriguez-Alvarez <mxrodriguez@bcamath.org>

**Repository** CRAN

**Date/Publication** 2017-04-23 13:46:56 UTC

## R topics documented:

npROCRegression-package . . . . .	2
controlDNPROCreg . . . . .	2
controlINPROCreg . . . . .	4
DNPROCreg . . . . .	5
DNPROCregData . . . . .	7
endosim . . . . .	8
INPROCreg . . . . .	9
plot.DNPROCreg . . . . .	12
plot.INPROCreg . . . . .	13
print.DNPROCreg . . . . .	14
print.INPROCreg . . . . .	15
summary.DNPROCreg . . . . .	16
summary.INPROCreg . . . . .	17

---

 npROCRegression-package

*Kernel-Based Nonparametric ROC Regression Modelling*


---

### Description

The npROCRegression package allows the user to apply in practice the nonparametric induced and direct ROC regression approaches presented in Rodriguez-Alvarez et al. (2011a) and Rodriguez-Alvarez et al. (2011b, 2016) respectively.

### Details

Package: npROCRegression  
 Type: Package  
 Version: 1.0-5  
 Date: 2017-04-21  
 License: GPL

### Author(s)

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

Maintainer: Maria Xose Rodriguez - Alvarez <mxrodriguez@bcmath.org>

### References

Rodriguez-Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2011a). ROC curve and covariates: extending induced methodology to the non-parametric framework. *Statistics and Computing*, 21(4), 483–499.

Rodriguez-Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2011b). A new flexible direct ROC regression model - Application to the detection of cardiovascular risk factors by anthropometric measures. *Computational Statistics and Data Analysis*, 55(12), 3257–3270.

Rodriguez-Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2016). Bootstrap-based procedures for inference in nonparametric ROC regression analysis. Technical report.

---

 controlDNPROCreg

*Function used to set several parameters controlling the ROC regression fitting process*


---

**Description**

Function used to set several parameters controlling the ROC regression fitting process

**Usage**

```
controlDNPROCreg(step.p = 0.02, card.P = 50, link = c("probit", "logit", "cloglog"),
kbin = 30, p = 1, seed = NULL, nboot = 500, level = 0.95,
resample.m = c("coutcome", "ncoutcome"))
```

**Arguments**

step.p	a numeric value, defaulting to 0.02. ROC curves are calculated at a regular sequence of false positive fractions with step.p increment.
card.P	an integer value specifying the cardinality of the set of false positive fractions used in the estimation process. By default 50.
link	a character string specifying the link function ("probit", "logit" or "cloglog"). By default the link is the probit function.
kbin	an integer value specifying the number of binning knots. By default 30.
p	an integer value specifying the order of the local polynomial kernel estimator. By default 1.
seed	an integer value specifying the seed for the bootstrap resamples. If NULL it is initialized randomly.
nboot	an integer value specifying the number of bootstrap resamples for the construction of the confidence intervals. By default 500.
level	a real value specifying the confidence level for the confidence intervals. By default 0.95
resample.m	a character string specifying if bootstrap resampling (for the confidence intervals) should be done with or without regard to the disease status ("coutcome" or "noutcome"). In both cases, a naive bootstrap is used. By default, the resampling is done conditionally on the disease status.

**Author(s)**

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

**See Also**

See Also [DNPROCreg](#)

**Examples**

```
data(endosim)
# Fit a model including the interaction between age and gender.
m0 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
```

```
data = endosim,
control = controlDNPROCreg(card.P=50, kbin=30, step.p=0.02)
summary(m0)
plot(m0)
```

---

controlINPROCreg      *Function used to set several parameters controlling fitting process.*

---

## Description

Function used to set several parameters controlling fitting process.

## Usage

```
controlINPROCreg(step.p = 0.02, kbin = 30, p = 1, h = c(-1, -1, -1, -1),
seed = NULL, nboot = 500, level = 0.95, resample.m = c("coutcome", "noutcome"))
```

## Arguments

step.p	a numeric value, defaulting to 0.02. ROC curves are calculated at a regular sequence of false positive fractions with step.p increment.
kbin	an integer value specifying the number of binning knots. By default 30.
p	an integer value specifying the order of the local polynomial kernel estimator for the regression functions. By default 1.
h	a vector of length 4 specifying the bandwidths to be used for the estimation of the regression and variance functions in healthy population and the regression and variance functions in diseased populations (in this order). By default -1 (selected using cross-validation). A value of 0 would indicate a linear fit.
seed	an integer value specifying the seed for the bootstrap resamples. If NULL it is initialized randomly.
nboot	an integer value specifying the number of bootstrap resamples for the construction of the confidence intervals. By default 500.
level	a real value specifying the confidence level for the confidence intervals. By default 0.95.
resample.m	a character string specifying if bootstrap resampling (for the confidence intervals) should be done with or without regard to the disease status ("coutcome" or "noutcome"). When the resampling method is done conditionally on the disease status, the resampling is based on the residuals of the regression models in healthy and diseased populations. However, when the bootstrap resampling is done without regard to the disease status, a naive bootstrap is used. By default, the resampling is done conditionally on the disease status.

## Author(s)

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

**See Also**

See Also [INPROCreg](#)

**Examples**

```
data(endosim)
# Evaluate the effect of age on the accuracy of the body mass index for males
m0.men <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",
tag.healthy = 0,
data = subset(endosim, gender == "Men"),
ci.fit = FALSE, test = FALSE,
accuracy = c("EQ","TH"),
accuracy.cal="AROC",
control=controlINPROCreg(p=1,kbin=30,step.p=0.01),
newdata = data.frame(age = seq(18,85,l=50)))

summary(m0.men)
plot(m0.men)
```

---

DNPROCreg

*Direct nonparametric ROC regression modelling*


---

**Description**

Estimates the covariate-specific ROC curve in the presence of multidimensional covariates by means of the ROC-GAM regression model presented in Rodriguez- Alvarez et al. (2011)

**Usage**

```
DNPROCreg(marker, formula.h = ~1, formula.ROC = ~1, group, tag.healthy, data,
ci.fit = FALSE, test.partial = NULL, newdata = NULL,
control = controlDNPROCreg(), weights = NULL)
```

**Arguments**

marker	A character string with the name of the diagnostic test variable.
formula.h	Right-hand formula(s) giving the mean and variance model(s) to be fitted in healthy population. Atomic values are also valid, being recycled.
formula.ROC	Right-hand formula giving the ROC regression model to be fitted (ROC-GAM model).
group	A character string with the name of the variable that distinguishes healthy from diseased individuals.
tag.healthy	The value codifying the healthy individuals in the variable group.
data	Data frame representing the data and containing all needed variables.
ci.fit	A logical value. If TRUE, confidence intervals are computed.

<code>test.partial</code>	A numeric vector containing the position of the covariate components in the ROC-GAM formula to be tested for a possible effect. If NULL, no test is performed.. If NULL, no test is performed.
<code>newdata</code>	A data frame containing the values of the covariate at which predictions are required.
<code>control</code>	Output of the <code>controlDNPROCreg()</code> function.
<code>weights</code>	An optional vector of ‘prior weights’ to be used in the fitting process.

### Value

As a result, the function `DNPROCreg()` provides a list with the following components:

<code>call</code>	The matched call.
<code>model</code>	Data frame containing all variables and observations used in the fitting process.
<code>fpf</code>	Set of false positive fractions (FPF) at which the covariate-specific ROC curve has been estimated.
<code>newdata</code>	Data frame containing the values of the covariates at which estimates has been obtained.
<code>pfunctions</code>	Matrices containing the estimates of each component of the additive predictor of the ROC-GAM. One matrix contains the effects of the covariates, the other the effect of the FPF. Confidence intervals are returned if required).
<code>coefficients</code>	Vector of parametric coefficient of the fitted ROC-GAM.
<code>ROC</code>	Estimated covariate-specific ROC curve.
<code>AUC</code>	Estimated covariate-specific AUC, and corresponding confidence intervals if required.
<code>pvalue</code>	If required, p-values are obtained - with two different bootstrap-based tests - for each model component indicated in argument <code>test.partial</code> (T2: $L_2$ -based test; and T1: $L_1$ -based test). See Rodriguez-Alvarez et al. (2016).

### Author(s)

Maria Xose Rodriguez-Alvarez and Javier Roca-Pardinas

### References

- Rodriguez- Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2011). A new flexible direct ROC regression model - Application to the detection of cardiovascular risk factors by anthropometric measures. *Computational Statistics and Data Analysis*, 55(12), 3257–3270.
- Rodriguez- Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2016). Bootstrap-based procedures for inference in nonparametric ROC regression analysis. Technical report.

### See Also

See Also as [INPROCreg](#), [summary.DNPROCreg](#), [plot.DNPROCreg](#), [controlDNPROCreg](#), [DNPROCregData](#).

## Examples

```
data(endosim)
# Fit a model including the interaction between age and gender.
m0 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02))
summary(m0)
plot(m0)

## Not run:
# For confidence intervals
set.seed(123)
m1 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02),
ci.fit = TRUE)
summary(m1)
plot(m1)

# For testing the presence of interaccion between age and gender
set.seed(123)
m2 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02),
test.partial = 3)
summary(m2)
plot(m2)

## End(Not run)
```

---

DNPROCregData

*Selects an adequate set of points from a data set for obtaining predictions or plots.*

---

## Description

Selects an adequate set of points from a data set to be used as a default dataset for obtaining predictions or plots.

**Usage**

```
DNPROCregData(data, names.cov, group)
```

**Arguments**

data	Data set from which the new set of covariate values is obtained.
names.cov	Character vector with the names of the covariates to be included in the new data set.
group	A character string with the name of the variable in the original data set that distinguishes healthy from diseased individuals.

**Value**

a data frame containing selected values of all needed covariates. For those that are continuous, 30 different values are selected.

**Author(s)**

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

**See Also**

See Also [DNPROCreg](#).

**Examples**

```
data(endosim)
# Fit a model including the interaction between age and gender.
m0 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02),
ci.fit = FALSE,
test.partial = NULL,
newdata = NULL)
summary(m0)
plot(m0)
```

---

endosim

*Simulated endocrine data.*

---

**Description**

The endosim data set was simulated based on the data analyzed in Rodriguez-Alvarez et al. (2011a,b) and presented in Botana et al. (2007) and Tome et al. (2008). The aim of these studies was to use the Body Mass Index (BMI) to detect patients having a higher risk of cardiovascular problems, ascertaining the possible effect of age and gender on the accuracy of this measure.

**Usage**

```
data(endosim)
```

**Format**

A data frame with 2840 observations on the following 4 variables.

gender patient's gender. Factor with Male and Female levels.

age patient's age.

idf\_status true disease status (presence/absence of two of more cardiovascular risk factors according to the International Diabetes Federation). Numerical vector (0=absence, 1=presence).

bmi patient's body mass index.

**Source**

Botana, M.A., Mato, J.A., Cadarso-Suarez, C., Tome, M.A., Perez-Fernandez, R., Fernandez-Mario, A., Rego-Iraeta, A., Solache, I. (2007). Overweight, obesity and central obesity prevalences in the region of Galicia in Northwest Spain. *Obesity and Metabolism*, 3, 106–115.

Tome, M.A., Botana, M.A., Cadarso-Suarez, C., Rego-Iraeta, A., Fernandez-Mario, A., Mato, J.A., Solache, I., Perez-Fernandez, R. (2008). Prevalence of metabolic syndrome in Galicia (NW Spain) on four alternative definitions and association with insulin resistance. *Journal of Endocrinological Investigation*, 32, 505–511.

**References**

Rodriguez-Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2011a). ROC curve and covariates: extending induced methodology to the non-parametric framework. *Statistics and Computing*, 21(4), 483–499.

Rodriguez-Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2011b). A new flexible direct ROC regression model - Application to the detection of cardiovascular risk factors by anthropometric measures. *Computational Statistics and Data Analysis*, 55(12), 3257–3270.

**Examples**

```
data(endosim)
summary(endosim)
```

**Description**

Estimates the covariate-specific ROC curve (and related measures) in the presence of a one-dimensional continuous covariate based on the induced nonparametric ROC regression approach as presented in Rodriguez-Alvarez et al. (2011).

**Usage**

```
INPROCreg(marker, covariate, group, tag.healthy, data, ci.fit = FALSE,
test = FALSE, accuracy = NULL, accuracy.cal = c("ROC", "AROC"),
newdata = NULL, control = controlINPROCreg(), weights = NULL)
```

**Arguments**

marker	A character string with the name of the diagnostic test variable.
covariate	A character string with the name of the continuous covariate.
group	A character string with the name of the variable that distinguishes healthy from diseased individuals.
tag.healthy	The value codifying the healthy individuals in the variable group.
data	Data frame representing the data and containing all needed variables.
ci.fit	A logical value. If TRUE, confidence intervals are computed.
test	A logical value. If TRUE, the bootstrap-based test for detecting covariate effect is performed.
accuracy	A character vector indicating if the Youden index ("YT"), the value for which the TPF and the TNF coincides ("EQ"), and/or optimal threshold ("TH") based on these two criteria should be computed.
accuracy.cal	A character string indicating if the accuracy measures should be calculated based on the covariate-specific ROC curve or on the covariate-adjusted ROC curve (AROC).
newdata	A data frame containing the values of the covariate at which predictions are required.
control	Output of the controlINROCreg() function.
weights	An optional vector of 'prior weights' to be used in the fitting process.

**Value**

As a result, the function INPROCreg() provides a list with the following components:

call	The matched call.
X	The data frame used in the predictions.
fpf	Set of false positive fractions at which the covariate-specific ROC curve has been estimated.
h	Estimated regression and variance functions in healthy population.
d	Estimated regression and variance functions in diseased population.
ROC	Estimated covariate-specific ROC curve.
AUC	Estimated covariate-specific AUC, and corresponding confidence intervals if required.
AROC	Estimated covariate-adjusted ROC curve.
YI/EQ	If required, estimated covariate-specific YI (or values at which the TPF and the TNF coincide), and corresponding bootstrap confidence intervals.

TH	If required, estimated optimal threshold values based on either the YI or the criterion of equality of TPF and TNF, and corresponding bootstrap confidence intervals.
pvalue	If required, p-value obtained with the test for checking the effect of the continuous covariate on the ROC curve.

**Author(s)**

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

**References**

Gonzalez - Manteiga, W., Pardo-Fernandez, J.C. and van Keilegom, I. (2011). ROC curves in nonparametric location-scale regression models. *Scandinavian Journal of Statistics*, 38, 169–184.

Rodriguez - Alvarez, M.X., Roca-Pardinas, J. and Cadarso-Suarez, C. (2011). ROC curve and covariates: extending induced methodology to the non-parametric framework. *Statistics and Computing*, 21(4), 483–499.

Yao, F., Craiu, R.V. and Reiser, B. (2010). Nonparametric covariate adjustment for receiver operating characteristic curves. *The Canadian Journal of Statistics*, 38, 27–46.

**See Also**

See Also as [DNPROCreg](#), [summary.INPROCreg](#), [plot.INPROCreg](#), [controlINPROCreg](#).

**Examples**

```
data(endosim)
# Evaluate the effect of age on the accuracy of the body mass index for males
m0.men <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",
tag.healthy = 0,
data = subset(endosim, gender == "Men"),
ci.fit = FALSE, test = FALSE,
accuracy = c("EQ", "TH"),
accuracy.cal="AROC",
control=controlINPROCreg(p=1,kbin=30,step.p=0.01),
newdata = data.frame(age = seq(18,85,l=50)))

summary(m0.men)
plot(m0.men)
# Evaluate the effect of age on the accuracy of the body mass index for females
m0.women <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",
tag.healthy = 0,
data = subset(endosim, gender == "Women"),
ci.fit = FALSE, test = FALSE,
accuracy = c("EQ", "TH"),
accuracy.cal="ROC",
control=controlINPROCreg(p=1,kbin=30,step.p=0.01),
newdata = data.frame(age = seq(18,85,l=50)))

summary(m0.women)
```

```

plot(m0.women)
## Not run:
# For computing confidence intervals and testing covariate effect
set.seed(123)
m1.men <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",
tag.healthy = 0,
data = subset(endosim, gender == "Men"),
ci.fit = TRUE, test = TRUE,
accuracy = c("EQ", "TH"),
accuracy.cal="AROC",
control=controlINPROCreg(p=1,kbin=30,step.p=0.01),
newdata = data.frame(age = seq(18,85,l=50)))
summary(m1.men)
plot(m1.men)

## End(Not run)

```

---

plot.DNPROCreg

*Default DNPROCreg plotting*


---

## Description

Takes a fitted DNPROCreg object produced by DNPROCreg() and plots the covariate-specific ROC curve and associated AUC.

## Usage

```

## S3 method for class 'DNPROCreg'
plot(x, ask = TRUE, ...)

```

## Arguments

x	an object of class DNPROCreg as produced by DNPROCreg()
ask	a logical value. If TRUE, the default, the user is asked for confirmation, before a new figure is drawn
...	further arguments passed to or from other methods.

## Author(s)

Maria Xose Rodriguez-Alvarez and Javier Roca-Pardinas

## See Also

See Also [DNPROCreg](#), [summary.DNPROCreg](#).

**Examples**

```

data(endosim)
# Fit a model including the interaction between age and gender.
m0 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02))
summary(m0)
plot(m0)

```

---

plot.INPROCreg	<i>Default INPROCreg plotting</i>
----------------	-----------------------------------

---

**Description**

Default INPROCreg plotting (see details)

**Usage**

```

## S3 method for class 'INPROCreg'
plot(x, ask = TRUE, ...)

```

**Arguments**

x	an object of class INPROCreg as produced by INPROCreg().
ask	a logical value. If TRUE, the default, the user is asked for confirmation, before a new figure is drawn.
...	further arguments passed to or from other methods.

**Details**

The function produces the following plots:

- (a) the estimated regression and variance functions in both the healthy and diseased populations.
- (b) the covariate-specific ROC curve and AUC.
- (c) the covariate-adjusted ROC curve (AROC).
- (d) (optionally) the Youden Index (YI) or the value for which the TPF and the TNF coincides (EQ).
- (e) (optionally) the optimal thresholds based on these criteria (TH).

**Author(s)**

Maria Xose Rodriguez-Alvarez and Javier Roca-Pardinas

**See Also**

See Also [INPROCreg](#).

**Examples**

```
data(endosim)
# Evaluate the effect of age on the accuracy of the body mass index for males
m0.men <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",
tag.healthy = 0,
data = subset(endosim, gender == "Men"),
ci.fit = FALSE, test = FALSE,
accuracy = c("EQ", "TH"),
accuracy.cal="AROC",
control=controlINPROCreg(p=1,kbin=30,step.p=0.01),
newdata = data.frame(age = seq(18,85,l=50)))
summary(m0.men)
plot(m0.men)
```

---

print.DNPROCreg

*Print method for DNPROCreg objects*

---

**Description**

Print method for DNPROCreg objects

**Usage**

```
## S3 method for class 'DNPROCreg'
print(x, ...)
```

**Arguments**

x                    an object of class DNPROCreg as produced by DNPROCreg()  
...                   further arguments passed to or from other methods. Not yet implemented

**Author(s)**

Maria Xose Rodriguez-Alvarez and Javier Roca-Pardinas

**See Also**

See Also as [DNPROCreg](#).

## Examples

```
data(endosim)
# Fit a model including the interaction between age and gender.
m0 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02),
ci.fit = FALSE,
test.partial = NULL,
newdata = NULL)
m0
summary(m0)
plot(m0)
```

---

print.INPROCreg

*Print method for INPROCreg objects*

---

## Description

Print method for INPROCreg objects

## Usage

```
## S3 method for class 'INPROCreg'
print(x, ...)
```

## Arguments

x                    an object of class INPROCreg as produced by INPROCreg()  
...                  further arguments passed to or from other methods. Not yet implemented

## Author(s)

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

## See Also

See Also as [INPROCreg](#).

## Examples

```
data(endosim)
# Evaluate the effect of age on the accuracy of the body mass index for males
m0.men <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",
tag.healthy = 0,
data = subset(endosim, gender == "Men"),
ci.fit = FALSE, test = FALSE,
```

```

accuracy = c("EQ", "TH"),
accuracy.cal="AROC",
control=controlINPROCreg(p=1, kbin=30, step.p=0.01),
newdata = data.frame(age = seq(18, 85, l=50))
m0.men
summary(m0.men)
plot(m0.men)

```

---

summary.DNPROCreg

*Summary method for DNPROCreg objects.*


---

## Description

Summary method for DNPROCreg objects.

## Usage

```

## S3 method for class 'DNPROCreg'
summary(object, ...)

```

## Arguments

object            an object of class DNPROCreg as produced by DNPROCreg().  
...                further arguments passed to or from other methods. Not yet implemented.

## Author(s)

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

## See Also

See Also [DNPROCreg](#), [plot.DNPROCreg](#).

## Examples

```

data(endosim)
# Fit a model including the interaction between age and gender.
m0 <- DNPROCreg(marker = "bmi", formula.h = "~ gender + s(age) + s(age, by = gender)",
formula.ROC = "~ gender + s(age) + s(age, by = gender)",
group = "idf_status",
tag.healthy = 0,
data = endosim,
control = list(card.P=50, kbin=30, step.p=0.02),
ci.fit = FALSE,
test.partial = NULL,
newdata = NULL)
summary(m0)
plot(m0)

```

---

summary.INPROCreg      *Summary method for INPROCreg objects.*

---

**Description**

Summary method for INPROCreg objects.

**Usage**

```
## S3 method for class 'INPROCreg'  
summary(object, ...)
```

**Arguments**

object            an object of class INPROCreg as produced by INPROCreg().  
...                further arguments passed to or from other methods. Not yet implemented.

**Author(s)**

Maria Xose Rodriguez - Alvarez and Javier Roca-Pardinas

**See Also**

See Also [INPROCreg](#).

**Examples**

```
data(endosim)  
# Evaluate the effect of age on the accuracy of the body mass index for males  
m0.men <- INPROCreg(marker = "bmi", covariate = "age", group = "idf_status",  
tag.healthy = 0,  
data = subset(endosim, gender == "Men"),  
ci.fit = FALSE, test = FALSE,  
accuracy = c("EQ", "TH"),  
accuracy.cal="AROC",  
control=controlINPROCreg(p=1,kbin=30,step.p=0.01),  
newdata = data.frame(age = seq(18,85,l=50)))  
summary(m0.men)  
plot(m0.men)
```

# Index

\*Topic **datasets**

endosim, [8](#)

\*Topic **package**

npROCRegression-package, [2](#)

controlDNPROCreg, [2](#), [6](#)

controlINPROCreg, [4](#), [11](#)

DNPROCreg, [3](#), [5](#), [8](#), [11](#), [12](#), [14](#), [16](#)

DNPROCregData, [6](#), [7](#)

endosim, [8](#)

INPROCreg, [5](#), [6](#), [9](#), [14](#), [15](#), [17](#)

npROCRegression

(npROCRegression-package), [2](#)

npROCRegression-package, [2](#)

plot.DNPROCreg, [6](#), [12](#), [16](#)

plot.INPROCreg, [11](#), [13](#)

print.DNPROCreg, [14](#)

print.INPROCreg, [15](#)

summary.DNPROCreg, [6](#), [12](#), [16](#)

summary.INPROCreg, [11](#), [17](#)