

# Package ‘personalr’

November 23, 2020

**Title** Automated Personal Package Setup

**Version** 1.0.1

**Description** Functions to setup a personal R package that attaches given libraries and exports personal helper functions.

**License** MIT + file LICENSE

**URL** <https://github.com/mrcaseb/personalr>

**BugReports** <https://github.com/mrcaseb/personalr/issues>

**Imports** desc, devtools, fs, glue, magrittr, purrr, rprojroot, rstudioapi, usethis, utils, withr, xfun

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Sebastian Carl [aut, cre]

**Maintainer** Sebastian Carl <mrcaseb@gmail.com>

**Repository** CRAN

**Date/Publication** 2020-11-23 09:10:03 UTC

## R topics documented:

setup_package . . . . .	2
update_core . . . . .	2

<b>Index</b>	<b>4</b>
--------------	----------

---

setup_package	<i>Setup Personal Package</i>
---------------	-------------------------------

---

**Description**

A function to setup a new personal package or update an existing package.

**Usage**

```
setup_package(path, packagename, core = NULL)
```

**Arguments**

path	The path in which the package shall be created. If it exists, it is used. If it does not exist, it is created, provided that the parent path exists.
packagename	The name of the newly generated package. It will be checked to make sure it meets R package naming conventions.
core	A vector or list containing package names that shall be attached when the newly generated package is loaded. The packages must be installed on the current system, otherwise an error will be shown.

**Examples**

```
# create package "mypackage" in temporary directory with
# the core packages dplyr, glue and purrr
withr::with_tempdir({
  install.packages(
    c("dplyr", "glue", "purrr"),
    repos = "http://cran.us.r-project.org"
  )
  setup_package(
    path = tempdir(),
    packagename = "mypackage",
    core = c("dplyr", "glue", "purrr")
  )
})
```

---

update_core	<i>Update Core of Personal Package</i>
-------------	--

---

**Description**

Updates the "core" of a personal package created with personalr. It can either append another package to the current core or overwrite it with a new core.

**Usage**

```
update_core(path, packagename, core = NULL, append = TRUE)
```

**Arguments**

path	The path in which the package shall be created. If it exists, it is used. If it does not exist, it is created, provided that the parent path exists.
packagename	The name of the newly generated package. It will be checked to make sure it meets R package naming conventions.
core	A vector or list containing package names that shall be attached when the newly generated package is loaded. The packages must be installed on the current system, otherwise an error will be shown.
append	If TRUE the packages of the argument core will be appended to the current core and the package version will be increased on the "patch" level. Otherwise core will be overwritten and the package version will be increased on the "minor" level.

# Index

setup\_package, [2](#)

update\_core, [2](#)