

Package ‘rstudio.prefs’

November 15, 2021

Title Set 'RStudio' Preferences

Version 0.1.8

Description As of 'RStudio' v1.3, the preferences in the Global Options dialog (and a number of other preferences that aren't) are now saved in simple, plain-text JSON files. This package provides an interface for working with these 'RStudio' JSON preference files to easily make modifications without using the point-and-click option menus. This is particularly helpful when working on teams to ensure a unified experience across machines and utilizing settings for best practices.

License GPL (>= 3)

URL <https://github.com/ddsjoberg/rstudio.prefs>,
<https://www.danieldsjoberg.com/rstudio.prefs/index.html>

BugReports <https://github.com/ddsjoberg/rstudio.prefs/issues>

Depends R (>= 3.4)

Imports cli (>= 2.5.0), dplyr (>= 1.0.6), fs (>= 1.5.0), jsonlite (>= 1.7.2), purrr (>= 0.3.4), rappdirs (>= 0.3.3), rlang (>= 0.4.11), rstudioapi (>= 0.13), rvest (>= 1.0.0), tibble (>= 3.1.2)

Suggests covr (>= 3.5.1), spelling (>= 2.2), testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

Language en-US

RoxygenNote 7.1.2

NeedsCompilation no

Author Daniel D. Sjoberg [aut, cre, cph]
(<https://orcid.org/0000-0003-0862-2018>)

Maintainer Daniel D. Sjoberg <danield.sjoberg@gmail.com>

Repository CRAN

Date/Publication 2021-11-15 12:10:11 UTC

R topics documented:

check_min_rstudio_version	2
fetch_rstudio_prefs	3
make_path_norm	3
repo_string_as_named_list	4
rstudio_config_path	5
use_rstudio_keyboard_shortcut	6
use_rstudio_prefs	7
use_rstudio_secondary_repo	8

Index	9
--------------	----------

check_min_rstudio_version
Check Min RStudio Version

Description

Return error if minimum version requirement not met.

Usage

```
check_min_rstudio_version(version)
```

Arguments

version string of min required version number

Value

path string to RStudio rstudio-prefs.json file

Author(s)

Daniel D. Sjoberg

Examples

```
if (interactive()) {
  check_min_rstudio_version()
}
```

fetch_rstudio_prefs *Fetch table of RStudio Preferences*

Description

Preferences are fetched from <https://docs.rstudio.com/ide/server-pro/session-user-settings.html>

Usage

```
fetch_rstudio_prefs()
```

Value

tibble

Details

Only preferences of type "boolean", "string", "number", "integer", and "array" are fetched from the table. TODO: Research how type "object" are passed and include in the fetched preferences table.

Examples

```
fetch_rstudio_prefs()
```

make_path_norm *Normalize Path Add-in*

Description

Wrapper to execute `fs::path_norm()` as a shortcut on highlighted text. The updated text will be converted in place to a path normalized for the environment currently in use. For instance, `\` or `\\` will be converted to `/` on Windows machines. See below for process of setting shortcut.

Usage

```
make_path_norm()
```

Details

Add keyboard shortcut for `make_path_norm()` in RStudio, use the `use_rstudio_keyboard_shortcut()` function. Do add it manually, follow the instructions below.

- Install `rstudio.prefs`, and restart RStudio
- Select "Tools" -> "Modify Keyboard Shortcuts...".
- In Search box, type "Make Path Normal".
- Click in the "Shortcut" column on the "Make Path Normal" row.
- Press intended shortcut keys (suggested: `Ctrl+Shift+/`) to set shortcut.
- NOTE: It is possible to override a previously specified key combination with this selection.

Value

normalized path string

See Also

[fs::path_norm](#)

Examples

```
if (interactive()) {
  # set a keyboard shortcut for path normalization
  rstudio.prefs::use_rstudio_keyboard_shortcut(
    "Ctrl+Shift+/" = "rstudio.prefs::make_path_norm"
  )
}
```

repo_string_as_named_list

Convert secondary repo string to named list

Description

The secondary repo string uses `|` to separate the repo names and their values, as well as two different repos, e.g. `'ropensci|https://ropensci.r-universe.dev|ddsjoberg|https://ddsjoberg.r-universe.dev'`.

Usage

```
repo_string_as_named_list(x)
```

Arguments

`x` secondary repository string from `"rstudio-prefs.json"` -> `"cran_mirror"`
-> `"secondary"`

Value

named list

Author(s)

Daniel D. Sjoberg

Examples

```
repo_string_as_named_list(  
  'ropensci|https://ropensci.r-universe.dev|ddsjoberg|https://ddsjoberg.r-universe.dev'  
)
```

rstudio_config_path *RStudio Config Path*

Description

Copy of the internal function `usethis:::rstudio_config_path()`

Usage

```
rstudio_config_path(...)
```

Arguments

`...` strings added to the RStudio config path

Value

path string to RStudio `rstudio-prefs.json` file

Author(s)

Daniel D. Sjoberg

Examples

```
if (interactive()) {  
  rstudio_config_path()  
}
```

`use_rstudio_keyboard_shortcut`*Set RStudio Keyboard Shortcuts*

Description

This function updates the RStudio keyboard shortcuts saved in the `addins.json` file.

Usage

```
use_rstudio_keyboard_shortcut(..., .write_json = TRUE, .backup = TRUE)
```

Arguments

<code>...</code>	series of RStudio keyboard shortcuts to update. The argument name is the keyboard shortcut, and the value is a string of the function name that will execute. See examples.
<code>.write_json</code>	logical indicating whether to update and overwrite the existing JSON file of options. Default is TRUE. When FALSE, the function will return a list of all options, instead of writing them to file.
<code>.backup</code>	logical indicating whether to create a back-up of preferences file before it's updated. Default is TRUE

Value

NULL, updates RStudio `addins.json` file

Author(s)

Daniel D. Sjoberg

Examples

```
use_rstudio_keyboard_shortcut(  
  "Ctrl+Shift+/" = "rstudio.prefs::make_path_norm"  
)
```

use_rstudio_prefs *Set RStudio Preferences*

Description

This function updates the RStudio preferences saved in the `rstudio-prefs.json` file. A full listing of preferences that may be modified are listed here <https://docs.rstudio.com/ide/server-pro/session-user-settings.html>

Usage

```
use_rstudio_prefs(..., .write_json = TRUE, .backup = TRUE)
```

Arguments

<code>...</code>	series of RStudio preferences to update, e.g. <code>always_save_history = FALSE</code> , <code>rainbow_parentheses = TRUE</code>
<code>.write_json</code>	logical indicating whether to update and overwrite the existing JSON file of options. Default is <code>TRUE</code> . When <code>FALSE</code> , the function will return a list of all options, instead of writing them to file.
<code>.backup</code>	logical indicating whether to create a back-up of preferences file before it's updated. Default is <code>TRUE</code>

Value

`NULL`, updates RStudio `rstudio-prefs.json` file

Author(s)

Daniel D. Sjoberg

Examples

```
# pass preferences individually -----
use_rstudio_prefs(
  always_save_history = FALSE,
  rainbow_parentheses = TRUE
)

# pass a list of preferences -----
pref_list <-
  list(always_save_history = FALSE,
        rainbow_parentheses = TRUE)

use_rstudio_prefs(!!!pref_list)
```

`use_rstudio_secondary_repo`*Set RStudio Secondary Repository*

Description

This function updates the RStudio preferences saved in the `rstudio-prefs.json` file to include the secondary repositories passed by the user. If a new name for an existing repository is passed by the user, the name will be updated in the JSON file.

Usage

```
use_rstudio_secondary_repo(..., .write_json = TRUE, .backup = TRUE)
```

Arguments

<code>...</code>	series of named secondary repositories, e.g. <code>ropensci = "https://ropensci.r-universe.dev"</code>
<code>.write_json</code>	logical indicating whether to update and overwrite the existing JSON file of options. Default is TRUE. When FALSE, the function will return a list of all options, instead of writing them to file.
<code>.backup</code>	logical indicating whether to create a back-up of preferences file before it's updated. Default is TRUE

Details

A note for users outside of the USA. If the country in `.$cran_mirror$country` has not been previously recorded in the JSON preferences file (typically, auto set by RStudio), the `use_rstudio_secondary_repo()` function will set `"country" = "us"`.

Value

NULL, updates RStudio `rstudio-prefs.json` file

Author(s)

Daniel D. Sjoberg

Examples

```
use_rstudio_secondary_repo(  
  ropensci = "https://ropensci.r-universe.dev",  
  ddsjoberg = "https://ddsjoberg.r-universe.dev"  
)
```


Index

`check_min_rstudio_version`, 2

`fetch_rstudio_prefs`, 3

`fs::path_norm`, 4

`fs::path_norm()`, 3

`make_path_norm`, 3

`repo_string_as_named_list`, 4

`rstudio_config_path`, 5

`use_rstudio_keyboard_shortcut`, 6

`use_rstudio_prefs`, 7

`use_rstudio_secondary_repo`, 8