

# Package ‘rstudio.prefs’

May 9, 2026

**Title** Set 'RStudio' Preferences

**Version** 0.1.9

**Description** As of 'RStudio' v1.3, the preferences in the Global Options dialog (and a number of other preferences that aren't) are now saved in simple, plain-text JSON files. This package provides an interface for working with these 'RStudio' JSON preference files to easily make modifications without using the point-and-click option menus. This is particularly helpful when working on teams to ensure a unified experience across machines and utilizing settings for best practices.

**License** GPL (>= 3)

**URL** <https://github.com/ddsjoberg/rstudio.prefs>,  
<https://www.danieldsjoberg.com/rstudio.prefs/index.html>

**BugReports** <https://github.com/ddsjoberg/rstudio.prefs/issues>

**Depends** R (>= 3.4)

**Imports** cli (>= 2.5.0), dplyr (>= 1.0.6), fs (>= 1.5.0), jsonlite (>= 1.7.2), purrr (>= 0.3.4), rappdirs (>= 0.3.3), rlang (>= 0.4.11), rstudioapi (>= 0.13), rvest (>= 1.0.0), tibble (>= 3.1.2)

**Suggests** covr (>= 3.5.1), spelling (>= 2.2), testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Encoding** UTF-8

**Language** en-US

**RoxygenNote** 7.2.0

**NeedsCompilation** no

**Author** Daniel D. Sjoberg [aut, cre, cph] (ORCID:  
<https://orcid.org/0000-0003-0862-2018>)

**Maintainer** Daniel D. Sjoberg <danield.sjoberg@gmail.com>

**Repository** CRAN

**Date/Publication** 2022-07-16 13:10:02 UTC

## Contents

check_min_rstudio_version . . . . .	2
fetch_rstudio_prefs . . . . .	3
make_path_norm . . . . .	3
repo_string_as_named_list . . . . .	4
rstudio_config_path . . . . .	5
use_rstudio_keyboard_shortcut . . . . .	6
use_rstudio_prefs . . . . .	7
use_rstudio_secondary_repo . . . . .	8
<b>Index</b>	<b>9</b>

---

check\_min\_rstudio\_version  
*Check Min RStudio Version*

---

### Description

Return error if minimum version requirement not met.

### Usage

```
check_min_rstudio_version(version)
```

### Arguments

version            string of min required version number

### Value

path string to RStudio rstudio-prefs.json file

### Author(s)

Daniel D. Sjoberg

### Examples

```
if (interactive()) {
  check_min_rstudio_version()
}
```

---

fetch\_rstudio\_prefs     *Fetch table of RStudio Preferences*

---

### Description

Preferences are fetched from <https://docs.rstudio.com/ide/server-pro/session-user-settings.html>

### Usage

```
fetch_rstudio_prefs()
```

### Value

tibble

### Details

Only preferences of type "boolean", "string", "number", "integer", and "array" are fetched from the table. TODO: Research how type "object" are passed and include in the fetched preferences table.

### Examples

```
fetch_rstudio_prefs()
```

---

make\_path\_norm     *Normalize Path Add-in*

---

### Description

Wrapper to execute `fs::path_norm()` as a shortcut on highlighted text. The updated text will be converted in place to a path normalized for the environment currently in use. For instance, `\` or `\\` will be converted to `/` on Windows machines. See below for process of setting shortcut.

### Usage

```
make_path_norm()
```

**Details**

Add keyboard shortcut for `make_path_norm()` in RStudio, use the `use_rstudio_keyboard_shortcut()` function. Do add it manually, follow the instructions below.

- Install `rstudio.prefs`, and restart RStudio
- Select "Tools" -> "Modify Keyboard Shortcuts...".
- In Search box, type "Make Path Normal".
- Click in the "Shortcut" column on the "Make Path Normal" row.
- Press intended shortcut keys (suggested: `Ctrl+Shift+/'`) to set shortcut.
- NOTE: It is possible to override a previously specified key combination with this selection.

**Value**

normalized path string

**See Also**

[fs::path\\_norm](#)

**Examples**

```
if (interactive()) {
  # set a keyboard shortcut for path normalization
  rstudio.prefs::use_rstudio_keyboard_shortcut(
    "Ctrl+Shift+/'" = "rstudio.prefs::make_path_norm"
  )
}
```

---

`repo_string_as_named_list`

*Convert secondary repo string to named list*

---

**Description**

The secondary repo string uses `|` to separate the repo names and their values, as well as two different repos, e.g. `'ropensci|https://ropensci.r-universe.dev|ddsjoberg|https://ddsjoberg.r-universe.dev'`.

**Usage**

```
repo_string_as_named_list(x)
```

**Arguments**

`x` secondary repository string from `"rstudio-prefs.json"` -> `"cran_mirror"`  
-> `"secondary"`

**Value**

named list

**Author(s)**

Daniel D. Sjoberg

**Examples**

```
repo_string_as_named_list(  
  'ropensci|https://ropensci.r-universe.dev|ddsjoberg|https://ddsjoberg.r-universe.dev'  
)
```

---

*rstudio\_config\_path*    *RStudio Config Path*

---

**Description**

Copy of the internal function `usethis:::rstudio_config_path()`

**Usage**

```
rstudio_config_path(...)
```

**Arguments**

`...` strings added to the RStudio config path

**Value**

path string to RStudio `rstudio-prefs.json` file

**Author(s)**

Daniel D. Sjoberg

**Examples**

```
if (interactive()) {  
  rstudio_config_path()  
}
```

---

`use_rstudio_keyboard_shortcut`*Set RStudio Keyboard Shortcuts*

---

**Description**

This function updates the RStudio keyboard shortcuts saved in the `addins.json` file.

**Usage**

```
use_rstudio_keyboard_shortcut(..., .write_json = TRUE, .backup = TRUE)
```

**Arguments**

<code>...</code>	series of RStudio keyboard shortcuts to update. The argument name is the keyboard shortcut, and the value is a string of the function name that will execute. See examples.
<code>.write_json</code>	logical indicating whether to update and overwrite the existing JSON file of options. Default is TRUE. When FALSE, the function will return a list of all options, instead of writing them to file.
<code>.backup</code>	logical indicating whether to create a back-up of preferences file before it's updated. Default is TRUE

**Value**

NULL, updates RStudio `addins.json` file

**Author(s)**

Daniel D. Sjoberg

**Examples**

```
use_rstudio_keyboard_shortcut(  
  "Ctrl+Shift+/" = "rstudio.prefs::make_path_norm"  
)
```

---

use\_rstudio\_prefs      *Set RStudio Preferences*

---

## Description

This function updates the RStudio preferences saved in the `rstudio-prefs.json` file. A full listing of preferences that may be modified are listed here <https://docs.rstudio.com/ide/server-pro/session-user-settings.html>

## Usage

```
use_rstudio_prefs(...)
```

## Arguments

...                    series of RStudio preferences to update, e.g. `always_save_history = FALSE`, `rainbow_parentheses =`

## Value

NULL, updates RStudio `rstudio-prefs.json` file

## Author(s)

Daniel D. Sjoberg

## Examples

```
# pass preferences individually -----
use_rstudio_prefs(
  always_save_history = FALSE,
  rainbow_parentheses = TRUE
)

# pass a list of preferences -----
pref_list <-
  list(always_save_history = FALSE,
        rainbow_parentheses = TRUE)

use_rstudio_prefs(!!!pref_list)
```

---

use\_rstudio\_secondary\_repo  
*Set RStudio Secondary Repository*

---

### Description

This function updates the RStudio preferences saved in the `rstudio-prefs.json` file to include the secondary repositories passed by the user. If a new name for an existing repository is passed by the user, the name will be updated in the JSON file.

### Usage

```
use_rstudio_secondary_repo(...)
```

### Arguments

... series of named secondary repositories, e.g. `ropensci = "https://ropensci.r-universe.dev"`

### Details

A note for users outside of the USA. If the country in `.$cran_mirror$country` has not been previously recorded in the JSON preferences file (typically, auto set by RStudio), the `use_rstudio_secondary_repo()` function will set `"country" = "us"`.

### Value

NULL, updates RStudio `rstudio-prefs.json` file

### Author(s)

Daniel D. Sjoberg

### Examples

```
use_rstudio_secondary_repo(  
  ropensci = "https://ropensci.r-universe.dev",  
  ddsjoberg = "https://ddsjoberg.r-universe.dev"  
)
```

# Index

`check_min_rstudio_version`, 2

`fetch_rstudio_prefs`, 3

`fs::path_norm`, 4

`fs::path_norm()`, 3

`make_path_norm`, 3

`repo_string_as_named_list`, 4

`rstudio_config_path`, 5

`use_rstudio_keyboard_shortcut`, 6

`use_rstudio_prefs`, 7

`use_rstudio_secondary_repo`, 8