

# Package ‘runstats’

March 13, 2019

**Type** Package

**Title** Fast Computation of Running Statistics for Time Series

**Version** 1.0.1

**Description** Provides methods for fast computation of running sample statistics for time series. These include: (1) mean, (2) standard deviation, and (3) variance over a fixed-length window of time-series, (4) correlation, (5) covariance, and (6) Euclidean distance (L2 norm) between short-time pattern and time-series. Implemented methods utilize Convolution Theorem to compute convolutions via Fast Fourier Transform (FFT).

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.1.1

**URL** <https://github.com/martakarass/runstats>

**BugReports** <https://github.com/martakarass/runstats/issues>

**Suggests** covr, testthat, ggplot2, knitr, rmarkdown, sessioninfo, rbenchmark, cowplot, spelling

**VignetteBuilder** knitr

**Language** en-US

**NeedsCompilation** no

**Author** Marta Karas [aut, cre] (<<https://orcid.org/0000-0001-5889-3970>>),  
Jacek Urbanek [aut] (<<https://orcid.org/0000-0002-1890-8899>>),  
John Muschelli [ctb] (<<https://orcid.org/0000-0001-6469-1750>>)

**Maintainer** Marta Karas <[marta.karass@gmail.com](mailto:marta.karass@gmail.com)>

**Repository** CRAN

**Date/Publication** 2019-03-13 14:00:03 UTC

## R topics documented:

RunningCor . . . . .	2
RunningCov . . . . .	3
RunningL2Norm . . . . .	4
RunningMean . . . . .	5
RunningSd . . . . .	6
RunningVar . . . . .	7
runstats.demo . . . . .	8

<b>Index</b>	<b>10</b>
--------------	-----------

---

RunningCor	<i>Fast Running Correlation Computation</i>
------------	---

---

### Description

Computes running correlation between time-series  $x$  and short-time pattern  $y$ .

### Usage

```
RunningCor(x, y, circular = FALSE)
```

### Arguments

$x$	A numeric vector.
$y$	A numeric vector, of equal or shorter length than $x$ .
<code>circular</code>	logical; whether running correlation is computed assuming circular nature of $x$ time-series (see Details).

### Details

Computes running correlation between time-series  $x$  and short-time pattern  $y$ . The length of output vector equals the length of  $x$ . Parameter `circular` determines whether  $x$  time-series is assumed to have a circular nature. Assume  $l_x$  is the length of time-series  $x$ ,  $l_y$  is the length of short-time pattern  $y$ .

If `circular` equals TRUE then

- first element of the output vector corresponds to sample correlation between  $x[1:l_y]$  and  $y$ ,
- last element of the output vector corresponds to sample correlation between  $c(x[l_x], x[1:(l_y - 1)])$  and  $y$ .

If `circular` equals FALSE then

- first element of the output vector corresponds to sample correlation between  $x[1:l_y]$  and  $y$ ,
- the  $l_x - W + 1$ -th element of the output vector corresponds to sample correlation between  $x[(l_x - l_y + 1):l_x]$ ,
- last  $W-1$  elements of the output vector are filled with NA.

See `runstats.demo(func.name = "RunningCor")` for a detailed presentation.

**Value**

A numeric vector.

**Examples**

```
x <- sin(seq(0, 1, length.out = 1000) * 2 * pi * 6)
y <- x[1:100]
out1 <- RunningCor(x, y, circular = TRUE)
out2 <- RunningCor(x, y, circular = FALSE)
plot(out1, type = "l"); points(out2, col = "red")
```

---

RunningCov

*Fast Running Covariance Computation*


---

**Description**

Computes running covariance between time-series  $x$  and short-time pattern  $y$ .

**Usage**

```
RunningCov(x, y, circular = FALSE)
```

**Arguments**

<code>x</code>	A numeric vector.
<code>y</code>	A numeric vector, of equal or shorter length than $x$ .
<code>circular</code>	Logical; whether running variance is computed assuming circular nature of $x$ time-series (see Details).

**Details**

Computes running covariance between time-series  $x$  and short-time pattern  $y$ .

The length of output vector equals the length of  $x$ . Parameter `circular` determines whether  $x$  time-series is assumed to have a circular nature. Assume  $l_x$  is the length of time-series  $x$ ,  $l_y$  is the length of short-time pattern  $y$ .

If `circular` equals `TRUE` then

- first element of the output vector corresponds to sample covariance between  $x[1:l_y]$  and  $y$ ,
- last element of the output vector corresponds to sample covariance between  $c(x[1_x], x[1:(l_y - 1)])$  and  $y$ .

If `circular` equals `FALSE` then

- first element of the output vector corresponds to sample covariance between  $x[1:l_y]$  and  $y$ ,
- the  $l_x - W + 1$ -th last element of the output vector corresponds to sample covariance between  $x[(l_x - l_y + 1):l_x]$ ,

- last  $W-1$  elements of the output vector are filled with NA.

See `runstats.demo(func.name = "RunningCov")` for a detailed presentation.

### Value

A numeric vector.

### Examples

```
x <- sin(seq(0, 1, length.out = 1000) * 2 * pi * 6)
y <- x[1:100]
out1 <- RunningCov(x, y, circular = TRUE)
out2 <- RunningCov(x, y, circular = FALSE)
plot(out1, type = "l"); points(out2, col = "red")
```

---

RunningL2Norm

*Fast Running L2 Norm Computation*

---

### Description

Computes running L2 norm between between time-series  $x$  and short-time pattern  $y$ .

### Usage

```
RunningL2Norm(x, y, circular = FALSE)
```

### Arguments

<code>x</code>	A numeric vector.
<code>y</code>	A numeric vector, of equal or shorter length than $x$ .
<code>circular</code>	logical; whether running L2 norm is computed assuming circular nature of $x$ time-series (see Details).

### Details

Computes running L2 norm between between time-series  $x$  and short-time pattern  $y$ . The length of output vector equals the length of  $x$ . Parameter `circular` determines whether  $x$  time-series is assumed to have a circular nature. Assume  $l_x$  is the length of time-series  $x$ ,  $l_y$  is the length of short-time pattern  $y$ .

If `circular` equals `TRUE` then

- first element of the output vector corresponds to sample L2 norm between  $x[1:l_y]$  and  $y$ ,
- last element of the output vector corresponds to sample L2 norm between  $c(x[1_x], x[1:(l_y - 1)])$  and  $y$ .

If `circular` equals `FALSE` then

- first element of the output vector corresponds to sample L2 norm between  $x[1:l_y]$  and  $y$ ,
- the  $l_x - W + 1$ -th element of the output vector corresponds to sample L2 norm between  $x[(l_x - l_y + 1):l_x]$ ,
- last  $W-1$  elements of the output vector are filled with NA.

See `runstats.demo(func.name = "RunningL2Norm")` for a detailed presentation.

### Value

A numeric vector.

### Examples

```
## Ex.1.
x <- sin(seq(0, 1, length.out = 1000) * 2 * pi * 6)
y1 <- x[1:100] + rnorm(100)
y2 <- rnorm(100)
out1 <- RunningL2Norm(x, y1)
out2 <- RunningL2Norm(x, y2)
plot(out1, type = "l"); points(out2, col = "blue")
## Ex.2.
x <- sin(seq(0, 1, length.out = 1000) * 2 * pi * 6)
y <- x[1:100] + rnorm(100)
out1 <- RunningL2Norm(x, y, circular = TRUE)
out2 <- RunningL2Norm(x, y, circular = FALSE)
plot(out1, type = "l"); points(out2, col = "red")
```

---

RunningMean

*Fast Running Mean Computation*

---

### Description

Computes running sample mean of a time-series  $x$  in a fixed length window.

### Usage

```
RunningMean(x, W, circular = FALSE)
```

### Arguments

<code>x</code>	A numeric vector.
<code>W</code>	A numeric scalar; length of $x$ window over which sample mean is computed.
<code>circular</code>	Logical; whether running sample mean is computed assuming circular nature of $x$ time-series (see Details).

**Details**

The length of output vector equals the length of  $x$  vector. Parameter `circular` determines whether  $x$  time-series is assumed to have a circular nature. Assume  $l_x$  is the length of time-series  $x$ ,  $W$  is a fixed length of  $x$  time-series window.

If `circular` equals `TRUE` then

- first element of the output time-series corresponds to sample mean of  $x[1:W]$ ,
- last element of the output time-series corresponds to sample mean of  $c(x[l_x], x[1:(W - 1)])$ .

If `circular` equals `FALSE` then

- first element of the output time-series corresponds to sample mean of  $x[1:W]$ ,
- $l_x - W + 1$ -th element of the output time-series corresponds to sample mean of  $x[(l_x - W + 1):l_x]$ ,
- last  $W - 1$  elements of the output time-series are filled with `NA`.

See `runstats.demo(func.name = "RunningMean")` for a detailed presentation.

**Value**

A numeric vector.

**Examples**

```
x <- rnorm(10)
RunningMean(x, 3, circular = FALSE)
RunningMean(x, 3, circular = TRUE)
```

---

RunningSd

*Fast Running Standard Deviation Computation*


---

**Description**

Computes running sample standard deviation of a time-series  $x$  in a fixed length window.

**Usage**

```
RunningSd(x, W, circular = FALSE)
```

**Arguments**

<code>x</code>	A numeric vector.
<code>W</code>	A numeric scalar; length of $x$ window over which sample variance is computed.
<code>circular</code>	Logical; whether running sample standard deviation is computed assuming circular nature of $x$ time-series (see Details).

**Details**

The length of output vector equals the length of  $x$  vector. Parameter `circular` determines whether  $x$  time-series is assumed to have a circular nature. Assume  $l_x$  is the length of time-series  $x$ ,  $W$  is a fixed length of  $x$  time-series window.

If `circular` equals `TRUE` then

- first element of the output time-series corresponds to sample standard deviation of  $x[1:W]$ ,
- last element of the output time-series corresponds to sample standard deviation of  $c(x[1_x], x[1:(W - 1)])$ .

If `circular` equals `FALSE` then

- first element of the output time-series corresponds to sample standard deviation of  $x[1:W]$ ,
- the  $l_x - W + 1$ -th element of the output time-series corresponds to sample standard deviation of  $x[(1_x - W + 1):1_x]$ ,
- last  $W-1$  elements of the output time-series are filled with `NA`.

See `runstats.demo(func.name = "RunningSd")` for a detailed presentation.

**Value**

A numeric vector.

**Examples**

```
x <- rnorm(10)
RunningSd(x, 3, circular = FALSE)
RunningSd(x, 3, circular = FALSE)
```

---

RunningVar

*Fast Running Variance Computation*

---

**Description**

Computes running sample variance of a time-series  $x$  in a fixed length window.

**Usage**

```
RunningVar(x, W, circular = FALSE)
```

**Arguments**

<code>x</code>	A numeric vector.
<code>W</code>	A numeric scalar; length of $x$ window over which sample variance is computed.
<code>circular</code>	Logical; whether running sample variance is computed assuming circular nature of $x$ time-series (see Details).

**Details**

The length of output vector equals the length of  $x$  vector. Parameter `circular` determines whether  $x$  time-series is assumed to have a circular nature. Assume  $l_x$  is the length of time-series  $x$ ,  $W$  is a fixed length of  $x$  time-series window.

If `circular` equals `TRUE` then

- first element of the output time-series corresponds to sample variance of  $x[1:W]$ ,
- last element of the output time-series corresponds to sample variance of  $c(x[l_x], x[1:(W - 1)])$ .

If `circular` equals `FALSE` then

- first element of the output time-series corresponds to sample variance of  $x[1:W]$ ,
- the  $l_x - W + 1$ -th element of the output time-series corresponds to sample variance of  $x[(l_x - W + 1):l_x]$ ,
- last  $W-1$  elements of the output time-series are filled with NA.

See `runstats.demo(func.name = "RunningVar")` for a detailed presentation.

**Value**

A numeric vector.

**Examples**

```
x <- rnorm(10)
RunningVar(x, W = 3, circular = FALSE)
RunningVar(x, W = 3, circular = TRUE)
```

---

runstats.demo

*Demo visualization of package functions*

---

**Description**

Generates demo visualization of output of methods for computing running statistics.

**Usage**

```
runstats.demo(func.name = "RunningCov")
```

**Arguments**

`func.name` Character value; one of the following:

- "RunningMean",
- "RunningSd",
- "RunningVar",
- "RunningCov",
- "RunningCor",
- "RunningL2Norm".



**Value**

NULL

**Examples**

```
## Not run:  
runstats.demo(func.name = "RunningMean")  
runstats.demo(func.name = "RunningSd")  
runstats.demo(func.name = "RunningVar")  
runstats.demo(func.name = "RunningCov")  
runstats.demo(func.name = "RunningCor")  
runstats.demo(func.name = "RunningL2Norm")  
  
## End(Not run)
```

# Index

RunningCor, 2  
RunningCov, 3  
RunningL2Norm, 4  
RunningMean, 5  
RunningSd, 6  
RunningVar, 7  
runstats.demo, 8