

Package ‘sapfluxnetr’

May 1, 2019

Title Working with 'Sapfluxnet' Project Data

Version 0.0.7

Description Access, modify, aggregate and plot data from the 'Sapfluxnet' project (<http://sapfluxnet.creaf.cat>), the first global database of sap flow measurements.

Depends R (>= 3.4.0)

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports assertthat, dplyr, furr, ggplot2, glue, lubridate, magrittr, methods, purrr, rlang, stats, stringr, tibble, tidyr

RoxygenNote 6.1.1

Collate 'data.R' 'getters.R' 'helpers.R' 'imports.R' 'metrics.R' 'sfn_data_classes.R' 'sfn_data_generics.R' 'sfn_data_methods.R' 'sfn_dplyr.R' 'visualizations.R'

Suggests future, knitr, remotes, rmarkdown, testthat, tidyverse, xtable

VignetteBuilder knitr

URL <https://github.com/sapfluxnet/sapfluxnetr>

BugReports <https://github.com/sapfluxnet/sapfluxnetr/issues>

NeedsCompilation no

Author Victor Granda [aut, cre] (<https://orcid.org/0000-0002-0469-1991>),
Rafael Poyatos [aut] (<https://orcid.org/0000-0003-0521-2523>),
Victor Flo [aut] (<https://orcid.org/0000-0003-1908-4577>),
Jacob Nelson [ctb] (<https://orcid.org/0000-0002-4663-2420>),
Sapfluxnet Core Team [cph]

Maintainer Victor Granda <victorgrandagarcia@gmail.com>

Repository CRAN

Date/Publication 2019-05-01 10:40:03 UTC

R topics documented:

ARG_MAZ	3
ARG_TRE	3
AUS_CAN_ST2_MIX	4
data_coverage	4
describe_md_variable	5
diurnal_centroid	6
filter_sites_by_md	7
get_timezone	8
initialize,sfn_data-method	9
initialize,sfn_data_multi-method	10
metrics	10
metrics_tidyfier	15
norm_diurnal_centroid	17
read_sfn_data	18
read_sfn_metadata	19
sfn_data-class	20
sfn_data_multi-class	20
sfn_data_multi_validity	21
sfn_data_validity	21
sfn_filter	21
sfn_get_generics	23
sfn_get_methods	24
sfn_metadata_ex	25
sfn_metrics	26
sfn_multi_get_methods	28
sfn_mutate	30
sfn_mutate_at	31
sfn_plot	33
sfn_replacement_generics	35
sfn_replacement_methods	36
sfn_sites_in_folder	37
sfn_vars_to_filter	38
show,sfn_data-method	39
show,sfn_data_multi-method	39
summarise_by_period	40
%>%	41
Index	43

ARG_MAZ	<i>ARG_MAZ sapfluxnet site</i>
---------	--------------------------------

Description

Example site for package usage demonstration based on ARG_MAZ

Usage

ARG_MAZ

Format

An `sfn_data` class object with the data and metadata for ARG_MAZ site

Examples

```
data('ARG_MAZ', package = 'sapfluxnetr')
ARG_MAZ
```

ARG_TRE	<i>ARG_TRE sapfluxnet site</i>
---------	--------------------------------

Description

Example site for package usage demonstration based on ARG_TRE

Usage

ARG_TRE

Format

An `sfn_data` class object with the data and metadata for ARG_TRE site

Examples

```
data('ARG_TRE', package = 'sapfluxnetr')
ARG_TRE
```

AUS_CAN_ST2_MIX	<i>AUS_CAN_ST2_MIX sapfluxnet site</i>
-----------------	--

Description

Example site for package usage demonstration based on AUS_CAN_ST2_MIX

Usage

```
AUS_CAN_ST2_MIX
```

Format

An sfn_data class object with the data and metadata for AUS_CAN_ST2_MIX site

Examples

```
data('AUS_CAN_ST2_MIX', package = 'sapfluxnetr')
AUS_CAN_ST2_MIX
```

data_coverage	<i>data coverage</i>
---------------	----------------------

Description

helper for sfn_metrics

Usage

```
data_coverage(x, timestep, period_minutes)
```

Arguments

x	a vector, usually a variable in the sapflow or environmental data.
timestep	numeric value with the timestep in minutes
period_minutes	numeric value with the period in minutes

Details

This helper function calculates the coverage percentage in a vector, and is designed to be used inside a dplyr summarise statement. It calculates the coverage as the percentage of no NAs in the expected length of the summarising period stated by the timestep.

Value

a single value (numeric) with the percentage of coverage for that variable

Examples

```
# data for one day, 60 minutes timestep (24 values) with a 75% of coberture
x <- rep(c(1,2,3,NA), 6)
data_coverage(x, 60, 1440) # 75
```

describe_md_variable *Detailed description of metadata variables*

Description

describe_md_variable prints in console a detailed description for the requested variable. Useful to know which values to filter or in which units the variables are.

Usage

```
describe_md_variable(variable)
```

Arguments

variable A character with the name of the variable

Value

Nothing, prints information to console

Examples

```
# info about the method used to measure sapflow (pl_sens_meth)
describe_md_variable('pl_sens_meth')
```

diurnal_centroid *Diurnal centroid calculation*

Description

Calculate the diurnal centroid for sapflow variables

Usage

```
diurnal_centroid(variable)
```

Arguments

`variable` A numeric vector containing the sapflow values for a day at a regular intervals. Missing values are allowed but not recommended

Details

The code for this function has been kindly provided by Jacob Nelson in python (see <https://github.com/jnelson18/FluxnetTools>) and has been translated to a tidy data philosophy in R to be used inside a `summarise` statement.

Value

A numeric value with the diurnal centroid value (0 to 24 h)

Diurnal centroid algorithm

Given a continuous subdaily sapflow values at regular intervals $V = x_1, \dots, x_n$ to obtain the diurnal centroid each value is multiplied by its interval index and summed up and divided by the sum of the values for the day and finally the value is normalized to 24h:

$$\sum x_1 * 1, x_2 * 2, \dots, x_n * n / \sum x_1, x_2, \dots, x_n * (24/n)$$

With even values for all the intervals (i.e. 100 for all), centroid converges to 12h at more than 1000 intervals per day. With only 48 (half hourly measurements) centroid converges to 12.25h and with 24 intervals (hourly measurements) centroid converges to 12.5h. So, using diurnal centroid value in half hourly datasets or above can have a considerable error associated.

Author(s)

Jacob Nelson & Víctor Granda

Examples

```

# dplyr
library(dplyr)

# check convergence to 12h:
diurnal_centroid(rep(1, 1000)) # 12.012 h
diurnal_centroid(rep(10000, 1000)) # 12.012 h, variable scale not affects calculation

# sapflow diurnal centroid
data('ARG_TRE', package = 'sapfluxnetr')

sfn_metrics(
  ARG_TRE,
  period = '1 day',
  .funs = list(~ diurnal_centroid(.),
               ~ data_coverage(., timestep, period_minutes)),
  solar = FALSE,
  interval = 'general'
)

```

filter_sites_by_md *Filter the sites by metadata variable values*

Description

filter_sites_by_md function takes logical expressions for the metadata variables (i.e. pl_sens_meth == 'HR'), and list the sites that met the criteria from those supplied

Usage

```
filter_sites_by_md(sites, metadata, ..., .join = c("and", "or"))
```

Arguments

sites	character vector with the sites codes to filter, generally the result of sfn_sites_in_folder
metadata	metadata tbl object, usually the result of read_sfn_metadata
...	Logical expressions for the metadata variables, as in filter .
.join	Character indicating how to filter the sites, see details.

Details

.join argument indicates how sites must be filtered between metadata classes. 'and' indicates only sites meeting all conditions for all metadata classes are returned. 'or' indicates all sites meeting any condition between classes are returned. For two or more filters of the same metadata class, they are combined as 'and'.

Value

A character vector with the sites fulfilling the premises

Examples

```
# Let's access the data in "folder". This typically is the folder where the
# sapflow data at the desired unit level is (i.e. "RData/plant"), but in this
# example we will create a temporal folder with some data to test the function
folder <- tempdir()
save(ARG_TRE, file = file.path(folder, 'ARG_TRE.RData'))
save(ARG_MAZ, file = file.path(folder, 'ARG_MAZ.RData'))
save(AUS_CAN_ST2_MIX, file = file.path(folder, 'AUS_CAN_ST2_MIX.RData'))

# we need the metadata and the site names
metadata <- read_sfn_metadata(folder = folder, .write_cache = TRUE)
sites <- sfn_sites_in_folder(folder)

# Filter by Heat Ratio method
filter_sites_by_md(
  pl_sens_meth == 'HR', sites = sites, metadata = metadata
)

# Both, Heat Ratio and Heat Dissipation
filter_sites_by_md(
  pl_sens_meth %in% c('HR', 'HD'),
  sites = sites, metadata = metadata
)

# more complex, Heat Ratio method AND Mediterranean biome
filter_sites_by_md(
  pl_sens_meth == 'HR',
  si_biome == 'Mediterranean',
  sites = sites, metadata = metadata,
  .join = 'and' # default
)

# join = 'or' returns sites that meet any condition
filter_sites_by_md(
  pl_sens_meth == 'HR',
  si_biome == 'Mediterranean',
  sites = sites, metadata = metadata,
  .join = 'or'
)
```


Description

Obtain the site timezone from a sfn_data/sfn_data_multi object

Usage

```
get_timezone(sfn_data)
```

Arguments

sfn_data An sfn_data or sfn_data_multi object

Value

a character with the site timezone

Examples

```
# timezone of ARG_TRE site
get_timezone(ARG_TRE)
```

initialize,sfn_data-method

Initialize method for sfn_data

Description

Initialize an sfn_data object

Usage

```
## S4 method for signature 'sfn_data'
initialize(.Object, sapf_data, env_data, sapf_flags,
  env_flags, si_code, timestamp, solar_timestamp, site_md, stand_md,
  species_md, plant_md, env_md)
```

Arguments

.Object	sfn_data object to create
sapf_data	A tibble (or any object coercible to one) with the sapf_data (without the TIME- STAMP variable)
env_data	A tibble (or any object coercible to one) with the env_data (without the TIME- STAMP variable)
sapf_flags	A tibble (or any object coercible to one) with the same dimensions of sapf_data with the flag info for each tree/TIMESTAMP combination
env_flags	A tibble (or any object coercible to one) with the same dimensions of env_data with the flag info for each env_var/TIMESTAMP combination

si_code	A character vector of length one indicating the site code
timestamp	A POSIXct vector of length nrow(sapf_data) with the timestamp
solar_timestamp	A POSIXct vector of length nrow(sapf_data) with the solar timestamp
site_md	A tibble (or any object coercible to one) containing the site metadata
stand_md	A tibble (or any object coercible to one) containing the stand metadata
species_md	A tibble (or any object coercible to one) containing the species metadata
plant_md	A tibble (or any object coercible to one) containing the plant metadata
env_md	A tibble (or any object coercible to one) containing the env metadata

initialize,sfn_data_multi-method

Initialize method for sfn_data_multi

Description

Initialize an sfn_data_multi object

Usage

```
## S4 method for signature 'sfn_data_multi'
initialize(.Object, ...)
```

Arguments

.Object	sfn_data_multi object to create
...	sfn_data elements

metrics

Complete metrics wrappers

Description

This set of functions returns a complete set of statistics for a site (using [sfn_data](#)) or several sites (using [sfn_data_multi](#))

Usage

```

daily_metrics(sfn_data, solar = TRUE, probs = c(0.95), tidy = FALSE,
  metadata = NULL, ...)

monthly_metrics(sfn_data, solar = TRUE, probs = c(0.95),
  tidy = FALSE, metadata = NULL, ...)

nightly_metrics(sfn_data, period = c("1 day", "1 month"), solar = TRUE,
  int_start = 20, int_end = 6, probs = c(0.95), tidy = FALSE,
  metadata = NULL, ...)

daylight_metrics(sfn_data, period = c("1 day", "1 month"),
  solar = TRUE, int_start = 6, int_end = 20, probs = c(0.95),
  tidy = FALSE, metadata = NULL, ...)

predawn_metrics(sfn_data, period = c("1 day", "1 month"), solar = TRUE,
  int_start = 4, int_end = 6, probs = c(0.95), tidy = FALSE,
  metadata = NULL, ...)

midday_metrics(sfn_data, period = c("1 day", "1 month"), solar = TRUE,
  int_start = 11, int_end = 13, probs = c(0.95), tidy = FALSE,
  metadata = NULL, ...)

```

Arguments

<code>sfn_data</code>	<code>sfn_data</code> or <code>sfn_data_multi</code> object to obtain the metrics from
<code>solar</code>	Logical indicating if the solarTIMESTAMP must be used instead of the site local TIMESTAMP. Default to TRUE (use solarTIMESTAMP).
<code>probs</code>	numeric vector of probabilities for <code>quantile</code>
<code>tidy</code>	Logical indicating if the metrics must be returned in a tidy format (a long tibble, each observation in its own row)
<code>metadata</code>	metadata object, usually the result of <code>read_sfn_metadata</code> . Only used if tidy is TRUE.
<code>...</code>	additional arguments to be passed to <code>.collapse_timestamp</code> or <code>floor_date</code> or <code>ceiling_date</code> .
<code>period</code>	Time period to aggregate data by. See period section for an explanation about the periods ('1 day', '1 month', '1 year', ...)
<code>int_start</code>	Integer value indicating the starting hour of the special interval in 24h format. See Interval section in details.
<code>int_end</code>	Integer value indicating the ending hour of the special interval in 24h format. See Interval section in details.

Details

*_metrics functions are wrappers for `sfn_metrics` with a set of fixed arguments.

*_metrics functions return all or some of the following statistics:

- mean: mean of variable (tree or environmental variable) for the given period. NAs are removed
- sd: standard deviation of the variable for the given period. NAs are removed
- coverage: Data coverage percentage (percentage of measures without NAs)
- q_XX: 0.XX quantile value for the period
- centroid: Diurnal centroid value (hours passed until the half of the summed daily value was reached). Only returned for sapflow measures when period is '1 day'
- accumulated: Accumulated values for precipitation only

Value

If `tidy` is TRUE, a tibble with the metrics for sapflow and environmental data, with all the metadata included. If `tidy` is FALSE (default), a list of tibbles with the calculated metrics.

daily_metrics

`daily_metrics` summarise daily data for all hours in the day

monthly_metrics

`monthly_metrics` summarise monthly data for all hours in the day.

nightly_metrics

`nightly_metrics` will return the metrics for night periods, summarised daily or monthly

Night for daily period starts in DOY x and ends in DOY $x+1$ (i.e. if `night_start = 20`, `night_end = 6` values for the night starting at 2018-03-28 20:00:00 and ending at 2018-03-29 06:00:00 are summarised).

Night for monthly period summarises all night periods in the month, that includes from 00:00:00 of the first month night to 23:59:59 of the last month night.

daylight_metrics

`daylight_metrics` will return the metrics for daylight periods, summarised daily or monthly. Daylight interval is selected by start and end hours.

predawn_metrics

`predawn_metrics` will always return the metrics for predawn period, summarised daily or monthly. Predawn interval is selected by start and end hours.

Predawn metrics did not return the centroid metric.

midday_metrics

`midday_metrics` will always return the metrics for midday period, summarised daily or monthly. Midday interval is selected by start and end hours.

Midday metrics did not return the centroid metric.

See Also

Other metrics: [sfn_metrics](#)

Examples

```
## daily_metrics
# data load
data('ARG_TRE', package = 'sapfluxnetr')
data('sfn_metadata_ex', package = 'sapfluxnetr')

# non tidy raw metrics (default)
ARG_TRE_raw_daily <- daily_metrics(ARG_TRE)
str(ARG_TRE_raw_daily)

# tidy daily metrics
ARG_TRE_daily <- daily_metrics(
  ARG_TRE, tidy = TRUE, metadata = sfn_metadata_ex
)
ARG_TRE_daily

## monthly_metrics
# data load
data('ARG_TRE', package = 'sapfluxnetr')
data('sfn_metadata_ex', package = 'sapfluxnetr')

# non tidy raw metrics (default)
ARG_TRE_raw_monthly <- monthly_metrics(ARG_TRE)
str(ARG_TRE_raw_monthly)

# tidy monthly metrics
ARG_TRE_monthly <- monthly_metrics(
  ARG_TRE, tidy = TRUE, metadata = sfn_metadata_ex
)
ARG_TRE_monthly

## nightly_metrics
# data load
data('AUS_CAN_ST2_MIX', package = 'sapfluxnetr')

# non tidy daily night metrics (default)
AUS_CAN_ST2_MIX_night <- nightly_metrics(AUS_CAN_ST2_MIX)

str(AUS_CAN_ST2_MIX_night)
AUS_CAN_ST2_MIX_night[['sapf']]
AUS_CAN_ST2_MIX_night[['env']]

# change the night interval
```

```
AUS_CAN_ST2_MIX_night_short <- nightly_metrics(  
  AUS_CAN_ST2_MIX, int_start = 21, int_end = 4 # night starting and ending hour  
)  
AUS_CAN_ST2_MIX_night_short[['env']]  
  
# tidy nightly metrics  
data('sfn_metadata_ex', package = 'sapfluxnetr')  
AUS_CAN_ST2_MIX_night_tidy <- nightly_metrics(  
  AUS_CAN_ST2_MIX,  
  tidy = TRUE, metadata = sfn_metadata_ex  
)  
AUS_CAN_ST2_MIX_night_tidy  
  
## daylight_metrics  
# data load  
data('AUS_CAN_ST2_MIX', package = 'sapfluxnetr')  
  
# non tidy daily daylight metrics (default)  
AUS_CAN_ST2_MIX_daylight <- daylight_metrics(AUS_CAN_ST2_MIX)  
  
str(AUS_CAN_ST2_MIX_daylight)  
AUS_CAN_ST2_MIX_daylight[['sapf']]  
AUS_CAN_ST2_MIX_daylight[['env']]  
  
# change the daylight interval  
AUS_CAN_ST2_MIX_daylight_short <- daylight_metrics(  
  AUS_CAN_ST2_MIX, int_start = 8, int_end = 18 # night starting and ending hour  
)  
AUS_CAN_ST2_MIX_daylight_short[['env']]  
  
# tidy daylight metrics  
data('sfn_metadata_ex', package = 'sapfluxnetr')  
AUS_CAN_ST2_MIX_daylight_tidy <- daylight_metrics(  
  AUS_CAN_ST2_MIX,  
  tidy = TRUE, metadata = sfn_metadata_ex  
)  
AUS_CAN_ST2_MIX_daylight_tidy  
  
## predawn_metrics  
# data load  
data('AUS_CAN_ST2_MIX', package = 'sapfluxnetr')  
  
# non tidy daily predawn metrics (default)  
AUS_CAN_ST2_MIX_predawn <- predawn_metrics(AUS_CAN_ST2_MIX)  
  
str(AUS_CAN_ST2_MIX_predawn)  
AUS_CAN_ST2_MIX_predawn[['sapf']]  
AUS_CAN_ST2_MIX_predawn[['env']]
```

```

# change the predawn interval
AUS_CAN_ST2_MIX_predawn_short <- predawn_metrics(
  AUS_CAN_ST2_MIX, int_start = 8, int_end = 18 # night starting and ending hour
)
AUS_CAN_ST2_MIX_predawn_short[['env']]

# tidy daylight metrics
data('sfn_metadata_ex', package = 'sapfluxnetr')
AUS_CAN_ST2_MIX_predawn_tidy <- predawn_metrics(
  AUS_CAN_ST2_MIX,
  tidy = TRUE, metadata = sfn_metadata_ex
)
AUS_CAN_ST2_MIX_predawn_tidy

## midday_metrics
# data load
data('AUS_CAN_ST2_MIX', package = 'sapfluxnetr')

# non tidy daily midday metrics (default)
AUS_CAN_ST2_MIX_midday <- midday_metrics(AUS_CAN_ST2_MIX)

str(AUS_CAN_ST2_MIX_midday)
AUS_CAN_ST2_MIX_midday[['sapf']]
AUS_CAN_ST2_MIX_midday[['env']]

# change the midday interval
AUS_CAN_ST2_MIX_midday_short <- midday_metrics(
  AUS_CAN_ST2_MIX, int_start = 8, int_end = 18 # night starting and ending hour
)
AUS_CAN_ST2_MIX_midday_short[['env']]

# tidy daylight metrics
data('sfn_metadata_ex', package = 'sapfluxnetr')
AUS_CAN_ST2_MIX_midday_tidy <- midday_metrics(
  AUS_CAN_ST2_MIX,
  tidy = TRUE, metadata = sfn_metadata_ex
)
AUS_CAN_ST2_MIX_midday_tidy

```

metrics_tidyfier

Build a tidy data frame from the metrics results nested list

Description

Transform the nested list of metrics in a tidy tibble where each observation has its own row

Usage

```
metrics_tidyfier(metrics_res, metadata, interval = c("general",
  "predawn", "midday", "night", "daylight"))
```

Arguments

metrics_res	Nested list containing the metrics results as obtained from metrics
metadata	List containing the metadata nested list, as obtained from read_sfn_metadata
interval	Interval to return, it depends on the metrics_res and can be "gen" for the general metrics, "md" for midday metrics, "pd" for predawn metrics, "night" for night metrics or "day" for diurnal metrics.

Value

a tibble with the following columns:

- **TIMESTAMP**: POSIXct vector with the date-time of the observation
- **si_code**: Character vector with the site codes
- **pl_code**: Character vector with the plant codes
- **sapflow_***: Variables containing the different metrics for the sapflow measurements (i.e. sapflow_mean, sapflow_q_95)
- **ta_*; rh_*; vpd_*; ...**: Variables containing the different metrics for environmental variables (i.e. ta_mean, ta_q_95)
- **pl_***: plant metadata variables (i.e. pl_sapw_area, pl_sens_meth)
- **si_***: site metadata variables (i.e. si_biome, si_contact_firstname)
- **st_***: stand metadata variables (i.e. st_aspect, st_lai)
- **sp_***: species metadata variables (i.e. sp_basal_area_perc)
- **env_***: environmental metadata variables (i.e. env_timezone)

Examples

```
# data
multi_sfn <- sfn_data_multi(ARG_TRE, ARG_MAZ, AUS_CAN_ST2_MIX)
data('sfn_metadata_ex', package = 'sapfluxnetr')

# metrics
multi_metrics <- daily_metrics(multi_sfn)

# tidying
multi_tidy <- metrics_tidyfier(
  multi_metrics, sfn_metadata_ex, interval = 'general'
)
multi_tidy

# A really easier way of doing the same
multi_tidy_easy <- daily_metrics(multi_sfn, tidy = TRUE, metadata = sfn_metadata_ex)
```

norm_diurnal_centroid *Normalized diurnal centroid calculation*

Description

Calculate the normalized diurnal centroid for sapflow variables

Usage

```
norm_diurnal_centroid(sapf_var, rad_var)
```

Arguments

sapf_var	A numeric vector containing the sapflow values for a day at a regular intervals. Missing values are allowed but not recommended.
rad_var	A numeric vector containing the incoming radiation for a day at a regular intervals. Missing values are allowed but not recommended. Must be the same length as sapf_var.

Details

The code for this function has been kindly provided by Jacob Nelson in python (see <https://github.com/jnelson18/FluxnetTools>) and has been translated to a tidy data philosophy in R to be used inside a `summarise` statement.

Value

A numeric value with the normalized diurnal centroid value

Normalized diurnal centroid algorithm

This function calculates the diurnal centroid of sapflow measures *relative* to the diurnal centroid of incoming radiation (in any units). For that the incoming radiation diurnal centroid is subtracted from the sapflow diurnal centroid:

$$Sapf_{cent} - IncomingRad_{cent}$$

Author(s)

Jacob Nelson & Víctor Granda

read_sfn_data	<i>Read sfn_data from disk</i>
---------------	--------------------------------

Description

Given a site code and a route, `read_sfn_data` will return the selected `sfn_data` object

Usage

```
read_sfn_data(site_codes, folder = ".")
```

Arguments

<code>site_codes</code>	A character vector with the site code/s
<code>folder</code>	Route to the folder containing the <code>.RData</code> file. Default to working directory.

Value

If `site_codes` is a vector of length 1, an `sfn_data` object with the selected site data. If `site_codes` is a vector of length > 1, then a `sfn_data_multi` object containing all selected sites.

Examples

```
# Let's access the data in "folder". This typically is the folder where the
# sapflow data at the desired unit level is (i.e. "RData/plant"), but in this
# example we will create a temporal folder with some data to test the function
folder <- tempdir()
save(ARG_TRE, file = file.path(folder, 'ARG_TRE.RData'))
save(ARG_MAZ, file = file.path(folder, 'ARG_MAZ.RData'))

# now we read a single site
ARG_TRE_test <- read_sfn_data('ARG_TRE', folder)
ARG_TRE_test

# or we can read multiple sites at once
multi_sfn <- read_sfn_data(
  c('ARG_TRE', 'ARG_MAZ'), folder
)
multi_sfn
```

read_sfn_metadata	<i>Read and combine all metadata</i>
-------------------	--------------------------------------

Description

Read metadata from all sites in folder and write it to disk to cache the info for easy and fast access

Usage

```
read_sfn_metadata(folder = ".", .write_cache = FALSE)
```

Arguments

folder Route to the folder containing the data. Default to working directory
.write_cache Logical indicating if a cached copy of the metadata must be written in folder.

Details

Load all data in memory to collect metadata info can be resource limiting. For easy and quick access to metadata, this function stores an .RData file in the specified folder along the data with all the metadata preloaded. Also it return it as an object to use in filtering and selecting sites.

Value

A list of tibbles with the five metadata classes (site, stand, species, plant and environmental)

Examples

```
# Let's access the data in "folder". This typically is the folder where the
# sapflow data at the desired unit level is (i.e. "RData/plant"), but in this
# example we will create a temporal folder with some data to test the function
folder <- tempdir()
save(ARG_TRE, file = file.path(folder, 'ARG_TRE.RData'))
save(ARG_MAZ, file = file.path(folder, 'ARG_MAZ.RData'))

# create and load the metadata. The first time we use .write_cache = TRUE,
# to ensure creating a file containing the metadata for speed the process
# for the next times
read_sfn_metadata(
  folder = folder, .write_cache = TRUE
)
# a cached copy must have been written to "folder"
file.exists(paste0(folder, '.metadata_cache.RData')) # TRUE

# after that, we only need to especify the folder
sites_metadata <- read_sfn_metadata(folder = folder) # quicker than before
sites_metadata
```

sfn_data-class *S4 class for sapfluxnet site data*

Description

Main class for storing sapfluxnet project site data and metadata

Details

This class allows to store all the data and metadata for a sapfluxnet site in one single object, to easily work with it. See `vignette('sfn-data-classes', package = 'sapfluxnetr')` for more info.

Slots

sapf_data A data frame with the sapf data

env_data A data frame with the env data

sapf_flags A data frame with the same dimensions of sapf_data with the flag info for each tree/TIMESTAMP combination

env_flags A data frame with the same dimensions of env_data with the flag info for each env_var/TIMESTAMP combination

si_code A character vector of length one indicating the site code

timestamp A POSIXct vector of length nrow(sapf_data) with the timestamp

solar_timestamp A POSIXct vector of length nrow(sapf_data) with the solar timestamp

site_md A data frame containing the site metadata

stand_md A data frame containing the stand metadata

species_md A data frame containing the species metadata

plant_md A data frame containing the plant metadata

env_md A data frame containing the env metadata

sfn_data_multi-class *S4 class for sapfluxnet multi-site data*

Description

Multi sfn data class, derived from list

Details

This class inherits from `list`, but modified to contain `sfn_data` objects as elements. This will allow to work with several sites at the same time obtaining results for all of them combined or individually as elements of the resulting list (with `lapply` or `purrr::map`)

sfn_data_multi_validity *Validity method for sfn_data_multi class*

Description

Validation checks for generating sfn_data_multi class objects

Details

This method is used internally to ensure the correctness of the sfn_data_multi object. Basically ensures that the object returned is a list of sfn_data class objects

sfn_data_validity *Validity method for sfn_data class*

Description

Validation checks for generating sfn_data class objects

Details

This method is used internally when creating and/or modifying sfn_data class objects to ensure that the object returned is correct in terms of content classes and dimensions (i.e. sapflow data and environmental data has the same length)

sfn_filter *Filter sfn_data by variable/s value*

Description

Port of [filter](#) for sfn_data and sfn_data_multi objects

Usage

```
sfn_filter(sfn_data, ..., solar = FALSE)
```

Arguments

sfn_data	sfn_data or sfn_data_multi object to subset
...	expressions to pass to the filter function
solar	Logical indicating if solar timestamp must used to subset

Details

‘sfn_filter’ will remove the rows not matching the logical expression/s provided. So, it will remove cases and will create `TIMESTAMP` gaps, so its use is not recommended except in the case of filtering by `TIMESTAMP` (i.e. to set several sites (`sfn_data_multi`) in the same time frame). For other scenarios (removing extreme environmental conditions values or strange sapflow measures patterns) see [sfn_mutate](#) and [sfn_mutate_at](#)

Value

For `sfn_data` objects, a filtered `sfn_data` or `NULL` if no data meet the criteria. For `sfn_data_multi` another `sfn_data_multi` with the sites filtered, and an empty `sfn_data_multi` if any sites met the criteria

Examples

```
library(dplyr)
library(lubridate)

# data
data('ARG_TRE', package = 'sapfluxnetr')

# by timestamp
foo_timestamp <- get_timestamp(ARG_TRE)

foo_timestamp_trimmed <- foo_timestamp[1:100]

sfn_filter(
  ARG_TRE,
  TIMESTAMP %in% foo_timestamp_trimmed
)

# by wind speed value
ws_threshold <- 25

sfn_filter(
  ARG_TRE,
  ws <= ws_threshold
)

## multi
data('ARG_MAZ', package = 'sapfluxnetr')
multi_sfn <- sfn_data_multi(ARG_TRE, ARG_MAZ)

# by timestamp
sfn_filter(
  multi_sfn,
  between(day(TIMESTAMP), 18, 22)
)

# by wind speed value
sfn_filter(
```

```
    multi_sfn,  
    ws <= ws_threshold  
  )
```

sfn_get_generics *sfn_data custom get generics*

Description

Generics for getting the info in the slots of SfnData

Usage

```
get_sapf_data(object, ...)  
  
get_env_data(object, ...)  
  
get_sapf_flags(object, ...)  
  
get_env_flags(object, ...)  
  
get_timestamp(object, ...)  
  
get_solar_timestamp(object, ...)  
  
get_si_code(object, ...)  
  
get_site_md(object, ...)  
  
get_stand_md(object, ...)  
  
get_species_md(object, ...)  
  
get_plant_md(object, ...)  
  
get_env_md(object, ...)
```

Arguments

object	Object to get data from
...	Further arguments to pass to the corresponding get method

Details

see [sfn_get_methods](#) for detailed info about using the get methods in sfn_data class objects and [sfn_multi_get_methods](#) for detailed info about using the get methods in sfn_data_multi class objects.

sfn_get_methods *sfn_data* get methods

Description

Methods to get the data and metadata from the sfn_data class slots

Usage

```
## S4 method for signature 'sfn_data'  
get_sapf_data(object, solar = FALSE)
```

```
## S4 method for signature 'sfn_data'  
get_env_data(object, solar = FALSE)
```

```
## S4 method for signature 'sfn_data'  
get_sapf_flags(object, solar = FALSE)
```

```
## S4 method for signature 'sfn_data'  
get_env_flags(object, solar = FALSE)
```

```
## S4 method for signature 'sfn_data'  
get_timestamp(object)
```

```
## S4 method for signature 'sfn_data'  
get_solar_timestamp(object)
```

```
## S4 method for signature 'sfn_data'  
get_si_code(object)
```

```
## S4 method for signature 'sfn_data'  
get_site_md(object)
```

```
## S4 method for signature 'sfn_data'  
get_stand_md(object)
```

```
## S4 method for signature 'sfn_data'  
get_species_md(object)
```

```
## S4 method for signature 'sfn_data'  
get_plant_md(object)
```

```
## S4 method for signature 'sfn_data'  
get_env_md(object)
```

Arguments

object Object of class sfn_data from which data is retrieved

`solar` Logical indicating if the timestamp to return in the `get_sapf_data`, `get_env_data`, `get_sapf_flags` and `get_env_flags` methods is the solarTIMESTAMP (TRUE) or the contributors provided TIMESTAMP (FALSE)

Details

`get_sapf_data` and `get_env_data` methods retrieve sapflow or environmental tibbles to create a functional dataset to work with.

`get_sapf_flags` and `get_env_flags` methods retrieve sapflow or environmental flags as tibbles.

`get_timestamp` and `get_solar_timestamp` methods retrieve only the timestamp as POSIXct vector.

`get_si_code` method retrieve a character vector with length(timestamp) containing the site code.

`get_site_md`, `get_stand_md`, `get_species_md`, `get_plant_md` and `get_env_md` methods retrieve the corresponding metadata.

Examples

```
library(dplyr)

data('ARG_TRE', package = 'sapfluxnetr')
sapf_data <- get_sapf_data(ARG_TRE, solar = TRUE)
env_data_no_solar <- get_env_data(ARG_TRE, solar = FALSE)
plant_md <- get_plant_md(ARG_TRE)

# dplyr pipe to get the mean dbh for a site
ARG_TRE %>%
  get_plant_md() %>%
  summarise(dbh_mean = mean(pl_dbh, na.rm = TRUE)) %>%
  pull(dbh_mean)
```

<code>sfn_metadata_ex</code>	<i>sfn_metadata</i> cache file for example data (<i>ARG_MAZ</i> , <i>ARG_TRE</i> and <i>AUS_CAN_ST2_MIX</i>)
------------------------------	--

Description

Example metadata cache file content for package usage demonstration

Usage

```
sfn_metadata_ex
```

Format

A list with five elements, each of one a metadata type.

Examples

```
data('sfn_metadata_ex', package = 'sapfluxnetr')
sfn_metadata_ex
```

sfn_metrics	<i>Metrics summary function</i>
-------------	---------------------------------

Description

Generate metrics from a site/s data for the period indicated

Usage

```
sfn_metrics(sfn_data, period, .funs, solar, interval = c("general",
  "predawn", "midday", "night", "daylight"), int_start = NULL,
  int_end = NULL, ...)
```

Arguments

sfn_data	sfn_data or sfn_data_multi object to obtain the metrics from
period	Time period to aggregate data by. See period section for an explanation about the periods ('1 day', '1 month', '1 year', ...)
.funs	List of function calls to summarise the data by, see .funs section for more details.
solar	Logical indicating if the solarTIMESTAMP must be used instead of the site local TIMESTAMP. Default to TRUE (use solarTIMESTAMP).
interval	Character vector indicating if the metrics must be filtered by an special hour interval. See Interval section in details.
int_start	Integer value indicating the starting hour of the special interval in 24h format. See Interval section in details.
int_end	Integer value indicating the ending hour of the special interval in 24h format. See Interval section in details.
...	optional arguments to pass to methods used (i.e. .collapse_timestamp or summarise funs extra arguments)

Value

For sfn_data objects, a list of tbl_df objects with the following structure:

- \$sapf: metrics for the sapflow data
- \$env: metrics for the environmental data

For sfn_data_multi objects, a list of lists of tbl_df objects with the metrics for each site:

- \$SITE_CODE
 - \$sapf: metrics for the sapflow data
 - \$env: metrics for the environmental data
- \$NEXT_SITE_CODE...

Period

period argument is used by internal function `.collapse_timestamp` and it can be stated in two ways:

- *frequency period* format: "1 day", "7 days", "1 month", "3 hours"
- As a *custom function*. This will be the name of a function, without quotes, that accepts as the first argument the timestamp to collapse. The result of the function must be a vector of collapsed `TIMESTAMPS` of the same length than the original `TIMESTAMP` which will be used to group by and summarise the data. Additional arguments to this function, if needed, can be passed in the `...` argument.

`.collapse_timestamp` also accepts the `side` argument to collapse by the starting timestamp or the ending timestamp of each group. This can be supplied in the `...` argument.

.funs

`.funs` argument uses the same method as the `.funs` argument in the `summarise_all` function of `dplyr` package. Basically it accepts a list of function calls generated by `list()`. If you want to pass on a custom function you can specify it here. See details in `summarise_by_period` for more complex summarising functions declaration.

Interval

Previously to the metrics summary, data can be filtered by an special interval (i.e. predawn or nightly). This filtering can be specified with the `interval` argument as this:

- "general" (default). No special interval is used, and metrics are performed with all the data.
- "predawn". Data is filtered for predawn interval. In this case `int_start` and `int_end` must be specified as 24h value
- "midday". Data is filtered for midday interval. In this case `int_start` and `int_end` must be specified as 24h value
- "night". Data is filtered for night interval. In this case `int_start` and `int_end` must be specified as 24h value
- "daylight". Data is filtered for daylight interval. In this case `int_start` and `int_end` must be specified as 24h value

See Also

Other metrics: [metrics](#)

Examples

```
library(dplyr)

### general metrics
## sfn_data
data('ARG_TRE', package = 'sapfluxnetr')
ARG_TRE_metrics <- sfn_metrics(
  ARG_TRE,
```

```

    period = '7 days',
    .funs = list(~ mean(., na.rm = TRUE), ~ sd(., na.rm = TRUE), ~ n()),
    solar = FALSE,
    interval = 'general'
  )

str(ARG_TRE_metrics)
ARG_TRE_metrics[['sapf']]
ARG_TRE_metrics[['env']]

## sfn_data_multi

data('ARG_MAZ', package = 'sapfluxnetr')
data('AUS_CAN_ST2_MIX', package = 'sapfluxnetr')
multi_sfn <- sfn_data_multi(ARG_TRE, ARG_MAZ, AUS_CAN_ST2_MIX)

multi_metrics <- sfn_metrics(
  multi_sfn,
  period = '7 days',
  .funs = list(~ mean(., na.rm = TRUE), ~ sd(., na.rm = TRUE), ~ n()),
  solar = FALSE,
  interval = 'general'
)

str(multi_metrics)

multi_metrics[['ARG_TRE']]['sapf']]

### midday metrics
ARG_TRE_midday <- sfn_metrics(
  ARG_TRE,
  period = '1 day',
  .funs = list(~ mean(., na.rm = TRUE), ~ sd(., na.rm = TRUE), ~ n()),
  solar = TRUE,
  interval = 'midday', int_start = 11, int_end = 13
)

str(ARG_TRE_midday)
ARG_TRE_midday[['sapf']]

```

sfn_multi_get_methods *sfn_data_multi get methods*

Description

Methods to get the data and metadata from the sfn_data class slots

Usage

```

## S4 method for signature 'sfn_data_multi'
get_sapf_data(object, solar = FALSE)

## S4 method for signature 'sfn_data_multi'
get_env_data(object, solar = FALSE)

## S4 method for signature 'sfn_data_multi'
get_sapf_flags(object, solar = FALSE)

## S4 method for signature 'sfn_data_multi'
get_env_flags(object, solar = FALSE)

## S4 method for signature 'sfn_data_multi'
get_timestamp(object)

## S4 method for signature 'sfn_data_multi'
get_solar_timestamp(object)

## S4 method for signature 'sfn_data_multi'
get_si_code(object)

## S4 method for signature 'sfn_data_multi'
get_site_md(object, collapse = FALSE)

## S4 method for signature 'sfn_data_multi'
get_stand_md(object, collapse = FALSE)

## S4 method for signature 'sfn_data_multi'
get_species_md(object, collapse = FALSE)

## S4 method for signature 'sfn_data_multi'
get_plant_md(object, collapse = FALSE)

## S4 method for signature 'sfn_data_multi'
get_env_md(object, collapse = FALSE)

```

Arguments

object	Object of class <code>sfn_data_multi</code> from which data or metadata is retrieved
solar	Logical indicating if the timestamp to return in the <code>get_sapf_data</code> , <code>get_env_data</code> , <code>get_sapf_flags</code> and <code>get_env_flags</code> methods is the solar <code>TIMESTAMP</code> (<code>TRUE</code>) or the contributors provided <code>TIMESTAMP</code> (<code>FALSE</code>)
collapse	Logical indicating if the metadata get methods must collapse the returning list to a data frame with all sites

Details

`get_sapf_data` and `get_env_data` methods retrieve sapflow or environmental tibbles from the `sfn_data` objects contained in the `sfn_data_multi` and return them in a list.

`get_sapf_flags` and `get_env_flags` methods retrieve sapflow or environmental flags tibbles from the `sfn_data` objects contained in the `sfn_data_multi` and return them in a list.

`get_timestamp` and `get_solar_timestamp` methods retrieve only the timestamps as POSIXct vectors and return them as a list (each element corresponding to a site in the `sfn_data_multi` object).

`get_si_code` method retrieve a character vector with `length(timestamp)` containing the site code for each site, returning them as a list.

`get_site_md`, `get_stand_md`, `get_species_md`, `get_plant_md` and `get_env_md` methods retrieve the corresponding metadata objects for each site returning them as a list, unless `collapse` is `TRUE`, then the list collapses to a tibble.

Examples

```
library(dplyr)
```

`sfn_mutate`

Mutate variables by function

Description

Port of `mutate` for `sfn_data` and `sfn_data_multi` objects

Usage

```
sfn_mutate(sfn_data, ..., solar = FALSE)
```

Arguments

<code>sfn_data</code>	<code>sfn_data</code> or <code>sfn_data_multi</code> object to subset
<code>...</code>	Name-value pairs of expressions to pass to the <code>mutate</code> function.
<code>solar</code>	Logical indicating if solar timestamp must used to subset

Details

‘`sfn_mutate`’ function will maintain the same number of rows before and after the modification, so it is well suited to modify variables without creating `TIMESTAMP` gaps (i.e. to change variable units). For mutating groups of variables at the same time see `sfn_mutate_at`.

Value

For `sfn_data` objects, a mutated `sfn_data`. For `sfn_data_multi` another `sfn_data_multi` with the sites mutated

Sapflow and environmental variables

'sfn_mutate' internally joins the sapflow and environmental datasets by the `TIMESTAMP`, so it is possible to mutate variables conditionally between sapflow and environmental measures (i.e. mutate sapflow when wind is high or radiation is zero). Due to this, at the moment any new variable is dropped when building the final results, so this is **ONLY** intended to mutate existing variables without changing the names.

Examples

```
library(dplyr)
library(lubridate)

# data
data('ARG_TRE', package = 'sapfluxnetr')

# transform to NAs any wind value above 25
ws_threshold <- 25
sfn_mutate(ARG_TRE, ws = if_else(ws > 25, NA_real_, ws))

## multi
data(ARG_MAZ, package = 'sapfluxnetr')
data(AUS_CAN_ST2_MIX, package = 'sapfluxnetr')
multi_sfn <- sfn_data_multi(ARG_TRE, ARG_MAZ, AUS_CAN_ST2_MIX)

multi_sfn_mutated <- sfn_mutate(
  multi_sfn, ws = if_else(ws > 25, NA_real_, ws)
)

multi_sfn_mutated[['ARG_TRE']]
```

<code>sfn_mutate_at</code>	<i>Mutate selected columns by function</i>
----------------------------	--

Description

Port of `mutate_at` for `sfn_data` and `sfn_data_multi` objects

Usage

```
sfn_mutate_at(sfn_data, .vars, .funs, ..., solar = FALSE)
```

Arguments

<code>sfn_data</code>	<code>sfn_data</code> or <code>sfn_data_multi</code> object to subset
<code>.vars</code>	Variables to mutate. Passed to <code>mutate_at</code>
<code>.funs</code>	Function/s for mutate, passed to <code>mutate_at</code>
<code>...</code>	Extra arguments to pass to the functions in <code>.funs</code> , passed to <code>mutate_at</code> .
<code>solar</code>	Logical indicating if solar timestamp must be used to subset

Details

'sfn_mutate_at' function will maintain the same number of rows before and after the modification, so it is well suited to modify variables without creating `TIMESTAMP` gaps (i.e. to change variable units). For mutating individual variables see [sfn_mutate](#).

Value

For `sfn_data` objects, a mutated `sfn_data`. For `sfn_data_multi` another `sfn_data_multi` with the sites mutated

Examples

```
library(dplyr)
library(lubridate)

# data
data('ARG_TRE', package = 'sapfluxnetr')

# transform to NAs any sapflow value occurred with wind speed above 25
ws_threshold <- 25
# get the names of the variables to mutate (tree names)
vars_to_mutate <- names(get_sapf_data(ARG_TRE)[,-1]) # no TIMESTAMP

sfn_mutate_at(
  ARG_TRE,
  .vars = vars(one_of(vars_to_mutate)),
  .funs = list(
    ~ case_when(
      ws > ws_threshold ~ NA_real_,
      TRUE ~ .
    )
  )
)

## multi
data(ARG_MAZ, package = 'sapfluxnetr')
data(AUS_CAN_ST2_MIX, package = 'sapfluxnetr')
multi_sfn <- sfn_data_multi(ARG_TRE, ARG_MAZ, AUS_CAN_ST2_MIX)

## in multi it's better to discard the variables to not mutate:
vars_to_not_mutate <- names(get_env_data(ARG_TRE)) # all the environmental

multi_sfn_mutated <- sfn_mutate_at(
  multi_sfn,
  .vars = vars(-one_of(vars_to_not_mutate)), # we use -
  .funs = list(
    ~ case_when(
      ws > ws_threshold ~ NA_real_,
      TRUE ~ .
    )
  )
)
```



```
multi_sfn_mutated[['ARG_TRE']]
```

sfn_plot *plot method for sfn_data class*

Description

Plot the desired data from a site object

Usage

```
sfn_plot(sfn_data, type = c("sapf", "env", "ta", "rh", "vpd", "ppfd_in",
  "netrad", "sw_in", "ext_rad", "ws", "precip", "swc_shallow", "swc_deep"),
  formula_env = NULL, solar = TRUE, ...)
```

Arguments

sfn_data	sfn_data object to plot. It can be also an sfn_data_multi object.
type	Character indicating which data to plot. See Type section for detailed information about the available values. Ignored if formula is provided
formula_env	Right side formula indicating an environmental variable to plot vs. the sapflow values. If NULL (default), sfn_plot will use "type" to guess which plot show.
solar	Logical indicating if the solar timestamp must be used instead of the site timestamp
...	Further arguments to be passed on geom_point or geom_col to modify geometry aesthetics.

Value

A ggplot object that can be called to see the plot. If input is an sfn_data_multi object, a list with the plots

ggplot plotting system

[plot](#) is a base R function which uses the base R plotting system to show the plot. We prefer the ggplot plotting system, which allow for storing the plots in objects and can be subjected to further modifications. This allow the package users to generate rather simple plots that can be fine tuned afterwards to the user taste. Generating a [plot](#) method for the sfn_data class returning a ggplot object is not desired (it change the way plot works and can be misleading about the plot general usage). So, instead, we offer this function, sfn_plot.

Type

type argument controls what is going to be plotted. It accepts the following:

- "sapf": It will plot sapflow data vs. `TIMESTAMP`
- "env": It will plot environmental variables vs. `TIMESTMAP`
- "ta", "rh", "vpd", "ppfd_in", "netrad", "sw_in", "ext_rad", "ws", "precip", "swc_shallow" and "swc_deep": They will plot the corresponding variable vs. `TIMESTAMP`

Formula

formula argument can be used to select an environmental variable to plot versus all the sapflow measurements. Any environmental variable is allowed, if it exist in the site provided.

Geometry

By default `sfn_plot` generates plots using `geom_point` geometry, except in the case of `type = "ws"` and `type = "precip"` where `geom_col` is used. These geometries can be modified with the `...` argument.

Examples

```
library(ggplot2)

# data
data('ARG_TRE', package = 'sapfluxnetr')

# plotting directly
sfn_plot(ARG_TRE, type = 'sapf')

# this could be noisy, you can facet by "Tree" (for sapflow) or by
# "Variable" (for environmental data):
sfn_plot(ARG_TRE, type = 'sapf') +
  facet_wrap(~ Tree)

sfn_plot(ARG_TRE, type = 'env') +
  facet_wrap(~ Variable, scales = 'free_y')

# saving and modifying:
env_plot <- sfn_plot(ARG_TRE, type = 'env', solar = FALSE) +
  facet_wrap(~ Variable, scales = 'free_y')
env_plot + labs(title = 'Environmental variables facet plot')

# formula
sfn_plot(ARG_TRE, formula_env = ~ vpd)
```

sfn_replacement_generics
sfn_data replacement generics

Description

Generic functions for replacement functions for sfn_data

Usage

```
get_sapf_data(object) <- value  
get_env_data(object) <- value  
get_sapf_flags(object) <- value  
get_env_flags(object) <- value  
get_timestamp(object) <- value  
get_solar_timestamp(object) <- value  
get_si_code(object) <- value  
get_site_md(object) <- value  
get_stand_md(object) <- value  
get_species_md(object) <- value  
get_plant_md(object) <- value  
get_env_md(object) <- value
```

Arguments

object	Object to replace
value	Object to replace with

Details

see [sfn_replacement_methods](#) for more info about using the replacement methods in sfn_data objects

sfn_replacement_methods
sfn_data replacement methods

Description

Methods to replace the data and metadata from the sfn_data class slots

Usage

```
## S4 replacement method for signature 'sfn_data'  
get_sapf_data(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_env_data(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_sapf_flags(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_env_flags(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_timestamp(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_solar_timestamp(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_si_code(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_site_md(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_stand_md(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_species_md(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_plant_md(object) <- value  
  
## S4 replacement method for signature 'sfn_data'  
get_env_md(object) <- value
```

Arguments

object	sfn_data containing the slot to replace
value	object with the data to replace snf_Data slot with

Details

The replacement object must be a valid object for that slot:

- For `get_sapf_data`, `get_env_data`, `get_sapf_flags` and `get_env_flags` a data.frame or tibble without the `TIMESTAMP` variable
- For `get_*_md` a data.frame or tibble
- For `get_timestamp` and `get_solar_timestamp` a `POSIXct` vector of length `== nrow(sapf/env_data)`
- For `get_si_code` a character vector

Validity is automatically checked before modifying the `sfn_data` object, and an error is raised if not valid

Examples

```
# preparation
data('ARG_TRE', package = 'sapfluxnetr')
sapf_data <- get_sapf_data(ARG_TRE, solar = TRUE)

# modifying the slot data
sapf_data[1:10, 2] <- NA

# replacement. Remember, the sfn_data slot does not contain a TIMESTAMP
# variable, it must be removed
get_sapf_data(ARG_TRE) <- sapf_data[,-1]
```

`sfn_sites_in_folder` *list available sites in a db folder*

Description

Retrieves the site codes in the specified folder

Usage

```
sfn_sites_in_folder(folder = ".")
```

Arguments

folder	Character vector of length 1 indicating the route to the db folder
--------	--

Details

If folder

Value

A character vector with the site codes present in the folder, an error if the folder is not valid or does not contain any site data file.

Examples

```
# Let's access the data in "folder". This typically is the folder where the
# sapflow data at the desired unit level is (i.e. "RData/plant"), but in this
# example we will create a temporal folder with some data to test the function
folder <- tempdir()
save(ARG_TRE, file = file.path(folder, 'ARG_TRE.RData'))
save(ARG_MAZ, file = file.path(folder, 'ARG_MAZ.RData'))
save(AUS_CAN_ST2_MIX, file = file.path(folder, 'AUS_EUC_ST2_MIX.RData'))

# lets see the sites
sites <- sfn_sites_in_folder(folder)
```

sfn_vars_to_filter *List all variables that can be used to filter sites*

Description

sfn_vars_to_filter() returns a list with the variables for each kind of metadata that can be used to select and filter sites

Usage

```
sfn_vars_to_filter()
```

Value

A list with five elements, site_md, stand_md, species_md, plant_md and env_md

Examples

```
# all variables
sfn_vars_to_filter()

# by some metadata
sfn_vars_to_filter()$site_md
```

show,sfn_data-method *Show method for sfn_data*

Description

print a summary for sfn_data objects

Usage

```
## S4 method for signature 'sfn_data'  
show(object)
```

Arguments

object sfn_data object to show

show,sfn_data_multi-method
 Show method for sfn_data_multi

Description

print a summary for sfn_data_multi objects

Usage

```
## S4 method for signature 'sfn_data_multi'  
show(object)
```

Arguments

object sfn_data_multi object to show

summarise_by_period *Summaries by period*

Description

This function collapse the `TIMESTAMP` to the desired period (day, month...) by setting the same value to all timestamps within the period. This modified `TIMESTAMP` is used to group by and summarise the data.

Usage

```
summarise_by_period(data, period, .funs, ...)
```

Arguments

<code>data</code>	sapflow or environmental data as obtained by get_sapf_data and get_env_data . Must have a column named <code>TIMESTAMP</code>
<code>period</code>	period to collapse by. See sfn_metrics for details.
<code>.funs</code>	funs to summarise the data. See details.
<code>...</code>	optional arguments. See details

Details

This function uses internally [.collapse_timestamp](#) and [summarise_all](#). Arguments to control these functions can be passed as `'...'`. Arguments for each function are spliced and applied when needed. Be advised that all arguments passed to the `summarise_all` function will be applied to all the summarising functions used, so it will fail if any of that functions does not accept that argument. To complex function-argument relationships, indicate each summary function call within the `.funs` argument as explained here [summarise_all](#):

```
# This will fail beacuse na.rm argument will be also passed to the n function,
# which does not accept any argument:
```

```
summarise_by_period(
  data = get_sapf_data(ARG_TRE),
  period = '7 days',
  .funs = list(mean, sd, n()),
  na.rm = TRUE
)
```

```
# to solve this is better to use the .funs argument:
```

```
summarise_by_period(
  data = get_sapf_data(ARG_TRE),
  period = '7 days',
  .funs = list(~ mean(., na.rm = TRUE), ~ sd(., na.rm = TRUE), ~ n())
)
```


Value

A 'tbl_df' object with the metrics results. The names of the columns indicate the original variable (tree or environmental variable) and the metric calculated (i.e. 'vpd_mean'), separated by underscore

TIMESTAMP_coll

Previously to the collapsing step, a temporal variable called `TIMESTAMP_coll` is created to be able to catch the real timestamp when some events happens, for example to use the `min_time` function. If your custom summarise function needs to get the time at which some event happens, use `TIMESTAMP_coll` instead of `TIMESTAMP` for that:

```
min_time <- function(x, time) {
  time[which.min(x)]
}

summarise_by_period(
  data = get_sapf_data(ARG_TRE),
  period = '1 day',
  .funs = list(~ min_time(., time = TIMESTAMP_coll)) # Not TIMESTAMP
)
```

Examples

```
library(dplyr)

# data
data('ARG_TRE', package = 'sapfluxnetr')

# simple summary
summarise_by_period(
  data = get_sapf_data(ARG_TRE),
  period = '7 days',
  .funs = list(~ mean(., na.rm = TRUE), ~ sd(., na.rm = TRUE), ~ n())
)
```

Description

Imported from magrittr package

Examples

```
# piping sites  
ARG_TRE %>% daily_metrics()
```

Index

*Topic **datasets**

- ARG_MAZ, [3](#)
- ARG_TRE, [3](#)
- AUS_CAN_ST2_MIX, [4](#)
- sfn_metadata_ex, [25](#)
- .collapse_timestamp, [11](#), [27](#), [40](#)
- %>%, [41](#)

- ARG_MAZ, [3](#)
- ARG_TRE, [3](#)
- AUS_CAN_ST2_MIX, [4](#)

- ceiling_date, [11](#)

- daily_metrics (metrics), [10](#)
- data_coverage, [4](#)
- daylight_metrics (metrics), [10](#)
- describe_md_variable, [5](#)
- diurnal_centroid, [6](#)

- filter, [7](#), [21](#)
- filter_sites_by_md, [7](#)
- floor_date, [11](#)

- geom_col, [33](#), [34](#)
- geom_point, [33](#), [34](#)
- get_env_data, [40](#)
- get_env_data (sfn_get_generics), [23](#)
- get_env_data, sfn_data-method
 (sfn_get_methods), [24](#)
- get_env_data, sfn_data_multi-method
 (sfn_multi_get_methods), [28](#)
- get_env_data<-
 (sfn_replacement_generics), [35](#)
- get_env_data<-, sfn_data-method
 (sfn_replacement_methods), [36](#)
- get_env_flags (sfn_get_generics), [23](#)
- get_env_flags, sfn_data-method
 (sfn_get_methods), [24](#)
- get_env_flags, sfn_data_multi-method
 (sfn_multi_get_methods), [28](#)
- get_env_flags<-
 (sfn_replacement_generics), [35](#)
- get_env_flags<-, sfn_data-method
 (sfn_replacement_methods), [36](#)
- get_sapf_data (sfn_get_generics), [23](#)
- get_sapf_data, sfn_data-method
 (sfn_get_methods), [24](#)
- get_sapf_data, sfn_data_multi-method
 (sfn_multi_get_methods), [28](#)
- get_sapf_data<-
 (sfn_replacement_generics), [35](#)
- get_sapf_data<-, sfn_data-method
 (sfn_replacement_methods), [36](#)
- get_sapf_flags (sfn_get_generics), [23](#)
- get_sapf_flags, sfn_data-method
 (sfn_get_methods), [24](#)
- get_sapf_flags, sfn_data_multi-method
 (sfn_multi_get_methods), [28](#)
- get_sapf_flags<-
 (sfn_replacement_generics), [35](#)

- get_sapf_flags<- , sfn_data-method
(sfn_replacement_methods), 36
- get_si_code (sfn_get_generics), 23
- get_si_code, sfn_data-method
(sfn_get_methods), 24
- get_si_code, sfn_data_multi-method
(sfn_multi_get_methods), 28
- get_si_code<-
(sfn_replacement_generics), 35
- get_si_code<- , sfn_data-method
(sfn_replacement_methods), 36
- get_site_md (sfn_get_generics), 23
- get_site_md, sfn_data-method
(sfn_get_methods), 24
- get_site_md, sfn_data_multi-method
(sfn_multi_get_methods), 28
- get_site_md<-
(sfn_replacement_generics), 35
- get_site_md<- , sfn_data-method
(sfn_replacement_methods), 36
- get_solar_timestamp (sfn_get_generics), 23
- get_solar_timestamp, sfn_data-method
(sfn_get_methods), 24
- get_solar_timestamp, sfn_data_multi-method
(sfn_multi_get_methods), 28
- get_solar_timestamp<-
(sfn_replacement_generics), 35
- get_solar_timestamp<- , sfn_data-method
(sfn_replacement_methods), 36
- get_species_md (sfn_get_generics), 23
- get_species_md, sfn_data-method
(sfn_get_methods), 24
- get_species_md, sfn_data_multi-method
(sfn_multi_get_methods), 28
- get_species_md<-
(sfn_replacement_generics), 35
- get_species_md<- , sfn_data-method
(sfn_replacement_methods), 36
- get_stand_md (sfn_get_generics), 23
- get_stand_md, sfn_data-method
(sfn_get_methods), 24
- get_stand_md, sfn_data_multi-method
(sfn_multi_get_methods), 28
- get_stand_md<-
(sfn_replacement_generics), 35
- get_stand_md<- , sfn_data-method
(sfn_replacement_methods), 36
- get_timestamp (sfn_get_generics), 23
- get_timestamp, sfn_data-method
(sfn_get_methods), 24
- get_timestamp, sfn_data_multi-method
(sfn_multi_get_methods), 28
- get_timestamp<-
(sfn_replacement_generics), 35
- get_timestamp<- , sfn_data-method
(sfn_replacement_methods), 36
- get_timezone, 8
- initialize, sfn_data-method, 9
- initialize, sfn_data_multi-method, 10
- metrics, 10, 16, 27
- metrics_tidyfier, 15
- midday_metrics (metrics), 10
- monthly_metrics (metrics), 10
- mutate, 30
- mutate_at, 31
- nightly_metrics (metrics), 10
- norm_diurnal_centroid, 17
- plot, 33
- predawn_metrics (metrics), 10
- quantile, 11
- read_sfn_data, 18
- read_sfn_metadata, 7, 11, 16, 19
- sfn_data, 10, 11, 26
- sfn_data (sfn_data-class), 20
- sfn_data-class, 20
- sfn_data_multi, 10, 11, 26
- sfn_data_multi (sfn_data_multi-class), 20
- sfn_data_multi-class, 20
- sfn_data_multi_validity, 21
- sfn_data_validity, 21
- sfn_filter, 21
- sfn_get_generics, 23
- sfn_get_methods, 23, 24
- sfn_metadata_ex, 25
- sfn_metrics, 11, 13, 26, 40
- sfn_multi_get_methods, 23, 28
- sfn_mutate, 22, 30, 32
- sfn_mutate_at, 22, 30, 31
- sfn_plot, 33

`sfn_replacement_generics`, [35](#)
`sfn_replacement_methods`, [35](#), [36](#)
`sfn_sites_in_folder`, [7](#), [37](#)
`sfn_vars_to_filter`, [38](#)
`show`, `sfn_data`-method, [39](#)
`show`, `sfn_data_multi`-method, [39](#)
`summarise`, [6](#), [17](#)
`summarise_all`, [27](#), [40](#)
`summarise_by_period`, [27](#), [40](#)