

# Package ‘tosr’

July 14, 2021

**Title** Create the Tree of Science from WoS and Scopus

**Version** 0.1.0

**Description** The goal of ‘tosr’ is to create the Tree of Science from Web of Science (WoS) and Scopus data. It can read files from both sources at the same time. More information can be found in Valencia-Hernández (2020) <<https://revistas.unal.edu.co/index.php/ingevinv/article/view/77718>>.

**License** MIT + file LICENSE

**URL** <https://github.com/coreofscience/tosr>,  
<https://coreofscience.github.io/tosr/>

**BugReports** <https://github.com/coreofscience/tosr/issues>

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**Imports** bibliometrix, igraph, CINNA, dplyr, rebus, magrittr, stringr, tidyr, stats, rlang, tibble

**Depends** R (>= 2.10)

**Suggests** rmarkdown, knitr, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Sebastian Robledo [aut, cre] (<<https://orcid.org/0000-0003-4357-4402>>),  
Martha Zuluaga [aut] (<<https://orcid.org/0000-0003-1720-8476>>),  
Oscar Arbelaez Echeverry [aut]  
(<<https://orcid.org/0000-0002-3097-9438>>),  
Luis Alexander Valencia Hernandez [aut],  
Centro de Bioinformática y Biología computacional de Colombia - BIOS  
[cph, fnd]

**Maintainer** Sebastian Robledo <[sebastian.robledogi@amigo.edu.co](mailto:sebastian.robledogi@amigo.edu.co)>

**Repository** CRAN

**Date/Publication** 2021-07-14 09:30:02 UTC

## R topics documented:

my_tosr_load . . . . .	2
tosR . . . . .	2
tosr_load . . . . .	3
tosSAP . . . . .	4

<b>Index</b>	<b>5</b>
--------------	----------

---

my_tosr_load	<i>A list with data to create ToS</i>
--------------	---------------------------------------

---

### Description

A list of three dataset that contain:

1. Graph: this is a citation network build with the references
2. df: A tibble with the main information of our initial dataset with some more ids
3. nodes: A tibble with the complete information of each node from graph dataset (1).

### Usage

```
my_tosr_load
```

### Format

A list with two datasets from a search in Scopus and Web of Knowledge

---

tosR	<i>tosR process</i>
------	---------------------

---

### Description

This function load de scopus and web of science files and generate the graph (relations between the cited references), the bibliometrix dataframe object, the tree of science for the subfields, the tree of science for all the cited references,

### Usage

```
tosR(...)
```

### Arguments

... Names of scopus and web of science files

**Value**

list with graph, data frame of citations, subfields and Tree of science

**Author(s)**

Sebastian Robledo

**Examples**

```
## Not run:
my_tosr <- tosr("co-citation_209.txt",
               "co-citation_380.bib")

## End(Not run)
```

---

tosr\_load

*Load Web of Science and Scopus files*

---

**Description**

Loads files from Web of Science (txt) and from Scopus (bib) to create a citation graph

**Usage**

```
tosr_load(...)
```

**Arguments**

... Web of Science or Scopus files

**Value**

List with the following fields: 'df', 'g', 'original\_df' and 'extensions'. 'df': bibliometrix dataframe. 'g': Graph from the cited references. 'nodes': dataframe with the nodes attributes of the graph, 'original\_df': dataframe from the original data, and 'extensions': Type of files (.bib or .txt) loaded.

**Author(s)**

Sebastian Robledo

**Examples**

```
## Not run:
my_tosr_load <- tosr_load("co-citation_209.txt",
                        "co-citation_380.bib")

## End(Not run)
```

---

tosSAP

*SAP algorithm for tree of science*

---

### Description

Compute tree of science using SAP algorithm. see: <https://revistas.unal.edu.co/index.php/ingenv/article/view/77718/0>

### Usage

```
tosSAP(graph, df, nodes)
```

### Arguments

graph	A graph object with bibliometrix data obtained from function <code>tosr_load</code>
df	Bibliometrix data frame obtained from function <code>tosr_load</code>
nodes	Dataframe with nodes attributes obtained from function <code>tosr_load</code>

### Value

Dataframe with tree of science

### Author(s)

Sebastian Robledo

### Examples

```
## Not run:  
my_tos <- tosSAP(my_tos_load$graph, my_tos_load$df, my_tos_load$nodes)  
  
## End(Not run)
```

# Index

## \* datasets

my\_tosr\_load, 2

my\_tosr\_load, 2

tosR, 2

tosr\_load, 3

tosSAP, 4