

Package ‘usedthese’

March 25, 2023

Type Package

Title Summarises Package & Function Usage

Version 0.3.2

Description Consistent with 'knitr' syntax highlighting, 'usedthese' adds a summary table of R package & function usage to a Quarto document and enables aggregation of usage across a Quarto website. Learn more about 'usedthese' at <https://cgoo4.github.io/usedthese/>.

Language en-GB

License MIT + file LICENSE

Encoding UTF-8

Suggests covr, rmarkdown, spelling, testthat (>= 3.0.0), tsibble, rvest, httr, xts

Config/testthat/edition 3

RoxygenNote 7.2.3

Imports conflicted (>= 1.2.0), dplyr (>= 1.1.0), highr, kableExtra, knitr, purrr, readr, rlang, stringr, tibble, tidyr (>= 1.3.0), tidyselect, withr

Depends R (>= 4.1)

URL <https://cgoo4.github.io/usedthese/>

BugReports <https://github.com/cgoo4/usedthese/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Carl Goodwin [aut, cre]

Maintainer Carl Goodwin <carl.goodwin@quantumjitter.com>

Repository CRAN

Date/Publication 2023-03-24 23:50:02 UTC

R topics documented:

used_here	2
used_there	3

Index	4
--------------	----------

used_here	<i>Summarise function usage in a single document</i>
-----------	--

Description

Consistent with knitr syntax highlighting, `used_here()` adds a summary table of R package & function usage to a knitted Quarto or R Markdown document

Usage

```
used_here(fil = knitr::current_input())
```

Arguments

<code>fil</code>	If the usage summary is required in the document you are currently knitting, then no argument need be specified. If you want to create a summary by running just the code chunk, then it is necessary to specify the quoted name of the saved file. You should first load and attach the packages used in a fresh R session.
------------------	---

Details

If the rendered summary includes rows where the package name is multiple packages separated by a comma, this will be due to an unresolved conflict. The recommended approach is to use the 'conflicted' package.

Value

A printed kable table with the css class "usedthese"

Examples

```
# Simple example which mimics a two-line script and creates
# an html table with a CSS class "usedthese"
usedthese::used_here("mean(c(1, 2, 3))\nsum(c(1, 2, 3))")
```

`used_there`*Scrape the summaries for site-wide analysis*

Description

Harvests and consolidates function usage tables from pages of a Quarto website by searching for tables with the CSS class "usedthese"

Usage

```
used_there(url, num_links = 30)
```

Arguments

<code>url</code>	The url to the website listing page of posts containing usage tables created with used_here()
<code>num_links</code>	The number of links returned from the listing page may be restricted using this argument. Defaults to 20.

Value

A tibble summarising package & function usage

Examples

```
# Uses a Quarto listing url to scrape & consolidate usage  
used_there("https://www.quantumjitter.com/project/", 1)
```

Index

used_here, 2
used_here(), 2, 3
used_there, 3